# LEADERS MEDIU PORE CLEANING CARBONATED PACK- allantoin gel SANSUNG LIFE & SCIENCE CO., LTD.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### ACTIVE INGREDIENT

Active Ingredient: Allantoin 0.50%

#### INACTIVE INGREDIENT

Inactive Ingredients: Water, Cocamidopropyl Betaine, Acrylates Copolymer, Methyl Perfluorobutyl Ether, Methyl Perfluoroisobutyl Ether, Glycerin, Sodium Laureth Sulfate, Butylene Glycol, Dipropylene Glycol, Disodium Cocoamphodiacetate, Kaolin, Bentonite, Lauramide DEA, Titanium Dioxide, Charcoal Powder, Xanthan gum, TEA-Cocoyl Glutamate, Lactobacillus/Lycium chinense fruit extract ferment filtrate, Lactobacillus/Aloe barbadensis ferment filtrate, Potassium Hydroxide, Disodium EDTA, Lactobacillus/Rice ferment filtrate, Carbonated Water, Phenoxyethanol, Chlorphenesin, Fragrance

#### **PURPOSE**

Purpose: Skin Protectant

#### WARNINGS

Warnings: For external use only. Avoid contact with eyes. Not for human consumption. Discontinue use if irritation occurs. If irritation persists, consult a physician.

Use immediately after opening. Store in cool and dry place. Keep out of reach of children.

### KEEP OUT OF REACH OF CHILDREN

KEEP OUT OF REACH OF CHILDREN


### **Directions**

Directions: After cleansing face, apply a thin layer of the Wash-Off Pack on the face, leaving out the area around eyes and mouth. Leave on for 5-10 minutes then wash off with tepid water. \*Suggested use is 2-3 times a week.

#### **Directions**

Directions: After cleansing face, apply a thin layer of the Wash-Off Pack on the face, leaving out the area around eyes and mouth. Leave on for 5-10 minutes then wash off with tepid water. \*Suggested use is 2-3 times a week.

#### PACKAGE LABEL.PRINCIPAL DISPLAY PANEL





## LEADERS MEDIU PORE CLEANING CARBONATED PACK

allantoin gel

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69424-480
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Allantoin (UNII: 344S277G0Z) (ALLANTOIN - UNII:344S277G0Z)	Allantoin	50 mg in 10 mL	
		8	

Inactive Ingredients		
Ingredient Name	Strength	
Water (UNII: 059QF0KO0R)		
Cocamidopropyl Betaine (UNII: 50CF3O11KX)		

ı	Packaging			
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	1 NDC:69424-480- 01	10 mL in 1 CELLO PACK; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part347	12/0 1/20 15		

# Labeler - SANSUNG LIFE & SCIENCE CO., LTD. (689524929)

# **Registrant -** SANSUNG LIFE & SCIENCE CO., LTD. (689524929)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
SANSUNG LIFE & SCIENCE CO., LTD.		689524929	manufacture(69424-480)	

Revised: 2/2016 SANSUNG LIFE & SCIENCE CO., LTD.