

**NEUTROGENA COOLDRY SPORT SUNSCREEN BROAD SPECTRUM SPF 50-  
avobenzene, homosalate, octisalate, and octocrylene spray  
Johnson & Johnson Consumer Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Neutrogena® COOLDRY SPORT sunscreen spray BROAD SPECTRUM SPF 50**

**Drug Facts**

<b>Active ingredients</b>	<b>Purpose</b>
Avobenzene 3%	Sunscreen
Homosalate 10%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 10%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

- **For external use only**
- **Do not use** on damaged or broken skin
- **When using this product**
  - keep out of eyes. Rinse with water to remove.
  - keep away from face to avoid breathing it
- **Stop use and ask a doctor if** rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away
- **Danger: Flammable. Contents under pressure.** Do not use near fire, heat or while smoking. Do not puncture or incinerate. Store at temperature below 120°F (48°C). Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

**Directions**

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4-6 inches from the skin to apply. Rub in.
- do not spray directly into face. Spray on hands and then apply to face. Rub in.

- do not apply in windy conditions
- use in a well-ventilated area
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

### **Other information**

- protect this product from excessive heat and direct sun
- may stain some fabrics

### **Inactive ingredients**

Alcohol Denat., Isobutane, Dicaprylyl Carbonate, Polyester-7, Acrylates/Octylacrylamide Copolymer, Neopentyl Glycol Diheptanoate, Fragrance, Tocopheryl Acetate

### **Questions or Comments?**

Call toll-free **800-299-4786** or **215-273-8755** (collect). [www.neutrogena.com](http://www.neutrogena.com)

Distributed by: **JOHNSON & JOHNSON CONSUMER INC.** Skillman, NJ 08558

### **PRINCIPAL DISPLAY PANEL - 141 g Can Label**

Neutrogena®

#1 DERMATOLOGIST RECOMMENDED BRAND

COOLDRY  
SPORT

sunscreen spray

BROAD SPECTRUM SPF 50

50

helioplex®  
broad spectrum uva•uvb

stays on through sweat  
oxybenzone free

water resistant (80 minutes)

NET WT 5.0 OZ (141 g)

# Neutrogena®

Neutrogena®  
Cool Dry Sport  
Spray SPF 50

Oxybenzone Free

#1 DERMATOLOGIST RECOMMENDED BRAND

## COOL DRY SPORT

sunscreen spray

BROAD SPECTRUM SPF 50

# 50

**helioplex®**  
broad spectrum uva-uvb

stays on through sweat  
oxybenzone free  
water resistant (80 minutes)

NET WT 5.0 OZ (141 g)

30045547



Neutrogena® Cool Dry Sport with Helioplex® provides superior broad-spectrum UVA/UVB protection in a lightweight, non-greasy formula.

### Drug Facts

Active ingredients	Purpose
Avobenzone (3%), Homosalate (10%), Octisalate (5%), Octocrylene (10%)	Sunscreen

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

■ For external use only ■ Do not use on damaged or broken skin ■ When using this product ■ keep out of eyes. Rinse with water to remove. ■ keep away from face to avoid breathing it ■ Stop use and ask a doctor if rash occurs ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away ■ **Danger: Flammable. Contents under pressure.** Do not use near fire, heat or while smoking. Do not puncture or incinerate. Store at temperature below 120°F (48°C). Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

### Directions


■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ hold container 4-6 inches from the skin to apply. Rub in. ■ do not spray directly into face. Spray on hands and then apply to face. Rub in. ■ do not apply in windy conditions ■ use in a well-ventilated area ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m.—2 p.m. ■ wear long-sleeved shirts, pants, hats and sunglasses ■ children under 6 months of age: Ask a doctor

■ protect this product from excessive heat and direct sun ■ may stain some fabrics

**Other information** ■ protect this product from excessive heat and direct sun ■ may stain some fabrics

**Inactive ingredients** Alcohol Denat., Isobutane, Dicaprylyl Carbonate, Polyester-7, Acrylates/Octylacrylamide Copolymer, Neopentyl Glycol Diheptanoate, Fragrance, Tocopheryl Acetate

**Questions or Comments?** Call toll-free 800-299-4786 or 215-273-8755 (collect), [www.neutrogena.com](http://www.neutrogena.com)



Distributed by: JOHNSON & JOHNSON CONSUMER INC.  
Skillman, NJ 08558 © J&JCI 2019  
DOT 2Q M5706

NEUTROGENA COOLDRY SPORT SUNSCREEN BROAD SPECTRUM SPF

# 50

avobenzone, homosalate, octisalate, and octocrylene spray

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0569
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>ISOBUTANE</b> (UNII: BXR49TP611)	
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)	
<b>POLYESTER-7</b> (UNII: 0841698D2F)	
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKW3C543X)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW)</b> (UNII: JU3XHR8VWK)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0569-5	141 g in 1 CAN; Type 0: Not a Combination Product	09/01/2019	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	09/01/2019	

**Labeler** - Johnson & Johnson Consumer Inc. (118772437)