ACID REDUCER - omeprazole tablet, delayed release CVS Pharmacy, Inc.

Tips for Managing Heartburn

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

Drug Facts

Active ingredient (in each tablet)

Omeprazole delayed-release tablet 20 mg (equivalent to 20.6 mg omeprazole magnesium USP)

Purpose

Acid reducer

Use

- treats frequent heartburn (occurs **2** or more days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert:

Do not use if you are allergic to omeprazole

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have:

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are

taking a prescription drug.

Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if:

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

14-Day Course of Treatment

- swallow 1 tablet with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 tablet a day
- do not use for more than 14 days unless directed by your doctor
- swallow whole. Do not chew or crush tablets.

Repeated 14-Day Courses (if needed)

• you may repeat a 14-day course every 4 months

- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20° to 25°C (68° to 77° F) and protect from moisture

Inactive ingredients

crospovidone, glyceryl monostearate, hydroxypropyl cellulose, hypromellose, magnesium stearate, methacrylic acid and ethyl acrylate copolymer dispersion, microcrystalline cellulose, polyethylene glycol, polysorbate 80, red iron oxide, silicified microcrystalline cellulose, sodium hydroxide, sodium stearyl fumarate, sugar spheres [which contains liquid glucose, starch (maize) and sucrose], talc, titanium dioxide, triethyl citrate and yellow iron oxide.

Questions?

Call **1-855-274-4122**

Distributed by: CVS Pharmy, Inc.

One CVS Drive, Woonsocket, RI 02895 © 2021 CVS/Pharmacy

Made in India

Code: TS/DRUGS/22/2009

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 20 mg (14 Tablet Bottle)

CVSHealth NDC 69842-941-05
Omeprazole
DELAYED RELEASE TABLETS 20 mg
Acid Reducer
Treats Frequent Heartburn!
14 TABLETS

One 14-day course of treatment May take 1 to 4 days for full effect

Top Ply



Top Ply (Page #1)

Active ingredient (in each tablet)

Omegrazole delayed-release tablet 20 mg (equivalent to 20.6 mg omegrazole magnesium USP)...

Dise II treats requent hearthourn (occurs 2 or more days a week) II not intended for immediate relief of hearthourn; this drug may take 1 to 4 days for full effect. Acid reducer Warnings Allergy alert: Do not use if you are allergic to omegrazole Do not use if you have: III trouble or pain swallowing food, vomiting with blood, or bloody or black stools III phanthourn with lightheaddeness, sweating or dizziness III entest pain or heast pain or heast pain or heast pain in These may be signs of a serious condition. See your doctor. Ask a doctor before use if you have: III had been a signs of a serious condition. II requent wheezing, particularly with hearthurn III unexplained weight loss III nauses or vomiting III standard prescription drug. Acid reducers may interact with certain prescription drugs. Stop use and ask a doctor if: II your hearthurn continues or worsens III you are taking a prescription drug. Acid reducers may interact with certain prescription drugs. Stop use and ask a doctor if: II your hearthurn continues or worsens III you need to take this product for more than 14 days II you need to take more than 1 course of treatment every 4 months II you get diarrhea III you develop a rash or joint pain If pregnant or breast-leeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical heart or prescription of the pain II pregnant or breast-leeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical heart or prescription of the pain III pregnant or breast-leeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical heart or prescription of the pain II pregnant or breast-leeding.

Back of Top Ply (Page #2)

Bottom Ply

Base (Page #3)

Contact a Poison Control Center (1-800-222-1222) right away.

Directions
To adults 18 years of age and older
This product is to be used once a day (every 24 hours), every day for 14 days
It may take 1 to 4 days
To radults 18 years of age and older
This product is to be used once a day (every 24 hours), every day for 14 days
It may take 1 to 4 days
To describe the symptoms within 24 hours 14-Day Course of Treatment
Swallow whole, Do not chew or crush tablets, Repeated
14-Day Courses (if needed)
You may repeat a 14-day course every 4 months
To do not take for more than 14 days or more often than every 4 months unless directed by a
doctor
Children under 18 years of age; ask a doctor. Heartburn in children may sometimes be caused by a secure of the relative ingredients
To advantage to the carton. It contains important information,
Store at 20° to 25°C (88° to 77°F) and protect from moisture inactive ingredients
To advantage to end by a
doctor
Glovery 10 your poly cellulose, hypromellose, magnesium stearate, methacrylic acid and eithy acrylate copolymer dispersion, microcrystaline cellulose,
polyethylene glovo, polysorated 80, red iron oxide, slicited microcrystaline cellulose, sodium steary furnarate, sugar spheres (which contains fluid
glucose,
starch (maize) and sucrose], talc, titanium dioxide, triethyl citrate and yellow iron oxide.

Research (Maize) and sucrose], talc, titanium dioxide, triethyl citrate and yellow iron oxide.

Research (Maize) and sucrose], talc, titanium dioxide, triethyl citrate and yellow iron oxide.

Research (Maize) and sucrose], talc, titanium dioxide, triethyl citrate and yellow iron oxide.

Research (Maize) and sucrose], talc, titanium dioxide, triethyl citrate and yellow iron oxide.

Research (Maize) and sucrose], talc, titanium dioxide, triethyl citrate and yellow iron oxide.

Research (Maize) and sucrose], talc, titanium dioxide, triethyl citrate and yellow iron oxide.

Research (Maize) and sucrose], talc, titanium dioxide, triethyl citrate and yellow iro

CVS Health

Compare to the active ingredient in Prilsec OTC®* NDC 69842-941-05 24

HR

Omeprazole DELAYED RELEASE TABLETS 20 mg Acid Reducer Treats Frequent Heartburn! Actual Size 14 TABLETS

One 14-day course of treatment May take 1 to 4 days for full effect



PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 20 mg Blister Carton Label **CVSHealth**

Compare to the active ingredient in Prilosec OTC®* NDC 69842-941-01

Omeprazole
DELAYED RELEASE TABLETS 20 mg
Acid Reducer
24
HR
Treats Frequent Heartburn!

Actual Size 14 TABLETS

One 14-day course of treatment May take 1 to 4 days for full effect



Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:69842-941

Route of Administration ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OMERRAZOLE MACNECULM (UNIII, 42COFEZYLK) (OMERRAZOLE			

OMEPRAZOLE MAGNESIUM (UNII: 426QFE7XLK) (OMEPRAZOLE - UNII: KG60484QX9)

OMEPRAZOLE 20 mg

Inactive Ingredients	
Ingredient Name	Strength
CROSPOVIDONE (35 .MU.M) (UNII: 40UAA97IT9)	
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)	
HYDROXYPROPYL CELLULOSE (90000 WAMW) (UNII: UKE75GEA7F)	
HYPROMELLOSE 2910 (5 MPA.S) (UNII: R75537T0T4)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
METHACRYLIC ACID - ETHYL ACRYLATE COPOLYMER (1:1) TYPE A (UNII: NX76LV5T8J)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL 4000 (UNII: 4R4HFI6D95)	
POLYSORBATE 80 (UNII: 60ZP39ZG8H)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SODIUM STEARYL FUMARATE (UNII: 7CV7WK4UI)	
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)	
STARCH, CORN (UNII: O8232NY3SJ)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	
HYDROXYPROPYL CELLULOSE (45000 WAMW) (UNII: 8VAB711C5E)	
HYPROMELLOSE 2910 (6 MPA.S) (UNII: 0WZ8WG20P6)	

Product Characteristics			
Color	PINK	Score	no score
Shape	RECTANGLE (Oblong)	Size	14mm
Flavor		Imprint Code	Z;69
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:69842- 941-05	1 in 1 CARTON	09/23/2020	
1		14 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:69842- 941-61	2 in 1 CARTON	09/23/2020	
2		14 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:69842- 941-62	3 in 1 CARTON	09/23/2020	
3		14 in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:69842- 941-01	1 in 1 CARTON	09/23/2020	
4		14 in 1 BLISTER PACK; Type 0: Not a Combination Product		
5	NDC:69842- 941-03	3 in 1 CARTON	09/23/2020	
5		14 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End Date
ANDA	ANDA206877	09/23/2020	

Labeler - CVS Pharmacy, Inc. (062312574)

Registrant - Aurohealth LLC (078728447)

Establishment			
Name	Address	ID/FEI	Business Operations
Aurobindo Pharma Limited		650381903	ANALYSIS(69842-941), MANUFACTURE(69842-941)

Revised: 12/2023 CVS Pharmacy, Inc.