

SULWHASOO PERFECTING CUSHION NO.37W1 MAPLE- octinoxate, titanium dioxide, and homosalate lotion

SULWHASOO PERFECTING CUSHION NO.33C1 WALNUT- octinoxate, titanium dioxide, and homosalate lotion

SULWHASOO PERFECTING CUSHION NO.23N1 SAND- octinoxate, titanium dioxide, and homosalate lotion

SULWHASOO PERFECTING CUSHION NO.17N1 VANILLA- octinoxate, titanium dioxide, and homosalate lotion

SULWHASOO PERFECTING CUSHION NO.31W1 ALMOND- octinoxate, titanium dioxide, and homosalate lotion

SULWHASOO PERFECTING CUSHION NO.21N1 BEIGE- octinoxate, titanium dioxide, and homosalate lotion

SULWHASOO PERFECTING CUSHION NO.25N1 AMBER- octinoxate, titanium dioxide, and homosalate lotion

Amorepacific Corporation

SULWHASOO PERFECTING CUSHION Broad Spectrum SPF 46

Drug Facts

ACTIVE INGREDIENTS

Homosalate 7%

Octinoxate 4.9965%

Titanium dioxide 4.05%

PURPOSE

Sunscreen

USES

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

WARNINGS

- **For external use only**
- ***Do not use*** on broken skin.
- **When using this product** avoid contact with eyes. If contact occurs, rinse thoroughly with water.
- **Stop use and ask a doctor if** rash occurs.
- **Keep out of reach of children.** If swallowed, call a poison control centre or get

medical help right away.

DIRECTIONS

- Apply liberally 15 minutes before sun exposure.
- Children under 6 months of age : Ask a doctor.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including :
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses.

OTHER INFORMATION

- Protect the product in this container from excessive heat and direct sun.
- Sun alert : Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

INACTIVE INGREDIENTS

WATER / AQUA / EAU, TITANIUM DIOXIDE (CI 77891), CYCLOPENTASILOXANE, DIPHENYLSILOXY PHENYL TRIMETHICONE, PEG-10 DIMETHICONE, PROPANEDIOL, BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, CYCLOHEXASILOXANE, TRIMETHYLSILOXYSILICATE, NIACINAMIDE, GLYCERIN, CAPRYLYL METHICONE, DISTEARDIMONIUM HECTORITE, POLYMETHYL METHACRYLATE, MAGNESIUM POTASSIUM FLUOROSILICATE, ACRYLATES/ETHYLHEXYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, IRON OXIDES (CI 77492), 1,2-HEXANEDIOL, BUTYLENE GLYCOL, SODIUM CHLORIDE, ALUMINA, SYNTHETIC FLUORPHLOGOPITE, GLYCERYL STEARATE CITRATE, FRAGRANCE / PARFUM, ACRYLATES/DIMETHICONE COPOLYMER, ALUMINUM HYDROXIDE, TRIETHOXYCAPRYLYLSILANE, POLYHYDROXYSTEARIC ACID, POLYSORBATE 80, 17N1 IRON OXIDES (CI 77491), GLYCERYL CAPRYLATE, POLYPHENYLSILSESQUIOXANE, HYDROGENATED LECITHIN, ISODODECANE, SIMETHICONE, CAPRYLYL GLYCOL, ETHYLHEXYLGLYCERIN, IRON OXIDES (CI 77499), ETHYLHEXYL PALMITATE, LECITHIN, ISOSTEARIC ACID, ISOPROPYL PALMITATE, SODIUM HYALURONATE, DISODIUM EDTA, ADENOSINE, POLYSILICONE-11, POLYGLYCERYL-3 POLYRICINOLEATE, HONEY / MEL / MIEL, BETAINE, REHMANNIA GLUTINOSA ROOT EXTRACT, ALCOHOL DENAT., BHT, PAEONIA LACTIFLORA ROOT EXTRACT, LILIUM CANDIDUM BULB EXTRACT, HYDROGENATED POLY(C6-14 OLEFIN), POLYGONATUM ODORATUM RHIZOME EXTRACT, CETYL ETHYLHEXANOATE, HYALURONIC ACID, AMINOPROPYL TRIETHOXYISILANE, NELUMBO NUCIFERA FLOWER EXTRACT, POLYGLYCERYL-3 METHYLGLUCOSE DISTEARATE,

TOCOPHEROL, CETEARYL ALCOHOL, SODIUM STEAROYL GLUTAMATE, RED 7 (CI 15850), BETA-GLUCAN, PRUNUS MUME FLOWER EXTRACT
 WATER / AQUA / EAU, TITANIUM DIOXIDE (CI 77891), CYCLOPENTASILOXANE, DIPHENYLSILOXY PHENYL TRIMETHICONE, PEG-10 DIMETHICONE, PROPANEDIOL, BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, CYCLOHEXASILOXANE, TRIMETHYLSILOXYSILICATE, NIACINAMIDE, GLYCERIN, CAPRYLYL METHICONE, IRON OXIDES (CI 77492), DISTEARDIMONIUM HECTORITE, MAGNESIUM POTASSIUM FLUOROSILICATE, ACRYLATES/ETHYLHEXYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, POLYMETHYL METHACRYLATE, 1,2-HEXANEDIOL, BUTYLENE GLYCOL, SODIUM CHLORIDE, ALUMINA, SYNTHETIC FLUORPHLOGOPITE, GLYCERYL STEARATE CITRATE, FRAGRANCE / PARFUM, ACRYLATES/DIMETHICONE COPOLYMER, ALUMINUM HYDROXIDE, TRIETHOXYCAPRYLYLSILANE, IRON OXIDES (CI 77491), POLYHYDROXYSTEARIC ACID, POLYSORBATE 80, GLYCERYL CAPRYLATE, POLYPHENYLSILSESQUIOXANE,

21N1 HYDROGENATED LECITHIN, IRON OXIDES (CI 77499), ISODODECANE, SIMETHICONE, CAPRYLYL GLYCOL, ETHYLHEXYLGLYCERIN, ETHYLHEXYL PALMITATE, LECITHIN, ISOSTEARIC ACID, ISOPROPYL PALMITATE, SODIUM HYALURONATE, DISODIUM EDTA, ADENOSINE, POLYSILICONE-11, POLYGLYCERYL-3 POLYRICINOLEATE, HONEY / MEL / MIEL, BETAINE, REHMANNIA GLUTINOSA ROOT EXTRACT, ALCOHOL DENAT., BHT, PAEONIA LACTIFLORA ROOT EXTRACT, LILIUM CANDIDUM BULB EXTRACT, HYDROGENATED POLY(C6-14 OLEFIN), POLYGONATUM ODORATUM RHIZOME EXTRACT, CETYL ETHYLHEXANOATE, HYALURONIC ACID, AMINOPROPYL TRIETHOXYLSILANE, NELUMBO NUCIFERA FLOWER EXTRACT, POLYGLYCERYL-3 METHYLGLUCOSE DISTEARATE, TOCOPHEROL, CETEARYL ALCOHOL, SODIUM STEAROYL GLUTAMATE, RED 7 (CI 15850), BETA-GLUCAN, PRUNUS MUME FLOWER EXTRACT

WATER / AQUA / EAU, TITANIUM DIOXIDE (CI 77891), CYCLOPENTASILOXANE, DIPHENYLSILOXY PHENYL TRIMETHICONE, PEG-10 DIMETHICONE, PROPANEDIOL, BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, CYCLOHEXASILOXANE, TRIMETHYLSILOXYSILICATE, NIACINAMIDE, IRON OXIDES (CI 77492), GLYCERIN, CAPRYLYL METHICONE, DISTEARDIMONIUM HECTORITE, MAGNESIUM POTASSIUM FLUOROSILICATE, ACRYLATES/ETHYLHEXYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, 1,2-HEXANEDIOL, BUTYLENE GLYCOL, POLYMETHYL METHACRYLATE, SODIUM CHLORIDE, ALUMINA, SYNTHETIC FLUORPHLOGOPITE, GLYCERYL STEARATE CITRATE, IRON OXIDES (CI 77491), FRAGRANCE / PARFUM, ACRYLATES/DIMETHICONE COPOLYMER, TRIETHOXYCAPRYLYLSILANE, ALUMINUM HYDROXIDE, POLYHYDROXYSTEARIC ACID, POLYSORBATE 80, GLYCERYL CAPRYLATE, POLYPHENYLSILSESQUIOXANE,

23N1 IRON OXIDES (CI 77499), HYDROGENATED LECITHIN, ISODODECANE, SIMETHICONE, CAPRYLYL GLYCOL, ETHYLHEXYLGLYCERIN, ETHYLHEXYL PALMITATE, LECITHIN, ISOSTEARIC ACID, ISOPROPYL PALMITATE, SODIUM HYALURONATE, DISODIUM EDTA, ADENOSINE, POLYSILICONE-11, POLYGLYCERYL-3 POLYRICINOLEATE, HONEY / MEL / MIEL, BETAINE, REHMANNIA GLUTINOSA ROOT EXTRACT, ALCOHOL DENAT., BHT, PAEONIA LACTIFLORA ROOT EXTRACT, LILIUM CANDIDUM BULB EXTRACT, HYDROGENATED POLY(C6-14 OLEFIN), POLYGONATUM ODORATUM RHIZOME EXTRACT, CETYL ETHYLHEXANOATE, HYALURONIC ACID, AMINOPROPYL TRIETHOXYLSILANE,

NELUMBO NUCIFERA FLOWER EXTRACT, POLYGLYCERYL-3 METHYLGLUCOSE DISTEARATE, TOCOPHEROL, CETEARYL ALCOHOL, SODIUM STEAROYL GLUTAMATE, RED 7 (CI 15850), BETA-GLUCAN, PRUNUS MUME FLOWER EXTRACT

25N1 WATER / AQUA / EAU, TITANIUM DIOXIDE (CI 77891), CYCLOPENTASILOXANE, DIPHENYLSILOXY PHENYL TRIMETHICONE, PEG-10 DIMETHICONE, PROPANEDIOL, BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, CYCLOHEXASILOXANE, TRIMETHYLSILOXYSILICATE, NIACINAMIDE, IRON OXIDES (CI 77492), GLYCERIN, CAPRYLYL METHICONE, DISTEARDIMONIUM HECTORITE, MAGNESIUM POTASSIUM FLUOROSILICATE, ACRYLATES/ETHYLHEXYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, 1,2-HEXANEDIOL, BUTYLENE GLYCOL, POLYMETHYL METHACRYLATE, SODIUM CHLORIDE, ALUMINA, SYNTHETIC FLUORPHLOGOPITE, IRON OXIDES (CI 77491), GLYCERYL STEARATE CITRATE, FRAGRANCE / PARFUM, ACRYLATES/DIMETHICONE COPOLYMER, TRIETHOXYCAPRYLYLSILANE, ALUMINUM HYDROXIDE, IRON OXIDES (CI 77499), POLYHYDROXYSTEARIC ACID, POLYSORBATE 80, GLYCERYL CAPRYLATE, POLYPHENYLSILSESQUIOXANE, HYDROGENATED LECITHIN, ISODODECANE, SIMETHICONE, CAPRYLYL GLYCOL, ETHYLHEXYLGLYCERIN, ETHYLHEXYL PALMITATE, LECITHIN, ISOSTEARIC ACID, ISOPROPYL PALMITATE, SODIUM HYALURONATE, DISODIUM EDTA, ADENOSINE, POLYSILICONE-11, POLYGLYCERYL-3 POLYRICINOLEATE, HONEY / MEL / MIEL, BETAINE, REHMANNIA GLUTINOSA ROOT EXTRACT, ALCOHOL DENAT., BHT, PAEONIA LACTIFLORA ROOT EXTRACT, LILIUM CANDIDUM BULB EXTRACT, HYDROGENATED POLY(C6-14 OLEFIN), POLYGONATUM ODORATUM RHIZOME EXTRACT, CETYL ETHYLHEXANOATE, HYALURONIC ACID, AMINOPROPYL TRIETHOXYLSILANE, NELUMBO NUCIFERA FLOWER EXTRACT, POLYGLYCERYL-3 METHYLGLUCOSE DISTEARATE, TOCOPHEROL, CETEARYL ALCOHOL, SODIUM STEAROYL GLUTAMATE, RED 7 (CI 15850), BETA-GLUCAN, PRUNUS MUME FLOWER EXTRACT


31N1 WATER / AQUA / EAU, TITANIUM DIOXIDE (CI 77891), CYCLOPENTASILOXANE, DIPHENYLSILOXY PHENYL TRIMETHICONE, PEG-10 DIMETHICONE, PROPANEDIOL, IRON OXIDES (CI 77492), BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, CYCLOHEXASILOXANE, TRIMETHYLSILOXYSILICATE, NIACINAMIDE, GLYCERIN, CAPRYLYL METHICONE, DISTEARDIMONIUM HECTORITE, MAGNESIUM POTASSIUM FLUOROSILICATE, ACRYLATES/ETHYLHEXYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, POLYMETHYL METHACRYLATE, 1,2-HEXANEDIOL, BUTYLENE GLYCOL, IRON OXIDES (CI 77491), SODIUM CHLORIDE, ALUMINA, SYNTHETIC FLUORPHLOGOPITE, GLYCERYL STEARATE CITRATE, FRAGRANCE / PARFUM, ACRYLATES/DIMETHICONE COPOLYMER, TRIETHOXYCAPRYLYLSILANE, IRON OXIDES (CI 77499), ALUMINUM HYDROXIDE, POLYHYDROXYSTEARIC ACID, POLYSORBATE 80, GLYCERYL CAPRYLATE, POLYPHENYLSILSESQUIOXANE, HYDROGENATED LECITHIN, ISODODECANE, SIMETHICONE, CAPRYLYL GLYCOL, ETHYLHEXYLGLYCERIN, ETHYLHEXYL PALMITATE, LECITHIN, ISOSTEARIC ACID, ISOPROPYL PALMITATE, SODIUM HYALURONATE, DISODIUM EDTA, ADENOSINE, POLYSILICONE-11, POLYGLYCERYL-3 POLYRICINOLEATE, HONEY / MEL / MIEL, BETAINE, REHMANNIA GLUTINOSA ROOT EXTRACT, ALCOHOL DENAT., BHT, PAEONIA LACTIFLORA ROOT EXTRACT, LILIUM CANDIDUM BULB EXTRACT, HYDROGENATED POLY(C6-

14 OLEFIN), POLYGONATUM ODORATUM RHIZOME EXTRACT, CETYL ETHYLHEXANOATE, HYALURONIC ACID, AMINOPROPYL TRIETHOXY-SILANE, NELUMBO NUCIFERA FLOWER EXTRACT, POLYGLYCERYL-3 METHYLGLUCOSE DISTEARATE, TOCOPHEROL, CETEARYL ALCOHOL, SODIUM STEAROYL GLUTAMATE, RED 7 (CI 15850), BETA-GLUCAN, PRUNUS MUME FLOWER EXTRACT

33C1 WATER / AQUA / EAU, TITANIUM DIOXIDE (CI 77891), CYCLOPENTASILOXANE, DIPHENYLSILOXY PHENYL TRIMETHICONE, PEG-10 DIMETHICONE, PROPANEDIOL, BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, IRON OXIDES (CI 77492), CYCLOHEXASILOXANE, TRIMETHYLSILOXYSILICATE, NIACINAMIDE, GLYCERIN, CAPRYLYL METHICONE, DISTEARDIMONIUM HECTORITE, MAGNESIUM POTASSIUM FLUOROSILICATE, ACRYLATES/ETHYLHEXYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, IRON OXIDES (CI 77491), POLYMETHYL METHACRYLATE, 1,2-HEXANEDIOL, BUTYLENE GLYCOL, SODIUM CHLORIDE, ALUMINA, SYNTHETIC FLUORPHLOGOPITE, GLYCERYL STEARATE CITRATE, FRAGRANCE / PARFUM, ACRYLATES/DIMETHICONE COPOLYMER, TRIETHOXYCAPRYLYLSILANE, IRON OXIDES (CI 77499), ALUMINUM HYDROXIDE, POLYHYDROXYSTEARIC ACID, POLYSORBATE 80, GLYCERYL CAPRYLATE, POLYPHENYLSILSESQUIOXANE, HYDROGENATED LECITHIN, ISODODECANE, SIMETHICONE, CAPRYLYL GLYCOL, ETHYLHEXYLGLYCERIN, ETHYLHEXYL PALMITATE, LECITHIN, ISOSTEARIC ACID, ISOPROPYL PALMITATE, SODIUM HYALURONATE, DISODIUM EDTA, ADENOSINE, POLYGLYCERYL-3 POLYRICINOLEATE, POLYSILICONE-11, HONEY / MEL / MIEL, BETAINE, REHMANNIA GLUTINOSA ROOT EXTRACT, ALCOHOL DENAT., BHT, PAEONIA LACTIFLORA ROOT EXTRACT, LILIUM CANDIDUM BULB EXTRACT, HYDROGENATED POLY(C6-14 OLEFIN), POLYGONATUM ODORATUM RHIZOME EXTRACT, CETYL ETHYLHEXANOATE, HYALURONIC ACID, AMINOPROPYL TRIETHOXY-SILANE, NELUMBO NUCIFERA FLOWER EXTRACT, POLYGLYCERYL-3 METHYLGLUCOSE DISTEARATE, TOCOPHEROL, CETEARYL ALCOHOL, SODIUM STEAROYL GLUTAMATE, RED 7 (CI 15850), BETA-GLUCAN, PRUNUS MUME FLOWER EXTRACT

37W1 WATER / AQUA / EAU, CYCLOPENTASILOXANE, DIPHENYLSILOXY PHENYL TRIMETHICONE, IRON OXIDES (CI 77492), TITANIUM DIOXIDE (CI 77891), PEG-10 DIMETHICONE, PROPANEDIOL, BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, CYCLOHEXASILOXANE, TRIMETHYLSILOXYSILICATE, NIACINAMIDE, GLYCERIN, CAPRYLYL METHICONE, IRON OXIDES (CI 77491), DISTEARDIMONIUM HECTORITE, MAGNESIUM POTASSIUM FLUOROSILICATE, POLYMETHYL METHACRYLATE, ACRYLATES/ETHYLHEXYL ACRYLATE/DIMETHICONE METHACRYLATE COPOLYMER, IRON OXIDES (CI 77499), 1,2-HEXANEDIOL, BUTYLENE GLYCOL, SODIUM CHLORIDE, ALUMINA, SYNTHETIC FLUORPHLOGOPITE, GLYCERYL STEARATE CITRATE, FRAGRANCE / PARFUM, ACRYLATES/DIMETHICONE COPOLYMER, TRIETHOXYCAPRYLYLSILANE, POLYHYDROXYSTEARIC ACID, POLYSORBATE 80, GLYCERYL CAPRYLATE, POLYPHENYLSILSESQUIOXANE, ALUMINUM HYDROXIDE, ISODODECANE, SIMETHICONE, CAPRYLYL GLYCOL, ETHYLHEXYLGLYCERIN, HYDROGENATED LECITHIN, ETHYLHEXYL PALMITATE, LECITHIN, ISOSTEARIC ACID, ISOPROPYL PALMITATE, SODIUM HYALURONATE, DISODIUM EDTA, ADENOSINE, POLYSILICONE-11, POLYGLYCERYL-3 POLYRICINOLEATE, HONEY / MEL / MIEL,

BETAINE, REHMANNIA GLUTINOSA ROOT EXTRACT, ALCOHOL DENAT., BHT, PAEONIA LACTIFLORA ROOT EXTRACT, LILIUM CANDIDUM BULB EXTRACT, HYDROGENATED POLY(C6-14 OLEFIN), POLYGONATUM ODORATUM RHIZOME EXTRACT, CETYL ETHYLHEXANOATE, HYALURONIC ACID, AMINOPROPYL TRIETHOXYSILANE, NELUMBO NUCIFERA FLOWER EXTRACT, POLYGLYCERYL-3 METHYLGLUCOSE DISTEARATE, TOCOPHEROL, CETEARYL ALCOHOL, SODIUM STEAROYL GLUTAMATE, RED 7 (CI 15850), BETA-GLUCAN, PRUNUS MUME FLOWER EXTRACT



PERFECTING CUSHION
Broad Spectrum SPF 46 Sunscreen
NO.25N1

Drug Facts (continued)

Directions

■ Apply liberally 15 minutes before sun exposure. ■ Children under 6 months of age: Ask a doctor. ■ Reapply at least every 2 hours. ■ Use a water-resistant sunscreen if swimming or sweating. ■ Sun Protection Measure: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ Limit time in the sun, especially from 10 a.m. – 2 p.m. ■ Wear long-sleeved shirts, pants, hats, and sunglasses.

Other information

■ Protect the product in this container from excessive heat and direct sun. ■ Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Inactive ingredients

WATER / AQUA / EAU, TITANIUM DIOXIDE (CI 77891), CYCLOPENTASILOXANE, DIPHENYLSILOXY PHENYL TRIMETHICONE, PEG-10 DIMETHICONE, PROPANEDIOL, BUTYLENE GLYCOL, DICAPRYLATE/CAPRATE, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, CYCLOHEXASILOXANE, TRIMETHYLSILOXYGLUCATE, NIACINAMIDE, IRON OXIDES (CI 77492), GLYCERIN, CAPRYLYL METHICONE, DISTEAROYL DIMONOL HECTORITE, MAGNESIUM POTASSIUM FLUOROSILICATE, ACRYLATES/ETHYLHEXYL ACRYLATE/ DIMETHICONE METHACRYLATE COPOLYMER, 1,2-HEXANEDIOL, BUTYLENE GLYCOL, POLYMETHYL METHACRYLATE, SODIUM CHLORIDE, ALLUMINA, SYNTHETIC FLUORPHOSPHITE, IRON OXIDES (CI 77491), GLYCERYL STEARATE CITRATE, FRAGRANCE / PARFUM, ACRYLATES/DIMETHICONE COPOLYMER, TRIETHOXYCAPRYLYLSILANE, ALUMINUM HYDROXIDE, IRON

Drug Facts (continued)

OXIDES (CI 77490), POLYHYDROXYSTEARIC ACID, POLYSORBATE 80, GLYCERYL CAPRYLATE, POLYPHENYLSILOSESQUOXANE, HYDROGENATED LECITHIN, ISODECANE, DIMETHICONE, CAPRYLYL GLYCOL, ETHYLHEXYL GLYCERIN, ETHYLHEXYL PALMITATE, LECITHIN, ISOSTEARIC ACID, ISOPROPYL PALMITATE, SODIUM HYALURONATE, DISODIUM EDTA, ADENOSINE, POLYSILOXANE-11, POLYGLYCERYL-3 POLYRICINOLEATE, HONEY / MIEL / MIEL, BETANE, REHMANIA GLUTINOSA ROOT EXTRACT, ALCOHOL, DENAT., BHT, PEAONIA LACTIFLORA ROOT EXTRACT, LULIUM CANDIDUM BULB EXTRACT, HYDROGENATED POLY(C8-14 OLFIN), POLYISONATUM COCOATUM RHIZOME EXTRACT, CETYL ETHYLHEXANOATE, HYALLURONIC ACID, AMINOPROPYL TRIETHOXYSILOXANE, NELUMBO NUDIFLOR FLOWER EXTRACT, POLYGLYCERYL-3 METHYLGLUCOSE DISTEARATE, TOCOPHEROL, CETEARYL ALCOHOL, SODIUM STEAROYL GLUTAMATE, PEG 7 (CI 15085), BETA-GLUCAN, PRUNUS MUME FLOWER EXTRACT

Questions? support@us.amonopacific.com

AMORPACIFIC CORPORATION
Distributed by Amorepacific US Inc. New York, NY 10008
www.sulwhasoo.com
MADE IN KOREA (0347)

Sulwhasoo

PERFECTING CUSHION
Broad Spectrum SPF 46 Sunscreen

NO.25N1
AMBER

30 g (1.5 g x 2) / Net wt. 1.05 oz.

Drug Facts

Active ingredients

Homosalate 7%
Octinoxate 4.0665%
Titanium dioxide 4.06%

Purpose

Sunscreen

Uses

■ Helps prevent sunburn.
■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin.
When using this product keep out of eyes.
Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.



Drug Facts (continued)

Directions

■ Apply liberally 15 minutes before sun exposure. ■ Children under 6 months of age: Ask a doctor. ■ Reapply at least every 2 hours. ■ Use a water-resistant sunscreen if swimming or sweating. ■ Sun Protection Measure: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ Limit time in the sun, especially from 10 a.m. - 2 p.m. ■ Wear long-sleeved shirts, pants, hats, and sunglasses.

Other information

■ Protect the product in this container from excessive heat and direct sun. ■ Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Inactive ingredients

WATER / AQUA / EAU, TITANIUM DIOXIDE (CI 77891), CYCLOPENTASILOXANE, DIPHENYLSILOXY PHENYL TRIMETHICONE, PEG-10 DIMETHICONE, PROPANEDIOL, IRON OXIDES (CI 77492), BUTYLENE GLYCOL DICAPRYLATE/ DICAPRATE, LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, CYCLOHEXASILOXANE, TRIMETHYLSILOXYGLUCATE, NACONAMIDE, GLYCERIN, CAPRYLYL METHACO, DISTEAROXYMETHYL HECOTRIE, MAGNESIUM POTASSIUM FLUOROSILICATE, ACRYLATES/ETHYLHEXYL ACRYLATE/ DIMETHICONE METHACRYLATE COPOLYMER, POLYMETHYL METHACRYLATE, 1,2-HEXANEDIOL, BUTYLENE GLYCOL, IRON OXIDES (CI 77491), SODIUM CHLORIDE, ALUMINA, SYNTHETIC FLUOROPHOSPHATE, GLYCERYL STEARATE CITRATE, FRAGRANCE / PARFUM, ACRYLATES/DIMETHICONE COPOLYMER, TRIETHOXYCAPRYLYLSILANE, IRON OXIDES (CI 77490), ALUMINUM

Drug Facts (continued)

HYDROXIDE, POLYHYDROXYSTEARIC ACID, POLYSORBATE 80, GLYCERYL CAPRYLATE, POLYPHENYLSILOXANOLAN, HYDROGENATED LECITHIN, ISODODECANE, DIMETHICONE, CAPRYLYL GLYCOL, ETHYLHEXYL GLYCERIN, ETHYLHEXYL PALMITATE, LECITHIN, ISOSTEARIC ACID, ISOPROPYL PALMITATE, SODIUM HYALURONATE, DISODIUM EDTA, ADENOSINE, POLYSILOXANE-11, POLYSILOXY-5 POLYPROPYLENE, HONEY / MIEL / MIEL, BETAINE, REHMANHUA GLUTINOSA ROOT EXTRACT, ALCOHOL DENAT., BHT, PEAONIA LACTIFLORA ROOT EXTRACT, LULUM CANDIDUM BULB EXTRACT, HYDROGENATED POLYIS-14 OLEFIN, POLYISONATUM OOCORATUM RHIZOME EXTRACT, CETYL ETHYLHEXANOATE, HYALURONIC ACID, AMINOPROPYL TRIETHOXYSILOXANE, NULUNDO NULUNDO FLOWER EXTRACT, POLYSILOXY-5 METHYLGLUCOSE DISTEARATE, TOCOPHEROL, CETEARYL ALCOHOL, SODIUM STEARATE, GLUTAMATE, RED 7 (CI 15850), BETA-GLUCAN, PRUNUS MUME FLOWER EXTRACT

Questions? support@us.amorepacific.com

AMOREPACIFIC CORPORATION
Distributed by Amorepacific US Inc., New York, NY 10019
www.sulwhasoo.com
MADE IN KOREA (0338)

Sulwhasoo

PERFECTING CUSHION
Broad Spectrum SPF 48 Sunscreen

NO.31W1
ALMOND

30 g (1.5 g x 2) / Net wt. 1.05 oz.

PERFECTING CUSHION
Broad Spectrum SPF 48 Sunscreen
NO.31W1

Drug Facts

Active ingredients

Homosalate 7%
Octinoxate 4.9065%
Titanium dioxide 4.05%

Purpose

Sunscreen

Uses

■ Helps prevent sunburn.
■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes.

Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

NO.33C1
PERFECTING CUSHION
Broad Spectrum SPF 46 Sunscreen

Drug Facts (continued)

Directions

■ Apply liberally 15 minutes before sun exposure. ■ Children under 6 months of age: Ask a doctor. ■ Reapply at least every 2 hours. ■ Use a water-resistant sunscreen if swimming or sweating. ■ Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ Limit time in the sun, especially from 10 a.m. - 2 p.m. ■ Wear long-sleeved shirts, pants, hats, and sunglasses.

Other information

■ Protect this product in this container from excessive heat and direct sun. ■ Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Inactive ingredients

WATER / AQUA / EAU, TITANIUM DIOXIDE (CI 77891), CYCLOPENTASILOXANE, DIPHENYLSILOXY PHENYL TRIMETHICONE, PEG-10 DIMETHICONE, PROPANEDIOL, BUTYLENE GLYCOL DICAPRYLATE/CICAPRATE, LAURYL PEG-4 POLYDIMETHYLSILOXYETHYL DIMETHICONE, IRON OXIDES (CI 77492), CYCLOHEXASILOXANE, TRIMETHYLSILOXYGLUCATE, NIACINAMIDE, GLYCERIN, CAPRYLYL METHICONE, OXISTARDONUMUM HECTORITE, MAGNESIUM POTASSIUM FLUOROSILICATE, ACRYLATES/ETHYLHEXYL ACRYLATE/ DIMETHICONE METHACRYLATE COPOLYMER, IRON OXIDES (CI 77491), POLYMETHYL METHACRYLATE, 1,4-HEXANEDIOL, BUTYLENE GLYCOL, SODIUM CHLORIDE, ALUMINA, SYNTHETIC FLUOROPOLYMER, GLYCERYL STEARATE CITRATE, FRAGRANCE / PARFUM, ACRYLATES/DIMETHICONE COPOLYMER, TRIETHOXYCAPRYLYLSILANE, IRON OXIDES (CI 77490).

Drug Facts (continued)

ALUMINUM HYDROXIDE, POLYHYDROXYSTEARIC ACID, POLYSORBATE 80, GLYCERYL CAPRYLATE, POLYPHENYLSILOXANOLAN, HYDROGENATED LECITHIN, ISODODECANE, DIMETHICONE, CAPRYLYL GLYCOL, ETHYLHEXYL GLYCERIN, ETHYLHEXYL PALMITATE, LECITHIN, ISOSTEARIC ACID, ISOPROPYL PALMITATE, SODIUM HYALURONATE, DISODIUM EDTA, ADENOSINE, POLYGLYCERYL-3 POLYRICINOLEATE, POLYSILOXANE-11, HONEY / MEL / MIEL, BETANE, RENANINIA GLUTINOSA ROOT EXTRACT, ALCOHOL DENAT., BHT, PABONIA LACTIFLORA ROOT EXTRACT, LILUM CANDIDUM BULB EXTRACT, HYDROGENATED POLY(C9-14 OLEFIN, POLYISONATUM OOCORATUM RHIZOME EXTRACT, CETYL ETHYLHEXANOATE, HYALURONIC ACID, AMINOPROPYL TRIETHOXYLANE, NELLUMBO NUDIFLORA FLOWER EXTRACT, POLYGLYCERYL-3 METHYLGLUCOSE DISTEARATE, TOCOPHEROL, CETARYL ALCOHOL, SODIUM STEAROL, GLUTAMATE, RED 7 (CI 15850), BETA-GLUCAN, PRUNUS MUME FLOWER EXTRACT

Questions? support@us.amorapacific.com

AMORAPACIFIC CORPORATION
Distributed by Amorapacific US Inc, New York, NY 10019
www.us.sulwhasoo.com
MADE IN KOREA (01392)

Sulwhasoo

PERFECTING CUSHION
Broad Spectrum SPF 46 Sunscreen

NO.33C1
WALNUT

30 g (1.5 g x 2) / Net wt. 1.05 oz.

Drug Facts

Active ingredients	Purpose
Homosalate 7%	} Sunscreen
Octinoxate 4.9065%	
Titanium dioxide 4.05%	

Uses

■ Helps prevent sunburn.
■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin.


When using this product keep out of eyes.

Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.





SULWHASOO PERFECTING CUSHION NO.37W1 MAPLE

octinoxate, titanium dioxide, and homosalate lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-093
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	1.05 g in 15 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.749475 g in 15 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.6075 g in 15 g

Inactive Ingredients

Ingredient Name	Strength
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
TRIMETHYLSILOXYLICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	

GLYCERIN (UNII: PDC6A3C0OX)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
CI 77491 (UNII: 1K09F3G675)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CI 77499 (UNII: XM0M87F357)	
SODIUM HYALURONATE (UNII: YSE9PPT4TH)	
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)	
PAEONIA LACTIFLORA ROOT (UNII: 3Z3866YW6P)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
NIACINAMIDE (UNII: 25X51I8RD4)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
HYALURONIC ACID (UNII: S270N0TRQY)	
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)	
GLYCERYL STEARATE CITRATE (UNII: WH8T92A065)	
BHT (UNII: 1P9D0Z171K)	
CAPRYLYL METHICONE (UNII: Q95M2P1KJL)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
CI 15850 (UNII: 481744AI4O)	
CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
REHMANNIA GLUTINOSA ROOT (UNII: 1BEM3U6LQQ)	
CETEARYL ALCOHOL (UNII: 2DMT128M1S)	
SODIUM CARBOXYMETHYL .BETA.-GLUCAN (DS 0.65-0.85) (UNII: 2YGO1190AP)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
POLYPHENYLSILSESQUIOXANE (RI 1.55) (UNII: HCT9WH7ZV9)	
DIMETHICONOL/TRIMETHYLSILOXYSILICATE CROSSPOLYMER (40/60 W/W; 1000000 PA.S) (UNII: 83D1907250)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
HYDROGENATED POLY(C6-14 OLEFIN; 6 CST) (UNII: 3C785871IX)	
POLYGLYCERYL-3 METHYLGLUCOSE DISTEARATE (UNII: W19EIO0DBE)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
ADENOSINE (UNII: K72T3FS567)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
LILIUM CANDIDUM BULB (UNII: AHG15J8AM0)	
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)	
CI 77492 (UNII: EX438O2MRT)	
ALUMINA (UNII: LMI26O6933)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
TOCOPHEROL (UNII: R0ZB2556P8)	
AMINOPROPYL TRIETHOXY-SILANE (UNII: L8S6UBW552)	

DEHYDRATED ALCOHOL (UNII: 3K9958V90M)	
PROPANEDIOL (UNII: 5965N8W85T)	
CYCLOHEXASILOXANE (UNII: XHK3U310BA)	
SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)	
PRUNUS MUME FLOWER (UNII: 2N8872050J)	
HONEY (UNII: Y9H1V576FH)	
BETAINE (UNII: 3SCV180C9W)	
WATER (UNII: 059QF0KO0R)	
2-ETHYLHEXYL ACRYLATE, METHACRYLATE, METHYL METHACRYLATE, OR BUTYL METHACRYLATE/HYDROXYPROPYL DIMETHICONE COPOLYMER (30000-300000 MW) (UNII: S7ZA3CCJ4M)	
ISODODECANE (UNII: A8289P68Y2)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-093-31	2 in 1 CARTON	01/01/2026	
1		15 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2026	

SULWHASOO PERFECTING CUSHION NO.33C1 WALNUT

octinoxate, titanium dioxide, and homosalate lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-092
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	1.05 g in 15 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.749475 g in 15 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.6075 g in 15 g

Inactive Ingredients

Ingredient Name	Strength
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	

TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
GLYCERIN (UNII: PDC6A3C0OX)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
CI 77491 (UNII: 1K09F3G675)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CI 77499 (UNII: XM0M87F357)	
SODIUM HYALURONATE (UNII: YSE9PPT4TH)	
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)	
PAEONIA LACTIFLORA ROOT (UNII: 3Z3866YW6P)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
NIACINAMIDE (UNII: 25X51I8RD4)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
HYALURONIC ACID (UNII: S270N0TRQY)	
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)	
GLYCERYL STEARATE CITRATE (UNII: WH8T92A065)	
BHT (UNII: 1P9D0Z171K)	
CAPRYLYL METHICONE (UNII: Q95M2P1KJL)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
CI 15850 (UNII: 481744AI4O)	
CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
REHMANNIA GLUTINOSA ROOT (UNII: 1BEM3U6LQQ)	
CETEARYL ALCOHOL (UNII: 2DMT128M1S)	
SODIUM CARBOXYMETHYL .BETA.-GLUCAN (DS 0.65-0.85) (UNII: 2YGO1190AP)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
POLYPHENYLSILSESQUIOXANE (RI 1.55) (UNII: HCT9WH7ZV9)	
DIMETHICONOL/TRIMETHYLSILOXYSILICATE CROSSPOLYMER (40/60 W/W; 1000000 PA.S) (UNII: 83D19O7250)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
HYDROGENATED POLY(C6-14 OLEFIN; 6 CST) (UNII: 3C785871IX)	
POLYGLYCERYL-3 METHYLGLUCOSE DISTEARATE (UNII: W19EIO0DBE)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
ADENOSINE (UNII: K72T3FS567)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
LILIUM CANDIDUM BULB (UNII: AHG15J8AM0)	
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)	
CI 77492 (UNII: EX438O2MRT)	
ALUMINA (UNII: LMI26O6933)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

TOCOPHEROL (UNII: R0ZB2556P8)	
AMINOPROPYL TRIETHOXYSilANE (UNII: L8S6UBW552)	
DEHYDRATED ALCOHOL (UNII: 3K9958V90M)	
PROPANEDIOL (UNII: 5965N8W85T)	
CYCLOHEXASILOXANE (UNII: XHK3U310BA)	
SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)	
PRUNUS MUME FLOWER (UNII: 2N8872050J)	
HONEY (UNII: Y9H1V576FH)	
BETAINE (UNII: 3SCV180C9W)	
WATER (UNII: 059QF0KO0R)	
2-ETHYLHEXYL ACRYLATE, METHACRYLATE, METHYL METHACRYLATE, OR BUTYL METHACRYLATE/HYDROXYPROPYL DIMETHICONE COPOLYMER (30000-300000 MW) (UNII: S7ZA3CCJ4M)	
ISODODECANE (UNII: A8289P68Y2)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-092-31	2 in 1 CARTON	01/01/2026	
1		15 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2026	

SULWHASOO PERFECTING CUSHION NO.23N1 SAND

octinoxate, titanium dioxide, and homosalate lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-089
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	1.05 g in 15 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.749475 g in 15 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.6075 g in 15 g

Inactive Ingredients

Ingredient Name	Strength
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
GLYCERIN (UNII: PDC6A3C0OX)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
CI 77491 (UNII: 1K09F3G675)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CI 77499 (UNII: XM0M87F357)	
SODIUM HYALURONATE (UNII: YSE9PPT4TH)	
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)	
PAEONIA LACTIFLORA ROOT (UNII: 3Z3866YW6P)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
NIACINAMIDE (UNII: 25X51I8RD4)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
HYALURONIC ACID (UNII: S270N0TRQY)	
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)	
GLYCERYL STEARATE CITRATE (UNII: WH8T92A065)	
BHT (UNII: 1P9D0Z171K)	
CAPRYLYL METHICONE (UNII: Q95M2P1KJL)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
CI 15850 (UNII: 481744AI4O)	
CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
REHMANNIA GLUTINOSA ROOT (UNII: 1BEM3U6LQQ)	
CETEARYL ALCOHOL (UNII: 2DMT128M1S)	
SODIUM CARBOXYMETHYL .BETA.-GLUCAN (DS 0.65-0.85) (UNII: 2YGO1190AP)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
POLYPHENYLSILSESQUIOXANE (RI 1.55) (UNII: HCT9WH7ZV9)	
DIMETHICONOL/TRIMETHYLSILOXYSILICATE CROSSPOLYMER (40/60 W/W; 1000000 PA.S) (UNII: 83D1907250)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
HYDROGENATED POLY(C6-14 OLEFIN; 6 CST) (UNII: 3C785871IX)	
POLYGLYCERYL-3 METHYLGLUCOSE DISTEARATE (UNII: W19EIO0DBE)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
ADENOSINE (UNII: K72T3FS567)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
LILIUM CANDIDUM BULB (UNII: AHG15J8AM0)	
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)	
CI 77492 (UNII: EX438O2MRT)	
ALUMINA (UNII: LMI26O6933)	

TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
TOCOPHEROL (UNII: R0ZB2556P8)	
AMINOPROPYL TRIETHOXYASILANE (UNII: L8S6UBW552)	
DEHYDRATED ALCOHOL (UNII: 3K9958V90M)	
PROPANEDIOL (UNII: 5965N8W85T)	
CYCLOHEXASILOXANE (UNII: XHK3U310BA)	
SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)	
PRUNUS MUME FLOWER (UNII: 2N8872050J)	
HONEY (UNII: Y9H1V576FH)	
BETAINE (UNII: 3SCV180C9W)	
WATER (UNII: 059QF0KO0R)	
2-ETHYLHEXYL ACRYLATE, METHACRYLATE, METHYL METHACRYLATE, OR BUTYL METHACRYLATE/HYDROXYPROPYL DIMETHICONE COPOLYMER (30000-300000 MW) (UNII: S7ZA3CCJ4M)	
ISODODECANE (UNII: A8289P68Y2)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-089-31	2 in 1 CARTON	01/01/2026	
1		15 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2026	

SULWHASOO PERFECTING CUSHION NO.17N1 VANILLA

octinoxate, titanium dioxide, and homosalate lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-086
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	1.05 g in 15 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.749475 g in 15 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.6075 g in 15 g

Inactive Ingredients	
Ingredient Name	Strength
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
GLYCERIN (UNII: PDC6A3C0OX)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
CI 77491 (UNII: 1K09F3G675)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CI 77499 (UNII: XM0M87F357)	
SODIUM HYALURONATE (UNII: YSE9PPT4TH)	
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)	
PAEONIA LACTIFLORA ROOT (UNII: 3Z3866YW6P)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
NIACINAMIDE (UNII: 25X51I8RD4)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
HYALURONIC ACID (UNII: S270N0TRQY)	
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)	
GLYCERYL STEARATE CITRATE (UNII: WH8T92A065)	
BHT (UNII: 1P9D0Z171K)	
CETEARYL ALCOHOL (UNII: 2DMT128M1S)	
CAPRYLYL METHICONE (UNII: Q95M2P1KJL)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
CI 15850 (UNII: 481744AI4O)	
CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
REHMANNIA GLUTINOSA ROOT (UNII: 1BEM3U6LQQ)	
SODIUM CARBOXYMETHYL .BETA.-GLUCAN (DS 0.65-0.85) (UNII: 2YGO1190AP)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
POLYPHENYLSILSESQUIOXANE (RI 1.55) (UNII: HCT9WH7ZV9)	
DIMETHICONOL/TRIMETHYLSILOXYSILICATE CROSSPOLYMER (40/60 W/W; 1000000 PA.S) (UNII: 83D19O7250)	
HYDROGENATED POLY(C6-14 OLEFIN; 6 CST) (UNII: 3C785871IX)	
POLYGLYCERYL-3 METHYLGLUCOSE DISTEARATE (UNII: W19EIO0DBE)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
ADENOSINE (UNII: K72T3FS567)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
LILIUM CANDIDUM BULB (UNII: AHG15J8AM0)	

CETYL ETHYLHEXANOATE (UNII: 134647WMX4)
CI 77492 (UNII: EX438O2MRT)
ALUMINA (UNII: LMI26O6933)
TOCOPHEROL (UNII: R0ZB2556P8)
HONEY (UNII: Y9H1V576FH)
ISODODECANE (UNII: A8289P68Y2)
AMINOPROPYL TRIETHOXYSILANE (UNII: L8S6UBW552)
DEHYDRATED ALCOHOL (UNII: 3K9958V90M)
PROPANEDIOL (UNII: 5965N8W85T)
CYCLOHEXASILOXANE (UNII: XHK3U310BA)
SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)
PRUNUS MUME FLOWER (UNII: 2N8872050J)
BETAINE (UNII: 3SCV180C9W)
WATER (UNII: 059QF0KO0R)
2-ETHYLHEXYL ACRYLATE, METHACRYLATE, METHYL METHACRYLATE, OR BUTYL METHACRYLATE/HYDROXYPROPYL DIMETHICONE COPOLYMER (30000-300000 MW) (UNII: S7ZA3CCJ4M)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-086-31	2 in 1 CARTON	01/01/2026	
1		15 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2026	

SULWHASOO PERFECTING CUSHION NO.31W1 ALMOND

octinoxate, titanium dioxide, and homosalate lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-091
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	1.05 g in 15 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.749475 g in 15 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.6075 g in 15 g

Inactive Ingredients

Ingredient Name	Strength
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
GLYCERIN (UNII: PDC6A3C0OX)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
CI 77491 (UNII: 1K09F3G675)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CI 77499 (UNII: XM0M87F357)	
SODIUM HYALURONATE (UNII: YSE9PPT4TH)	
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)	
PAEONIA LACTIFLORA ROOT (UNII: 3Z3866YW6P)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
NIACINAMIDE (UNII: 25X51I8RD4)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
HYALURONIC ACID (UNII: S270N0TRQY)	
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)	
GLYCERYL STEARATE CITRATE (UNII: WH8T92A065)	
BHT (UNII: 1P9D0Z171K)	
CAPRYLYL METHICONE (UNII: Q95M2P1KJL)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
CI 15850 (UNII: 481744AI4O)	
CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
REHMANNIA GLUTINOSA ROOT (UNII: 1BEM3U6LQQ)	
CETEARYL ALCOHOL (UNII: 2DMT128M1S)	
SODIUM CARBOXYMETHYL .BETA.-GLUCAN (DS 0.65-0.85) (UNII: 2YGO1190AP)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
POLYPHENYLSILSESQUIOXANE (RI 1.55) (UNII: HCT9WH7ZV9)	
DIMETHICONOL/TRIMETHYLSILOXYSILICATE CROSSPOLYMER (40/60 W/W; 1000000 PA.S) (UNII: 83D19O7250)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
HYDROGENATED POLY(C6-14 OLEFIN; 6 CST) (UNII: 3C785871IX)	
POLYGLYCERYL-3 METHYLGLUCOSE DISTEARATE (UNII: W19EIO0DBE)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
ADENOSINE (UNII: K72T3FS567)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
LILIUM CANDIDUM BULB (UNII: AHG15J8AM0)	

CETYL ETHYLHEXANOATE (UNII: 134647WMX4)	
CI 77492 (UNII: EX438O2MRT)	
ALUMINA (UNII: LMI26O6933)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
TOCOPHEROL (UNII: R0ZB2556P8)	
AMINOPROPYL TRIETHOXSILANE (UNII: L8S6UBW552)	
DEHYDRATED ALCOHOL (UNII: 3K9958V90M)	
PROPANEDIOL (UNII: 5965N8W85T)	
CYCLOHEXASILOXANE (UNII: XHK3U310BA)	
SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)	
PRUNUS MUME FLOWER (UNII: 2N8872050J)	
HONEY (UNII: Y9H1V576FH)	
BETAINE (UNII: 3SCV180C9W)	
WATER (UNII: 059QF0KO0R)	
2-ETHYLHEXYL ACRYLATE, METHACRYLATE, METHYL METHACRYLATE, OR BUTYL METHACRYLATE/HYDROXYPROPYL DIMETHICONE COPOLYMER (30000-300000 MW) (UNII: S7ZA3CCJ4M)	
ISODODECANE (UNII: A8289P68Y2)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-091-31	2 in 1 CARTON	01/01/2026	
1		15 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2026	

SULWHASOO PERFECTING CUSHION NO.21N1 BEIGE

octinoxate, titanium dioxide, and homosalate lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-087
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	1.05 g in 15 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.749475 g in 15 g
TITANIUM DIOXIDE (UNII: 155903Q3) (TITANIUM DIOXIDE - UNII:155903Q3)	TITANIUM DIOXIDE	0.000000 g in 15 g

TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.6075 g in 15 g
Inactive Ingredients		
Ingredient Name		Strength
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)		
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)		
GLYCERIN (UNII: PDC6A3C0OX)		
1,2-HEXANEDIOL (UNII: TR046Y3K1G)		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)		
CI 77491 (UNII: 1K09F3G675)		
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)		
CAPRYLYL GLYCOL (UNII: 00YIU5438U)		
CI 77499 (UNII: XM0M87F357)		
SODIUM HYALURONATE (UNII: YSE9PPT4TH)		
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)		
PAEONIA LACTIFLORA ROOT (UNII: 3Z3866YW6P)		
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)		
NIACINAMIDE (UNII: 25X51I8RD4)		
POLYSORBATE 80 (UNII: 6OZP39ZG8H)		
ISOSTEARIC ACID (UNII: X33R8U0062)		
HYALURONIC ACID (UNII: S270N0TRQY)		
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)		
GLYCERYL STEARATE CITRATE (UNII: WH8T92A065)		
BHT (UNII: 1P9D0Z171K)		
CAPRYLYL METHICONE (UNII: Q95M2P1KJL)		
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)		
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)		
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)		
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)		
CI 15850 (UNII: 481744AI4O)		
CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)		
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)		
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)		
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)		
REHMANNIA GLUTINOSA ROOT (UNII: 1BEM3U6LQQ)		
CETEARYL ALCOHOL (UNII: 2DMT128M1S)		
SODIUM CARBOXYMETHYL .BETA.-GLUCAN (DS 0.65-0.85) (UNII: 2YGO1190AP)		
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)		
POLYPHENYLSILSESQUIOXANE (RI 1.55) (UNII: HCT9WH7ZV9)		
DIMETHICONOL/TRIMETHYLSILOXYSILICATE CROSSPOLYMER (40/60 W/W; 1000000 PA.S) (UNII: 83D19O7250)		
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)		
HYDROGENATED POLY(C6-14 OLEFIN; 6 CST) (UNII: 3C785871IX)		
POLYGLYCERYL-3 METHYLGLUCOSE DISTEARATE (UNII: W19EIO0DBE)		
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)		
ADENOSINE (UNII: K72T3FS567)		
EDETATE DISODIUM (UNII: 7FLD91C86K)		
ETHYLHEXYL PALMITATE (UNII: 2865993309)		

ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
LILIUM CANDIDUM BULB (UNII: AHG15J8AM0)	
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)	
CI 77492 (UNII: EX438O2MRT)	
ALUMINA (UNII: LMI26O6933)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
TOCOPHEROL (UNII: R0ZB2556P8)	
AMINOPROPYL TRIETHOXSILANE (UNII: L8S6UBW552)	
DEHYDRATED ALCOHOL (UNII: 3K9958V90M)	
PROPANEDIOL (UNII: 5965N8W85T)	
CYCLOHEXASILOXANE (UNII: XHK3U310BA)	
SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)	
PRUNUS MUME FLOWER (UNII: 2N8872050J)	
HONEY (UNII: Y9H1V576FH)	
BETAINE (UNII: 3SCV180C9W)	
WATER (UNII: 059QF0KO0R)	
2-ETHYLHEXYL ACRYLATE, METHACRYLATE, METHYL METHACRYLATE, OR BUTYL METHACRYLATE/HYDROXYPROPYL DIMETHICONE COPOLYMER (30000-300000 MW) (UNII: S7ZA3CCJ4M)	
ISODODECANE (UNII: A8289P68Y2)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-087-31	2 in 1 CARTON	01/01/2026	
1		15 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2026	

SULWHASOO PERFECTING CUSHION NO.25N1 AMBER

octinoxate, titanium dioxide, and homosalate lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43419-090
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	1.05 g in 15 g

OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.749475 g in 15 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.6075 g in 15 g

Inactive Ingredients

Ingredient Name	Strength
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
GLYCERIN (UNII: PDC6A3C0OX)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
CI 77491 (UNII: 1K09F3G675)	
HYDROGENATED SOYBEAN LECITHIN (UNII: H1109Z9J4N)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CI 77499 (UNII: XM0M87F357)	
SODIUM HYALURONATE (UNII: YSE9PPT4TH)	
POLYGLYCERYL-3 PENTARICINOLEATE (UNII: 7Q0OK5DOT4)	
PAEONIA LACTIFLORA ROOT (UNII: 3Z3866YW6P)	
PEG-10 DIMETHICONE (200 CST) (UNII: 287GF3Y3WC)	
NIACINAMIDE (UNII: 25X51I8RD4)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
ISOSTEARIC ACID (UNII: X33R8U0062)	
HYALURONIC ACID (UNII: S270N0TRQY)	
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)	
GLYCERYL STEARATE CITRATE (UNII: WH8T92A065)	
BHT (UNII: 1P9D0Z171K)	
CAPRYLYL METHICONE (UNII: Q95M2P1KJL)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
CI 15850 (UNII: 481744AI4O)	
CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
REHMANNIA GLUTINOSA ROOT (UNII: 1BEM3U6LQQ)	
CETEARYL ALCOHOL (UNII: 2DMT128M1S)	
SODIUM CARBOXYMETHYL .BETA.-GLUCAN (DS 0.65-0.85) (UNII: 2YGO1190AP)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
POLYPHENYLSILSESQUIOXANE (RI 1.55) (UNII: HCT9WH7ZV9)	
DIMETHICONOL/TRIMETHYLSILOXYSILICATE CROSSPOLYMER (40/60 W/W; 1000000 PA.S) (UNII: 83D19O7250)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
HYDROGENATED POLY(C6-14 OLEFIN; 6 CST) (UNII: 3C785871IX)	
POLYGLYCERYL-3 METHYLGLUCOSE DISTEARATE (UNII: W19EIO0DBE)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
ADENOSINE (UNII: K72T3FS567)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	

ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
LILIUM CANDIDUM BULB (UNII: AHG15J8AM0)	
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)	
CI 77492 (UNII: EX438O2MRT)	
ALUMINA (UNII: LMI26O6933)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
TOCOPHEROL (UNII: R0ZB2556P8)	
AMINOPROPYL TRIETHOXSILANE (UNII: L8S6UBW552)	
DEHYDRATED ALCOHOL (UNII: 3K9958V90M)	
PROPANEDIOL (UNII: 5965N8W85T)	
CYCLOHEXASILOXANE (UNII: XHK3U310BA)	
SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)	
PRUNUS MUME FLOWER (UNII: 2N8872050J)	
HONEY (UNII: Y9H1V576FH)	
BETAINE (UNII: 3SCV180C9W)	
WATER (UNII: 059QF0KO0R)	
2-ETHYLHEXYL ACRYLATE, METHACRYLATE, METHYL METHACRYLATE, OR BUTYL METHACRYLATE/HYDROXYPROPYL DIMETHICONE COPOLYMER (30000-300000 MW) (UNII: S7ZA3CCJ4M)	
ISODODECANE (UNII: A8289P68Y2)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:43419-090-31	2 in 1 CARTON	01/01/2026	
1		15 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2026	

Labeler - Amorepacific Corporation (631035289)