

## **SALICYLIC ACID- medicated corn removers patch**

### **Hudson Health LLC**

-----

#### **Comfortzone Liquid Bandage**

#### ***Active ingredients***

Benzethonium chloride 0.2%

Dyclonine hydrochloride 0.75%

#### ***Purpose***

First aid antiseptic

Topical analgesic

#### ***Uses***

- first aid to prevent bacteria contamination in minor cuts and scrapes

#### ***Warnings***

**For external use only.**

#### **Flammable:**

do not use while smoking or near heat or flame.

#### **Do not use**

- in the eyes
- over large areas of the body
- longer than 1 week unless directed by a doctor
- on infected areas or wounds that are draining
- with other first aid products such as lotions and creams
- over sutures
- on mucous membranes

#### **Ask a doctor before use if you have**

- deep puncture wounds
- deep cuts
- animal bites
- serious bleeding
- diabetes
- poor circulation
- serious burns

#### **When using this product**

- do not store at temperature above 120°F

Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

**Stop use and ask a doctor if**

- condition persists or gets worse
- infection occurs

**Keep out of reach of children.**

If swallowed, get medical help or call a Poison Control Center right away.

**Directions**

- Clean affected area
- apply a small amount on the area 1-3 times daily
- let dry
- a second coating may be applied for extra protection
- to remove, apply more Liquid Bandage and quickly wipe off
- finger nail polish remover may dissolve Liquid Bandage

***Other information***

- **cap bottle tightly**
- store at room temperature away from heat
- may temporarily sting upon application
- do not allow to come in contact with floors, countertops, or other finished surfaces - will stain

***Inactive ingredients***

acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

***Questions***

1-877-237-0194

**Principal Display Panel**

**comfortzone**

**maximum strength**

**liquid bandage**

*benzethonium chloride*

*dyclonine hydrochloride*

**topical anesthetic & antiseptic**

## to help prevent infection

- for small cut & wounds
- antiseptic formula dries quickly to form an invisible protective cover that is flexible

**NET 1.0 FL OZ (29.6 mL)**

**DO NOT USE IF NECKBAND IS BROKEN**

**Active ingredients:** Benzethonium Chloride 0.2% and Dyclonine Hydrochloride 0.75% **Purpose:** First aid antiseptic and topical analgesic **Uses:** First aid to prevent bacterial contamination in minor cuts, scrapes, and burns. For the temporary relief of pain.

**Warnings:** For external use only. **Flammable:** Keep away from fire or flame. **Do not use** in eyes, over large areas of the body, and longer than 1 week unless directed by a doctor.

NDC 00000-000-00



maximum strength

**liquid bandage**

*benzethonium chloride  
dyclonine hydrochloride*

topical analgesic & antiseptic  
to help prevent infection

- for small cuts & wounds

NET 1.0 FL OZ (29.6 mL)

**Ask a doctor before use if you have** deep or puncture wounds, deep cuts, animal bites and serious burns.  
**When using this product** avoid contact with eyes.  
**Stop use and ask a doctor** if condition persists or gets worse, symptoms persist for more than 7 days or clear up and occur again within a few days, and infection occurs.

**Keep out of reach of children.** If swallowed, get medical help or call a Poison Control Center right away.

**Directions:** For adults and children 2 years of age and older: Clean affected area. Apply a small amount on the area 1 to 3 times daily and let dry. A second coating may be applied for extra protection. Children under 2 years of age: consult a doctor.

**Other information:** **Cap bottle tightly.** Store between 20° to 25°C (68° to 77°F). May temporarily sting upon application. To remove, apply more Liquid Bandage and quickly wipe off.

**Inactive ingredients:** acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

**Questions? Call 1-877-237-0194**

Distributed By:  
Hudson Health LLC  
Hudson, NY 12534  
©2018

**Questions? Call 1-877-237-0194**

MADE IN USA WITH U.S. AND IMPORTED PARTS  
50-033AM





CASTOR OIL (UNII: D5340Y2I9G)				
ETHYL ACETATE (UNII: 76845O8NMZ)				
PYROXYLIN (UNII: KYR8BR2X6O)				
ALCOHOL (UNII: 3K9958V90M)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72446-005-09	9 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	09/01/2018	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M003	09/01/2018	

**Labeler** - Hudson Health LLC (081276171)