

Drug Facts

Drug Facts

Active ingredients	Purpose
Lidocaine 18%.....	Topical Anesthetic
Peppermint Extract 10%.....	Topical Analgesia

Uses

■ Temporarily relieves pain, burning, and soreness ■ Commonly used for tattooing, waxing, piercing, injection, microneedling, and hair removal

Warnings For external use only

Do not use ■ in large quantities ■ on wounds or on irritated or damaged skin ■ with a heating pad

When using this product ■ avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes ■ use only as directed ■ do not bandage tightly ■ avoid contact with eyes and mucous membranes ■ do not expose the area to local heat or to direct sunlight

Stop and ask a doctor if discomfort persists.  
If pregnant or breastfeeding, ask a health professional before use. ►

Drug Facts (Continued)

Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

## ***Directions***

■ Patch Test Warning: Before first use, apply a small amount of cream to a small area of skin and wait 24 hours. If no adverse reaction occurs, proceed with regular use. ■ Clean and dry skin with mild soap. ■ Apply a thick, even layer with brush. ■ Wrap in plastic for 30 minutes. ■ Wipe off with tissue before starting the procedure. ■ Numbness duration may vary with temperature and skin type. If it's weak after 30 minutes, extend it to 60 minutes.

*Children under 12 years of age: ask a doctor*

***Other information*** Store at room temperature, away from heat and moisture. ALWAYS CLOSE CAP TIGHTLY AFTER USE

***Inactive ingredients*** Water, Gallic Extract, Arnica Oil, Propylene Glycol, Emu Oil, Shea Butter, Tocopheryl Acetate (Vitamin E), Clove oil, Borneol, Soy lecithin, Ethanol, Carbomer

***Questions or comments?*** Contact us at [cs@healcome.com](mailto:cs@healcome.com)

Active ingredients

Lidocaine 18%

Topical Anesthetic

Peppermint Extract 10%

Topical Analgesia

Do not use

- in large quantities - on wounds or on irritated or damaged skin - with a heating pad

When using this product

- avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes - use only as directed - do not bandage tightly - avoid contact with eyes and mucous membranes - do not expose the area to local heat or to direct sunlight

Stop and ask a doctor if discomfort persists.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

## Uses

- Temporarily relieves pain, burning, and soreness - Commonly used for tattooing, waxing, piercing, injection, microneedling, and hair removal

## Warnings

For external use only

## Directions

- Patch Test Warning: Before first use, apply a small amount of cream to a small area of skin and wait 24 hours. If no adverse reaction occurs, proceed with regular use. - Clean and dry skin with mild soap. - Apply a thick, even layer with brush. - Wrap in plastic for 30 minutes. - Wipe off with tissue before starting the procedure. - Numbness duration may vary with temperature and skin type. If it's weak after 30 minutes, extend it to 60 minutes.

Children under 12 years of age: ask a doctor

Other information Store at room temperature, away from heat and moisture. ALWAYS CLOSE CAP TIGHTLY AFTER USE

## Inactive ingredients

Water, Gallic Extract, Arnica Oil, Propylene Glycol, Emu Oil, Shea Butter, Tocopheryl Acetate (Vitamin E), Clove oil, Borneol, Soy lecithin, Ethanol, Carbomer

## TATTOO NUMBING CREAM 18% LIDOCAINE

lidocaine cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:85248-003
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	18 g in 100 g
<b>PEPPERMINT</b> (UNII: V95R5KMY2B) (PEPPERMINT - UNII:V95R5KMY2B)	PEPPERMINT	10 g in 100 g

### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>CARBOMER 934</b> (UNII: Z135WT9208)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>SOYBEAN LECITHIN</b> (UNII: 1DI56QDM62)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85248-003-01	1 in 1 BOX	04/22/2025	
1		60 g in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	04/22/2025	

**Labeler** - Jiangxi Yudexi Pharmaceutical Co., LTD (455662836)

Revised: 4/2025

Jiangxi Yudexi Pharmaceutical Co., LTD