

MULTI-SYMPTOM DAYTIME- acetaminophen, dextromethorphan hydrobromide, and phenylephrine hydrochloride capsule, liquid filled
SPIRIT PHARMACEUTICALS LLC

VALUMEDS DAY TIME COLD & FLU MULTI-SYMPTOM RELIEF

Drug Facts

| <i>Active ingredients (in each softgel)</i> | <i>Purpose</i> |
|--|-----------------------------|
| Acetaminophen 325 mg | Pain reliever/fever reducer |
| Dextromethorphan Hydrobromide 10 mg | Cough suppressant |
| Phenylephrine HCl 5 mg | Nasal decongestant |

Uses

temporarily relieves common cold/flu symptoms:

- nasal congestion
- cough due to minor throat & bronchial irritation
- sore throat
- headache
- minor aches/pains
- fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4 doses in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert:

acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

Sore throat warning:

If sore throat is severe, lasts for more than 2 days, occurs with or is followed by fever, headache, rash, nausea, or vomiting, see a doctor promptly.

Do not use:

- with any other drug containing acetaminophen (prescription or nonprescription). If

you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- heart disease
- thyroid disease
- diabetes
- high blood pressure
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are taking the blood-thinning drug Warfarin.

When using this product

- **do not use more than directed.**

Stop use and ask a doctor if

- you get nervous, dizzy, or sleepless
- pain, nasal congestion or cough gets worse or last more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back, or occurs with rash or headache that lasts

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

Taking more than directed can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults and for children, even if you do not notice any signs or symptoms.

Directions

- Take only as directed—see **Overdose warning.**
- do not exceed 4 doses per 24 hours.

| | |
|--|---|
| adults and children 12 years of age and over | swallow 2 softgels with water every 4 hours |
|--|---|

| | |
|-------------------------------------|-------------------|
| children 4 to under 12 years of age | ask a doctor |
| children under 4 years of age | do not use |

If taking Daytime and Nighttime softgels carefully read each label to insure correct dosing

Other information

- store at room temperature 15°-30°C (59°-86°F) and avoid excessive heat
- this product does not contain phenylpropanolamine

Inactive ingredients

FD&C Red No. 40, FD&C Yellow No. 6, gelatin, glycerin, lecithin, myglyol, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol sorbitan, titanium dioxide

Questions or comments?

1-888-333-9792

THIS PRODUCT IS PACKAGED IN A CHILD RESISTANT AND TAMPER EVIDENT PACKAGE. USE ONLY IF BLISTERS ARE INTACT.

PRINCIPAL DISPLAY PANEL

SEE NEW WARNINGS INFORMATION

**COMPARE TO ACTIVE INGREDIENTS IN
VICKS[®] DAYQUIL^{®*}**

VALUMEDS[™]

NON-DROWSY

DAY TIME

COLD & FLU MULTI-SYMPTOM RELIEF

ACETAMINOPHEN, DEXTROMETHORPHAN HBr, PHENYLEPHRINE HCl

Pain Reliever

- Fever Reducer
- Cough Suppressant
- Nasal Decongestant

16 SOFTGELS

Liquid filled capsules

MULTI-SYMPTOM DAYTIME



NDC 68210-4123-1

Compare to Vicks® Dayquil™ LiquiCaps™ active ingredients!

MULTI-SYMPTOM DAYTIME

Acetaminophen - Pain Reliever / Fever Reducer
Dextromethorphan HBr - Cough Suppressant
Phenylephrine HCl - Nasal Decongestant

non-drowsy

Relief of: Headache, Fever, Sore Throat,
Minor Aches & Pains, Nasal Congestion,
Sinus Pressure, & Cough
16 softgels



Actual Size

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION
TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

LOT NO:
EXP. DATE:

Distributed By: Spirit Pharmaceuticals, LLC
Rohmhookoma, NY 11779
REV 12/22



68905-5

Made in India

Vicks® Dayquil™ LiquiCaps™
This product is not manufactured or distributed by Proctor & Gamble, owner of the registered trademarks

| | |
|---|--|
| <p>Drug Facts (continued)</p> <p>Purpose Acetaminophen 325 mg.....Pain reliever/fever reducer Dextromethorphan HBr 10 mg.....Cough suppressant Phenylephrine HCl 5 mg.....Nasal decongestant</p> <p>Uses Temporarily relieves common cold/flu symptoms: nasal congestion □ cough due to minor throat & bronchial irritation sore throat □ headache □ minor aches and pains □ fever</p> <p>Warnings Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take: more than 4 doses in 24 hours, which is the maximum daily amount for this product with other drugs containing acetaminophen 3 or more alcoholic drinks every day while using this product Allergy Alert: Acetaminophen may cause severe skin reactions. Symptoms may include: skin redness □ blisters □ rash If a skin reaction occurs, stop use and seek medical help right away. Some throat warning: If sore throat is severe, lasts for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly. Do not use: □ with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. □ If you are now taking a prescription, psychiatric, or monooxylase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.</p> <p>Other information □ store at room temperature 15-30°C (59-86°F) to ensure correct dosing</p> <p>Inactive ingredients FD&C Red No. 40, FD&C Yellow No. 6, gelatin, glycerin, lecithin, methylol, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol sorbitan, titanium dioxide</p> <p>Questions or comments? 1-888-333-9792</p> | <p>Directions □ Take only as directed □ do not exceed 4 doses per 24 hours.</p> <p>adults and children 12 years of age and over 2 softgels with water every 4 hours</p> <p>children 4 to under 12 years of age ask a doctor do not use</p> <p>children under 4 years of age</p> <p>When using other Daytime or Nighttime products, carefully read each label to ensure correct dosing</p> |
|---|--|

MULTI-SYMPTOM DAYTIME

acetaminophen, dextromethorphan hydrobromide, and phenylephrine hydrochloride capsule, liquid filled

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:68210-5004 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------------------|----------|
| ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D) | ACETAMINOPHEN | 325 mg |
| DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS) | DEXTROMETHORPHAN HYDROBROMIDE | 10 mg |
| PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV) | PHENYLEPHRINE HYDROCHLORIDE | 5 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| FD&C RED NO. 40 (UNII: WZB9127XOA) | |
| GELATIN (UNII: 2G86QN327L) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| LECITHIN, SOYBEAN (UNII: 1DI56QDM62) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ) | |
| POVIDONE K30 (UNII: U725QWY32X) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| WATER (UNII: 059QF0KO0R) | |
| SORBITOL (UNII: 506T60A25R) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| FD&C YELLOW NO. 6 (UNII: H77VEI93A8) | |

Product Characteristics

| | | | |
|-----------------|--------------------|---------------------|--------------|
| Color | orange | Score | no score |
| Shape | CAPSULE (SOFTGELS) | Size | 21mm |
| Flavor | | Imprint Code | 512;A09;AP01 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:68210-5004-1 | 2 in 1 CARTON | 12/09/2022 | |
| 1 | | 8 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |

| | | | | |
|---|------------------|---|------------|--|
| 2 | NDC:68210-5004-2 | 2 in 1 CARTON | 12/09/2022 | |
| 2 | | 12 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012 | 12/09/2022 | |

Labeler - SPIRIT PHARMACEUTICALS LLC (179621011)

Revised: 12/2024

SPIRIT PHARMACEUTICALS LLC