BOTASUN SMELLING SALTS- ammonia 15% smelling salts inhalant Jiangxi Hemei Pharmaceutical Co., Ltd

84010-103

Active Ingredient

Ammonia 15%

Purpose

Inhalant

Use

For the temporary stimulation of the senses to restorealertness.

Warnings

For inhalation use only.

Do not ingest or apply to skin.

Avoid direct contact with eyes. If contact occurs, rinse thoroughly with water for 15 minutes.

Use only as directed. Misuse may be harmful.

Use in a well-ventilated area. Do not use in enclosed spaces.

Prolonged exposure may cause irritation. Discontinue use if discomfort occurs. Possible side effects include nasal irritation, coughing, or shortness of breath. If symptoms persist, discontinue use and consult a doctor.

Do not use

If you have respiratory conditions such as asthma or emphysema.

If you have heart disease or high blood pressure.

If you are allergic to ammonia or strong odors.

When Using

Avoid contact with eyes, ears, and mouth.

If product gets into eyes, rinse thoroughly with water for 15 minutes.

Stop Use

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Ask Doctor

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep Oot Of Reach Of Children

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately at 1-800-222-1222.

Directions

Hold bottle 10-15 cm (4-6 inches) from nostrils.

Inhale gently. Do not place directly inside the nostrils.

Do not inhale for more than 2 seconds per use.

Do not use more than once every 60 minutes.

Do not use more than 10 times per day.

Use only as needed. If symptoms persist, consult a healthcare professional.

Other information

Store in a cool, dry place at 15-25°C (59-77°F). Avoid freezing, excessive heat above 40° C (104° F), and direct sunlight. Do not use if safety seal under cap is broken .

Inactive ingredients

Alcohol, Cotton, Peppermint Oil.

PRINCIPAL DISPLAY PANEL



45*45*71mm

OTC - Stop Use Section Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

OTC - Keep Out of Reach of Children Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately at 1-800-222-1222.


imediately a: Trections
old bottle 10.15 cm (4-6 inches) from nostrils.
hale gently. Do not place directly inside the nostrils
o not inhale for more than 2 seconds per use.
o not use more than once every 6 minutes.
o not use more than 10 times per day.
se only as needed. If symptoms persist, consult a
ealthcare professional.

Other Information
Store in a cool, dry place at 15-25°C (59-77°F).
Avoid freezing, excessive heat above 40°C (104°F), and direct sunlight.
Do not use if safety seal under cap is broken

Inactive Ingredients
Alcohol, Cotton, Peppermint Oil.




Manufacturer: Jiangxi Hemei Pharmaceutical Co., Ltd. Address:4th Floor, Building 1956, Phase III, Zhangjiashan Medical Incubation Park,Zhangshu, Yichun , Jiangxi 331208, China(CHN)



UseFor the temporary stimulation of the senses to restore alertness.

restore alerumWarnings
For inhalation use only.
Do not ingest or apply to skin.
Avoid direct contact with eyes.
If contact occurs, rinse thoroughly with water for 15 minutes.
Use only as directed. Misuse may be harmful.
Use in a well-ventilated area.
Do not use in enclosed spaces.
Prolonged exposure may cause irritation.
Discontinue use if disconflort occurs.
Possible side effects include nasal irritation, coughing or shortness of breath.
If symptoms persist, discontinue use and

not use ou have respiratory conditions such as nma or emphysema. ou have heart disease or high blood pressure ou are allergic to ammonia or strong odors.





BOTASUN SMELLING SALTS

ammonia 15% smelling salts inhalant

Product Information

HUMAN OTC DRUG Item Code (Source) NDC:84010-103 **Product Type**

RESPIRATORY (INHALATION) **Route of Administration**

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength Strength	
П	AMMONIA (UNII: 5138019F1X) (AMMONIA - UNII:5138019F1X)	AMMONIA	15 a in 100 a

Inactive Ingredients

Ingredient Name	Strength
PEPPERMINT OIL (UNII: AV092KU4JH)	
COTTON (UNII: 70LDW53ROO)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84010-103- 01	40 g in 1 BOTTLE; Type 0: Not a Combination Product	04/24/2025	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M011	04/24/2025	

Labeler - Jiangxi Hemei Pharmaceutical Co., Ltd (724892056)

Establishment				
Name	Address	ID/FEI	Business Operations	
Jiangxi Hemei Pharmaceutical Co., Ltd		724892056	manufacture(84010-103)	

Revised: 4/2025 Jiangxi Hemei Pharmaceutical Co., Ltd