

MINOXIDIL- minoxidil liquid
FlexiGo Inc

DOSAGE AND ADMINISTRATION

For external use only. When using this product, avoid getting into eyes. If contact occurs, rinse thoroughly with water. If skin irritation occurs, wash product off and consult a physician. When first applying this product, you may experience a slight tingling sensation. This is an indication that the product is working. If this sensation is prolonged or becomes unpleasant, discontinue use and consult a physician.



Avoid contact with eyes. If the product gets into the eye, flush with water for 15 minutes.

Avoid inhaling vapors.

Cap the bottle tightly.

Out of direct sunlight and store at room temperature away from heat.



**You become pregnant, or are planning to become pregnant, while using the product.
If discomfort persists.**



If swallowed, get medical help or contact Poison Control Center right away.



Store in a cool, shaded place away from direct sunlight. Store at room temperature between 15-30°C (59-86°F)

DERMATOLOGIST
RECOMMENDED
BRAND

MINOXIDIL

5%

MINOXIDIL TOPICAL AEROSOL

HAIR GROWTH TREATMENT

- REDUCE HAIR LOSS
- RESTORE THINNING HAIR
- Improves Scalp Health

REACTIVATES

HAIR FOLLICLES
TO STIMULATE REGROWTH

Batana Oil

Rosemary Oil

Castor Oil

Biotin

MONTH
2
APPLY

2.02 FL.OZ/60ML

DRUG FACTS

ACTIVE INGREDIENT PURPOSE
Minoxidil 5%.....Hair Begrowth Treatment

USES:
to regrow hair on the top of the scalp

WARNINGS:
• For external use only
• Keep away from fire and flame
• Avoid contact with eyes

DO NOT USE:
• You have no family history of hair loss. Hair loss is sudden and/or patchy.
• You do not know the reason for your hair loss.
• You are under 18years of age.
• Do not use it on babies and children. Scalp is red,infamed,infected,irritated or painful.
• You use other medicines on the scaip..

WHEN USING:
Do not apply on other parts of the body. Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water. It takes time to regrow hair. You may need to use this product 2 times a day for at least 4 months before you see results. The amount of hair regrowth is different for each person.The product will not work for everyone.

DERMATOLOGIST
RECOMMENDED
BRAND

MINOXIDIL

5%

MINOXIDIL TOPICAL AEROSOL

HAIR GROWTH TREATMENT

- REDUCE HAIR LOSS
- RESTORE THINNING HAIR
- Improves Scalp Health

REACTIVATES

HAIR FOLLICLES
TO STIMULATE REGROWTH

Batana Oil

Rosemary Oil

Castor Oil

Biotin

MONTH
2
APPLY

2.02 FL.OZ/60ML

DRUG FACTS(Continued)

STOP USE:
• If scalp irritation or redness occurs.
• If you get unwanted facial hair growth.
• If you do not see hair regrowth in 4 months.
• If sudden, unexplained weight gain occurs.

ASK DOCTOR:
If you have chest pain, rapid heart beat, faintness, or dizziness occurs.

KEEP OUT OF REACH OF CHILDREN:
If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

DIRECTIONS:
Apply 1ml(5 Sprays) twice a day.Once in the morning and another time in the evening before bed.Spray directly on top of the scalp in the area to be treated.Discontinuing use may result in hair loss.

OTHER INFORMATION:
Before use, read all information on the carton Store at controlled room temperature 20 to 25C (68 to 77 F)

INACTIVE INGREDIENTS:
WATER, PROPYLENE GLYCOL, GLYCERIN, ZINGIBER OFFICINALE(GINGER)ROOT EXTRACT,PEG-40 HYDROGENATED CASTOR OIL,PANAX GINSENG EXTRACT, BIOTIN, XANTHAN GUM, RICINUS COMMUNIS(CASTOR)OIL, ROSMARINUS OFFICINALIS(ROSEMARY)LEAF OIL.

MANUFACTURER: FlexiGo Inc
Address: 2910 S Tejon St, Englewood Colorado (CO)80110, United States (USA)





For external use only.

DERMATOLOGIST
RECOMMENDED
BRAND

MINOXIDIL

5%

MINOXIDIL TOPICAL AEROSOL

HAIR GROWTH TREATMENT

- REDUCE HAIR LOSS
- RESTORE THINNING HAIR
- Improves Scalp Health

REACTIVATES

HAIR FOLLICLES
TO STIMULATE REGROWTH

Batana Oil

Rosemary Oil

Castor Oil

Biotin

MONTH
2
APPLY

2.02 FL.OZ/60ML

DRUG FACTS

ACTIVE INGREDIENT PURPOSE
Minoxidil 5%.....Hair Begrowth Treatment

USES:
to regrow hair on the top of the scalp

WARNINGS:
• For external use only
• Keep away from fire and flame
• Avoid contact with eyes

DO NOT USE:
• You have no family history of hair loss. Hair loss is sudden and/or patchy.
• You do not know the reason for your hair loss.
• You are under 18years of age.
• Do not use it on babies and children. Scalp is red,inflamed,infected,irritated or painful.
• You use other medicines on the scaip..

WHEN USING:
Do not apply on other parts of the body. Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water. It takes time to regrow hair. You may need to use this product 2 times a day for at least 4 months before you see results. The amount of hair regrowth is different for each person.The product will not work for everyone.

DERMATOLOGIST
RECOMMENDED
BRAND

MINOXIDIL

5%

MINOXIDIL TOPICAL AEROSOL

HAIR GROWTH TREATMENT

- REDUCE HAIR LOSS
- RESTORE THINNING HAIR
- Improves Scalp Health

REACTIVATES

HAIR FOLLICLES
TO STIMULATE REGROWTH

Batana Oil

Rosemary Oil

Castor Oil

Biotin

MONTH
2
APPLY

2.02 FL.OZ/60ML

DRUG FACTS(Continued)

STOP USE:
• If scalp irritation or redness occurs.
• If you get unwanted facial hair growth.
• If you do not see hair regrowth in 4 months.
• If sudden, unexplained weight gain occurs.

ASK DOCTOR:
If you have chest pain, rapid heart beat, faintness, or dizziness occurs.

KEEP OUT OF REACH OF CHILDREN:
If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

DIRECTIONS:
Apply 1ml(5 Sprays) twice a day.Once in the morning and another time in the evening before bed.Spray directly on top of the scalp in the area to be treated.Discontinuing use may result in hair loss.

OTHER INFORMATION:
Before use, read all information on the carton Store at controlled room temperature 20 to 25C (68 to 77 F)

INACTIVE INGREDIENTS:
WATER, PROPYLENE GLYCOL, GLYCERIN, ZINGIBER OFFICINALE(GINGER)ROOT EXTRACT,PEG-40 HYDROGENATED CASTOR OIL,PANAX GINSENG EXTRACT, BIOTIN, XANTHAN GUM, RICINUS COMMUNIS(CASTOR)OIL, ROSMARINUS OFFICINALIS(ROSEMARY)LEAF OIL.

MANUFACTURER: FlexiGo Inc
Address: 2910 S Tejon St, Englewood Colorado (CO)80110, United States (USA)



DERMATOLOGIST
RECOMMENDED
BRAND

MINOXIDIL

5%

MINOXIDIL TOPICAL AEROSOL

HAIR GROWTH TREATMENT

- REDUCE HAIR LOSS
- RESTORE THINNING HAIR
- Improves Scalp Health

REACTIVATES

HAIR FOLLICLES
TO STIMULATE REGROWTH

Batana Oil

Rosemary Oil

Castor Oil

Biotin

MONTH
2
APPLY

2.02 FL.OZ/60ML

DRUG FACTS

ACTIVE INGREDIENT **PURPOSE**
Minoxidil 5%.....Hair Begrowth Treatment

USES:
to regrow hair on the top of the scalp

WARNINGS:
• For external use only
• Keep away from fire and flame
• Avoid contact with eyes

DO NOT USE:
• You have no family history of hair loss. Hair loss is sudden and/or patchy.
• You do not know the reason for your hair loss.
• You are under 18years of age.
• Do not use it on babies and children. Scalp is red,inflamed,infected,irritated or painful.
• You use other medicines on the scaip..

WHEN USING:
Do not apply on other parts of the body. Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water. It takes time to regrow hair. You may need to use this product 2 times a day for at least 4 months before you see results. The amount of hair regrowth is different for each person.The product will not work for everyone.

DERMATOLOGIST
RECOMMENDED
BRAND

MINOXIDIL

5%

MINOXIDIL TOPICAL AEROSOL

HAIR GROWTH TREATMENT

- REDUCE HAIR LOSS
- RESTORE THINNING HAIR
- Improves Scalp Health

REACTIVATES

HAIR FOLLICLES
TO STIMULATE REGROWTH

Batana Oil

Rosemary Oil

Castor Oil

Biotin

MONTH
2
APPLY

2.02 FL.OZ/60ML

DRUG FACTS(Continued)

STOP USE:
• If scalp irritation or redness occurs.
• If you get unwanted facial hair growth.
• If you do not see hair regrowth in 4 months.
• If sudden, unexplained weight gain occurs.

ASK DOCTOR:
If you have chest pain, rapid heart beat, faintness, or dizziness occurs.

KEEP OUT OF REACH OF CHILDREN:
If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

DIRECTIONS:
Apply 1ml(5 Sprays) twice a day.Once in the morning and another time in the evening before bed.Spray directly on top of the scalp in the area to be treated.Discontinuing use may result in hair loss.

OTHER INFORMATION:
Before use, read all information on the carton Store at controlled room temperature 20 to 25C (68 to 77 F)

INACTIVE INGREDIENTS:
WATER, PROPYLENE GLYCOL, GLYCERIN, ZINGIBER OFFICINALE(GINGER)ROOT EXTRACT,PEG-40 HYDROGENATED CASTOR OIL,PANAX GINSENG EXTRACT, BIOTIN, XANTHAN GUM, RICINUS COMMUNIS(CASTOR)OIL, ROSMARINUS OFFICINALIS(ROSEMARY)LEAF OIL.

MANUFACTURER: FlexiGo Inc
Address: 2910 S Tejon St, Englewood Colorado (CO)80110, United States (USA)





MINOXIDIL

5%

MEN & WOMEN

Hair Regrowth Treatment

- Reduce Hair Loss
- Thickening Thinning Hair
- Revitalize Hair Follicles

Bafana oil

Rosemary oil

Castor oil

Biotin

**One Month Supply
2.02 FL.OZ/60ML**

DRUG FACTS

ACTIVE INGREDIENT PURPOSE
Minoxidil 5%.....Hair Begrowth Treatment

USES:
to regrow hair on the top of the scalp

WARNINGS:

- For external use only
- Keep away from fire and flame
- Avoid contact with eyes

DO NOT USE:

- You have no family history of hair loss. Hair loss is sudden and/or patchy.
- You do not know the reason for your hair loss.
- You are under 18years of age.
- Do not use it onbabies and children. Scalp is red,inflamed,infected,irritated or painful.
- You use other medicines on the scalp..

WHEN USING:
 Do not apply on other parts of the body. Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water. It takes time to regrow hair.
 You may need to use this product 2 times a day for at least 4 months before you see results. The amount of hair regrowth is different for each person.The product will not work for everyone.

MINOXIDIL

5%

MEN & WOMEN

Hair Regrowth Treatment

- Reduce Hair Loss
- Thickening Thinning Hair
- Revitalize Hair Follicles

Bafana oil

Rosemary oil

Castor oil

Biotin

**One Month Supply
2.02 FL.OZ/60ML**

DRUG FACTS(Continued)

STOP USE:

- If scalp irritation or redness occurs.
- If you get unwanted facial hair growth.
- If you do not see hair regrowth in 4 months.
- If sudden, unexplained weight gain occurs.

ASK DOCTOR:
 If you have chest pain, rapid heart beat, faintness, or dizziness occurs.

KEEP OOT OF REACH OF CHILDREN:
 If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

DIRECTIONS:
 Apply 1ml(5 Sprays) twice a day.Once in the morning and another time in the evening before bed.Spray directly on top of the scalp in the area to be treated.Discontinuing use may result in hair loss.

OTHER INFORMATION:
 Before use, read all information on the carton
 Store at controlled room temperature 20 to 25C (68 to 77°F)

INACTIVE INGREDIENTS:
 WATER, PROPYLENE GLYCOL, GLYCERIN, ZINGIBER OFFICINALE(GINGER)ROOT EXTRACT,PEG-40 HYDROGENATED CASTOR OIL,PANAX GINSENG EXTRACT, BIOTIN, XANTHAN GUM, RICINUS COMMUNIS(CASTOR)OIL, ROSMARINUS OFFICINALIS(ROSEMARY)LEAF OIL.

MANUFACTURER: FlexiGo Inc
 Address: 2910 S Tejon St, Englewood Colorado (CO)80110, United States (USA)

DERMATOLOGIST
RECOMMENDED
BRAND

MINOXIDIL

5%

MINOXIDIL TOPICAL AEROSOL

HAIR GROWTH TREATMENT

- REDUCE HAIR LOSS
- RESTORE THINNING HAIR
- Improves Scalp Health

REACTIVATES

HAIR FOLLICLES
TO STIMULATE REGROWTH

Batana Oil

Rosemary Oil

Castor Oil

Biotin

MONTH
2
APPLY

2.02 FL.OZ/60ML

DRUG FACTS

ACTIVE INGREDIENT **PURPOSE**
Minoxidil 5%.....Hair Begrowth Treatment

USES:
to regrow hair on the top of the scalp

WARNINGS:
• For external use only
• Keep away from fire and flame
• Avoid contact with eyes

DO NOT USE:
• You have no family history of hair loss. Hair loss is sudden and/or patchy.
• You do not know the reason for your hair loss.
• You are under 18years of age.
• Do not use it on babies and children. Scalp is red,infamed,infected,irritated or painful.
• You use other medicines on the scaip..

WHEN USING:
Do not apply on other parts of the body. Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water. It takes time to regrow hair. You may need to use this product 2 times a day for at least 4 months before you see results. The amount of hair regrowth is different for each person.The product will not work for everyone.

DERMATOLOGIST
RECOMMENDED
BRAND

MINOXIDIL

5%

MINOXIDIL TOPICAL AEROSOL

HAIR GROWTH TREATMENT

- REDUCE HAIR LOSS
- RESTORE THINNING HAIR
- Improves Scalp Health

REACTIVATES

HAIR FOLLICLES
TO STIMULATE REGROWTH

Batana Oil

Rosemary Oil

Castor Oil

Biotin

MONTH
2
APPLY

2.02 FL.OZ/60ML

DRUG FACTS(Continued)

STOP USE:
• If scalp irritation or redness occurs.
• If you get unwanted facial hair growth.
• If you do not see hair regrowth in 4 months.
• If sudden, unexplained weight gain occurs.

ASK DOCTOR:
If you have chest pain, rapid heart beat, faintness, or dizziness occurs.

KEEP OUT OF REACH OF CHILDREN:
If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

DIRECTIONS:
Apply 1ml(5 Sprays) twice a day.Once in the morning and another time in the evening before bed.Spray directly on top of the scalp in the area to be treated.Discontinuing use may result in hair loss.

OTHER INFORMATION:
Before use, read all information on the carton Store at controlled room temperature 20 to 25C (68 to 77 F)

INACTIVE INGREDIENTS:
WATER, PROPYLENE GLYCOL, GLYCERIN, ZINGIBER OFFICINALE(GINGER)ROOT EXTRACT,PEG-40 HYDROGENATED CASTOR OIL,PANAX GINSENG EXTRACT, BIOTIN, XANTHAN GUM, RICINUS COMMUNIS(CASTOR)OIL, ROSMARINUS OFFICINALIS(ROSEMARY)LEAF OIL.

MANUFACTURER: FlexiGo Inc
Address: 2910 S Tejon St, Englewood Colorado (CO)80110, United States (USA)





For external use only. When using this product, avoid getting into eyes. If contact occurs, rinse thoroughly with water. If skin irritation occurs, wash product off and consult a physician. When first applying this product, you may experience a slight tingling sensation. This is an indication that the product is working. If this sensation is prolonged or becomes unpleasant, discontinue use and consult a physician.



MINOXIDIL

minoxidil liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85524-2501
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 mL
---	-----------	---------------

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
CASTOR OIL (UNII: D5340Y2I9G)	
PEG-40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
XANTHAN GUM (UNII: TTV12P4NEE)	
GLYCERIN (UNII: PDC6A3C0OX)	
ROSEMARY OIL (UNII: 8LGU7VM393)	
PANAX NOTOGINSENG ROOT (UNII: GQX1C1175U)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85524-2501-1	1 in 1 BOX	09/25/2025	
1	NDC:85524-2501-9	60 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA209074	09/20/2025	

Labeler - FlexiGo Inc (118951527)

Registrant - FlexiGo Inc (118951527)

Establishment

Name	Address	ID/FEI	Business Operations
FlexiGo Inc		118951527	manufacture(85524-2501) , label(85524-2501)