# SUPER VITAMIN C SERUM- super vitamin c liquid FlexiGo Inc

-----

#### DOSAGE AND ADMINISTRATION

For external use only. When using this product, avoidgetting into eyes. If contact occurs, rinse thoroughlywith water. If skin irritation occurs, wash product offand consult a physician. When first applying this product, you may experience a slight tingling sensation. This is an indication that the product is working. If these nsation is prolonged or becomes unpleasant, discontinue use and consult a physician.



192mm

Avoid contact with eyes. If the product gets into the eye, flush with water for 15 minutes.

Avoid inhaling vapors.

Cap the bottle tightly.

Out of direct sunlight and store at room temperature away from heat.

宽: 100mm



You become pregnant, or are planning to become pregnant, while using the product.

If discomfort persists.

宽: 100mm



If swallowed, get medical help or contact Poison Control Center right away.

Store in a cool, shaded place away from directsunlight. Store at room temperature between15-30°C(59-86°F)

vitamin C

宽: 100mm



#### For external use only.



For external use only.

100mm



192mm

宽: 100mm

高: 45mm



## Activation of working to the product and care three is a problem in Cerem in perfect for a product of the first is a problem in Cerem in perfect for a product of the first is a problem. Cerem in perfect for a product of the product and care from the product of the product and care from the product of the product o

192mm

宽: 100mm

高: 45mm



For external use only. When using this product, avoidgetting into eyes. If contact occurs, rinse thoroughlywith water. If skin irritation occurs, wash product offand consult a physician. When first applying this product, you may experience a slight tingling sensation. This is an indication that the product is working. If these nsation is prolonged or becomes unpleasant, discontinue use and consult a physician.

100mm



192mm

#### **SUPER VITAMIN C SERUM**

super vitamin c liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85524-2505
Route of Administration	TOPICAL		

<b>Basis of Strength</b>	Strength
ASCORBIC ACID	0.055 g in 1 mL
ADENOSINE PHOSPHATE	0.001 g in 1 mL
COLLAGEN, SOLUBLE, FISH SKIN	0.01 g in 1 mL
PANTHENOL	0.01 g in 1 mL
CERAMIDE 3	0.03 g in 1 mL
GLUTATHIONE	0.05 g in 1 mL
ALLANTOIN	0.02 g in 1 mL
.ALPHATOCOPHEROL	0.05 g in 1 mL
) HYALURONIC ACID	0.0005 g in 1 mL
CAFFEINE	0.002 g in 1 mL
ACETYL HEXAPEPTIDE-1	0.05 g in 1 mL
NIACINAMIDE	0.03 g in 1 mL
	ASCORBIC ACID  ADENOSINE PHOSPHATE  COLLAGEN, SOLUBLE, FISH SKIN  PANTHENOL  CERAMIDE 3  GLUTATHIONE  ALLANTOIN  .ALPHATOCOPHEROL  T) HYALURONIC ACID  CAFFEINE  ACETYL HEXAPEPTIDE-1

#### **Inactive Ingredients**

Ingredient Name	Strength
PHENOXYETHANOL (UNII: HIE492ZZ3T)	0.005 g in 1 mL
WATER (UNII: 059QF0KO0R)	0.6715 g in 1 mL
MELALEUCA ALTERNIFOLIA (TEA TREE) LEAF (UNII: G43C57162K)	0.01 g in 1 mL
CENTELLA ASIATICA LEAF (UNII: 6810070TYD)	0.02 g in 1 mL
GLABRIDIN (UNII: HOC5567T41)	0.02 g in 1 mL
TREHALOSE (UNII: B8WCK70T7I)	0.005 g in 1 mL
GLYCERIN (UNII: PDC6A3C0OX)	0.02 g in 1 mL

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	ORANGE	Imprint Code	
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:85524- 2505-3	140 in 1 CARTON	04/28/2025		
1	NDC:85524- 2505-2	1 in 1 BOX			
1	NDC:85524- 2505-1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	04/28/2025	

## Labeler - FlexiGo Inc (118951527)

### Registrant - FlexiGo Inc (118951527)

Establishment			
Name	Address	ID/FEI	Business Operations
FlexiGo Inc		118951527	manufacture(85524-2505) , label(85524-2505)

Revised: 5/2025 FlexiGo Inc