

GLYCERIN - glycerin suppository
Chain Drug Marketing Association Inc.

Quality Choice Pediatric Glycerin Supp

Active ingredient (in each suppository)

Glycerin 1.2 g

Purpose

Laxative

Uses

- for relief of occasional constipation
- this product generally produces a bowel movement in 1/4 to 1 hour

Warnings

For rectal use only

May cause rectal discomfort or a burning sensation

Ask a Doctor before using any laxative if child has

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

Stop use and consult a doctor if child has

- rectal bleeding
- no bowel movement within 1 hour of using this product

These symptoms may indicate a serious condition.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Single daily dosage

children 2 to under 6-1 suppository, or as directed by a doctor

children under 2 years-ask a doctor

Insert suppository well up into rectum.

Suppository need not melt completely to produce laxative action.

Other information

- Store container tightly closed.
- Keep away from excessive heat.

Inactive ingredients

purified water, sodium hydroxide, stearic acid

Pediatric Glycerin Suppositories, 25 count

QC QUALITY CHOICE
Children's Glycerin Suppositories
Laxative
 For Relief of Occasional Constipation
25 Pediatric Size

Drug Facts
Active ingredient (in each suppository) Glycerin 1.2g Laxative
Purpose Laxative
Uses
 ■ for relief of occasional constipation
 ■ this product generally produces bowel movement in 1/4 to 1 hour
Warnings
For rectal use only
 May cause rectal discomfort or a burning sensation.
 Ask a doctor before using any laxative if child has
 ■ abdominal pain, nausea or vomiting
 ■ a sudden change in bowel habits lasting more than 2 weeks
 ■ already used a laxative for more than 1 week
Stop use and consult a doctor if child has
 ■ rectal bleeding
 ■ no bowel movement within 1 hour of using this product
 These symptoms may indicate a serious condition.
Keep out of reach of children.
 If swallowed, get medical help or contact a Poison Control Center right away.
Directions *Single daily dosage*
 children 2 to under 6 years 1 suppository, or as directed by a doctor
 children under 2 years ask a doctor
 Insert suppository well up into rectum. Suppository need not melt completely to produce laxative action.
Other Information
 ■ Store container tightly closed.
 ■ Keep away from excessive heat.
Inactive Ingredients
 purified water, sodium hydroxide, stearic acid

Unvarnish Area

Rev. 03/21/2
 Distributed by CDMA, Inc.
 Novi, MI 48375
 www.qualitychoice.com
 Questions: 800-955-2562
 6 35515 98239 0
 *This product is not manufactured or distributed by C.B. Fleet Co., owner of the registered trademark Fleet®.

The product package shown below represents a sample of that currently in use. Additional packaging may also be available.

Pediatric Glycerin Suppositories, 25 count

Distributed by C.D.M.A. Inc.

43157 W. Nine Mile

Novi, MI 48376-0995

www.qualitychoice.com

QC Pediatric25ct.jpg

GLYCERIN

glycerin suppository

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83324-285
Route of Administration	RECTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	1.2 g

Inactive Ingredients

Ingredient Name	Strength
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83324-285-25	25 in 1 JAR; Type 0: Not a Combination Product	04/24/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	04/24/2025	

Labeler - Chain Drug Marketing Association Inc. (011920774)

Registrant - DSC Laboratories Inc. (097807374)

Establishment

Name	Address	ID/FEI	Business Operations
DSC Laboratories Inc.		097807374	manufacture(83324-285)

Revised: 10/2025

Chain Drug Marketing Association Inc.