

**CETIRIZINE HCL- cetirizine tablet, film coated**  
**GERI-CARE PHARMACEUTICAL CORP**

-----  
**992**

Cetirizine HCl 10 mg

Antihistamine

**Uses**

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing,
- itchy, watery eyes
- itching of the nose or throat

**Warnings**

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients or an antihistamine containing hydroxyzine

**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers

**When using this product**

- drowsiness may occur
- Avoid alcoholic drinks
- Alcohol, sedatives and tranquilizers may increase drowsiness
- Be careful when driving a motor vehicle or operating machinery.

**Stop use and ask a doctor** if an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding:**

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Adults and children 6 years and over	one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product
--------------------------------------	--

	may be appropriate for less severe symptoms.
Adults 65 years and over	ask a doctor
Children under 6 years of age	ask a doctor
Consumers with liver or kidney disease	ask a doctor

### **Other information**

store between 20° to 25°C (68° to 77°F).

hypromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, polysorbate, povidone, pregelatinized starch, and titanium dioxide.

### **Questions or comments?**

**1-800-540-3765**

Weekdays 9AM-5PM EST

## Indoor & Outdoor Allergies

# CETIRIZINE HCl Tablets, USP

## 10 mg/Antihistamine

### 24-Hour Relief of:

- Sneezing
- Itchy, Watery Eyes
- Runny Nose
- Itchy Throat or Nose

**Compares to Zyrtec® Allergy**  
**Original Prescription Strength\***

100 TABLETS

**10 mg each**

**DO NOT USE IF SAFETY SEAL UNDER CAP IS  
BROKEN OR MISSING**

## Drug Facts

**Active ingredient**  
**(in each tablet)**

Cetirizine HCl 10 mg.....Antihistamine

**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat

PEEL AT END OF LABEL FOR MORE DRUG FACTS

**Distributed by:**

**GERI-CARE PHARMACEUTICALS CORP.**  
1295 TOWBIN AVE. LAKEWOOD, NJ 08701

\* This product is not manufactured or distributed by Kenvue Inc., the owner of the registered trademark Zyrtec®.



3 57896 99201 9

B53656 REV 0325

**Drug Facts (continued)**

## Warnings

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

**Ask a doctor before use if you have** liver or kidney disease. Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.**

### **When using this product**

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery.

**Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.**

**If pregnant or breast-feeding:**

- if breast-feeding:  
not recommended
  - if pregnant:  
ask a health professional before use.
- Keep out of reach of children.**  
In case of overdose, get medical help  
or contact a Poison Control Center  
(1-800-222-1222) right away.

**Drug Facts (continued)**

### Directions

Adults and children 6 years and over	one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
Adults 65 years and over	ask a doctor
Children under 6 years of age	ask a doctor
Consumers with liver or kidney disease	ask a doctor

## Other information

- store between 20° to 25°C (68° to 77°F).

## Inactive ingredients

xympromellose, lactose monohydrate, magnesium stearate, polyethylene glycol, polysorbate, povidone, pregelatinized starch, and titanium dioxide.

## Questions or comments?

**1-800-540-3765**  
**Weekdays 9AM-5PM EST**

1-800-340-3763  
Weekdays 9AM-5PM EST

# CETIRIZINE HCL

cetirizine tablet, film coated

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57896-992
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CETIRIZINE HYDROCHLORIDE</b> (UNII: 64O047KTOA) (CETIRIZINE -	CETIRIZINE	10 mg

UNII:YO7261ME24)	HYDROCHLORIDE	10 mg
------------------	---------------	-------

Inactive Ingredients	
Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I3O)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	C;2
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57896-992-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	04/24/2025	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076047	04/24/2025	

**Labeler** - GERI-CARE PHARMACEUTICAL CORP (611196254)

**Registrant** - GERI-CARE PHARMACEUTICAL CORP (611196254)