# LAXATIVE- sennosides tablet, film coated TOPCO ASSOCIATES LLC

-----

**TopCare 44-773** 

#### Active ingredient (in each tablet)

Sennosides USP, 25 mg

#### Purpose

Stimulant laxative

#### Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

#### Warnings

#### Do not use

laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

# Ask a doctor before use if you have

noticed a sudden change in bowel habits that persists over a period of 2 weeks.

# Ask a doctor or pharmacist before use if you are

taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

# When using this product,

do not use for a period longer than 1 week.

# Stop use and ask a doctor if

rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

# If pregnant or breast-feeding,

ask a health professional before use.

# Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

#### **Directions**

- do not take more than directed
- swallow tablet(s) with a glass of water
- swallow tablet(s) whole; do not crush, break, or chew

adults and children 12 years and	2 tablets once or twice
over	daily
children 6 to linder 12 years	1 tablet once or twice daily
children under 6 years	ask a doctor

#### Other information

- each tablet contains: calcium 35 mg
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

#### Inactive ingredients

corn starch, dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, hypromellose, magnesium stearate, medium chain triglycerides, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, silicon dioxide, sodium lauryl sulfate, sucrose, talc, titanium dioxide

#### **Questions or comments?**

1-888-423-0139

# Principal display panel

+TopCare®

health

NDC 76162-773-08

COMPARE TO EX•LAX® MAXIMUM STRENGTH ACTIVE INGREDIENT<sup>†</sup>

MAXIMUM STRENGTH

#### Laxative

SENNOSIDES USP, 25 mg • STIMULANT LAXATIVE

- Senna Ingredient
- Gentle, Dependable Constipation Relief

#### **24 COATED TABLETS**

Gentle, Dependable Constipation Relief

actual size

# TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

†This product is not manufactured or distributed by GSK Consumer Healthcare SARL, owner of the registered trademark ex•lax® Maximum Strength.

**QUALITY GUARANTEED** 

50844 ORG082177308

DISTRIBUTED BY
TOPCO ASSOCIATES LLC
ELK GROVE VILLAGE, IL 60007
©TOPCO LNKA0522
QUESTIONS? 1-888-423-0139
topcare@topco.com
www.topcarebrand.com

■ see end flap for expiration date and lot number Keep out of reach of children. In case of overdose, 12,-30,C (26,-86,E) professional before use. ■ store at 25°C (77°F); excursions permitted between If pregnant or breast-feeding, ask a health IS OPENED OR BLISTER IS TORN OR BROKEN These may be signs of a serious condition. ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE to have a bowel movement occur after use of a laxative. ■ each tablet contains: caldum 35 mg Stop use and ask a doctor if rectal bleeding or failure Other information longer than 1 week. When using this product, do not use for a period children under 6 years 92K 9 QOCTOL or after other drugs. twice daily drugs work. Take this product 2 or more hours before tablet once or children 6 to under taking any other drug. Laxatives may affect how other twice daily 12 years and over Ask a doctor or pharmacist before use if you are 2 tablets once or adults and children swallow tablet(s) whole; do not crush, break, or chew Change in bowel habits that persists over a period of 2 ■ swallow tablet(s) with a glass of water Ask a doctor before use if you have noticed a sudden ■ do not take more than directed

Directions nausea, or vomiting are present unless directed by a Do not use laxative products when abdominal pain, *Marnings* get medical help or contact a Poison Control Center

**Drug Facts** (continued)

Stimulant laxative Sennosides USP, 25 mg.

> (in each tablet) Active ingredient

B-1910-773-08 ORG082177308

1This product is not manufactured or distributed by GSK Consumer Healthcare SARL, owner of the registered trademark ex-lax<sup>®</sup> Maximum Strength.

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

S0844 ORG082177308

Lot & Exp. Date

No print Area

Story Pacts

Purpose

COMPLETE PRODUCT INFORMATION

■ generally produces bowel movement in 6 to 12 hours relieves occasional constipation (irregularity) səsn

**Drug Facts** (continued)

**Drug Facts** (continued)

NDC 76162-773-08

Scan here for more

information or call 1-888-423-0139

COMPARE TO EX•LAX® MAXIMUM STRENGTH **ACTIVE INGREDIENT**†

**TopCare**®

**MAXIMUM STRENGTH** 

# Laxative

SENNOSIDES USP, 25 mg • STIMULANT LAXATIVE

- Senna Ingredient
- Gentle, Dependable Constipation Relief

actual size

24 COATED TABLETS

triglycerides, microcrystalline cellulose, polyethylene lake, hypromellose, magnesium stearate, medium chain calcium phosphate dihydrate, FD&C blue #1 aluminum Inactive ingredients corn starch, dibasic

**Drug Facts** (continued)

sulfate, sucrose, talc, titanium dioxide glycol, polyvinyl alcohol, sificon dioxide, sodium lauryl

**nınd Hacıs** (continned)

Unestions of comments? 1-888-423-0139

TopCare 44-773



### sennosides tablet, film coated

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:76162-773

**Route of Administration** ORAL

# **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	25 mg

Inactive Ingredients	
Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics			
Color	blue	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	L7
Contains			

l	Packaging						
	# Item Code	Package Description	Marketing Start Date	Marketing End Date			
	NDC:76162- 773-08	2 in 1 CARTON	06/18/2022				
	1	12 in 1 BLISTER PACK; Type 0: Not a Combination Product					

Marketing Application Number or Monograph Marketing Start Marketing End

Category	Citation	Date	Date
OTC Monograph Drug	505G(a)(3)	06/18/2022	

# Labeler - TOPCO ASSOCIATES LLC (006935977)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
LNK International, Inc.		038154464	pack(76162-773)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(76162-773) , pack(76162-773)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
LNK International, Inc.		832867894	manufacture(76162-773)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
LNK International, Inc.		967626305	pack(76162-773)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(76162-773)

Revised: 6/2024 TOPCO ASSOCIATES LLC