

SALICYLIC ACID- liquid wart remover liquid
Chain Drug Marketing Association Inc.

Quality Choice Liquid Wart Remover

Active ingredient

Salicylic acid 17%w/w

Purpose

Wart remover

Uses

- for the removal of common warts and plantar warts on the bottom of the foot. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. The plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Warnings

For external use only.

Flammable

- keep away from fire or flame

Do not use

- if you are a diabetic or if you have poor blood circulation
- on genital warts or warts on the face or mucous membrane
- on moles, birthmarks or warts with hair growing from them
- on irritated skin or on any area that is infected or reddened

When using this product

- If product gets into the eye, flush with water for 15 minutes
- avoid inhaling vapors
- **cap bottle tightly** and store at room temperature away from heat

Stop use and ask a doctor if

if discomfort persists

Keep out of reach of children.

if swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area, may soak wart in warm water for 5 minutes
- dry area thoroughly
- carefully apply one drop at a time with applicator to sufficiently cover each wart
- let dry
- repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks

Other information

- store between 20°C - 25°C (68°F to 77°F)
- close tightly to prevent solidification
- wipe top of bottle clean after each use
- discard when signs of wart no longer appear
- avoid surrounding skin when applying product
- do not allow to come into contact with fabrics, floors, countertops or other surfaces
 - will stain

Inactive ingredients

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-866-964-0939

Principal Display Panel

QC

Quality Choice

Maximum Strength

Liquid Wart

Remover

Salicylic Acid 17% / Wart Remover


Removes Common &

Plantar Warts

Convenient Brush Applicator

Safe & Effective

NET **0.31** FL.OZ. (9 mL)



QUALITY CHOICE

Active Ingredient In Compound W[®]

Maximum Strength Liquid Wart Remover

Salicylic Acid 17% / Wart Remover

- Removes Common & Plantar Warts
- Convenient Brush Applicator
- Safe & Effective




NOT ACTUAL SIZE

NET 0.31 FL. OZ. (9 mL)

- Removes common & plantar warts
- Convenient brush applicator
- Safe & effective

Use for warts on feet & hands



53-012QC-02

Liquid Wart Remover

QC Quality Choice

Maximum Strength Liquid Wart Remover

Removes Common & Plantar Warts

NET 0.31 FL. OZ. (9 mL)


This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Compound W[®].



Distributed by CDMA, Inc.
Novi, MI 48375
www.qualitychoice.com
Questions: 800-935-2362
Made in USA from Globally Sourced Materials



Warnings
For external use only.
Flammable ■ Keep away from fire or flame
Do not use ■ If you are diabetic or if you have poor blood circulation
■ on genital warts or warts on the face or mucous membrane
■ on moles, birthmarks or warts with hair growing from them
■ on irritated skin or on any area that is infected or reddened
When using this product ■ If product gets into the eye, flush with water for 15 minutes ■ avoid inhaling vapors ■ cap bottle tightly and store at room temperature away from heat
Stop use and ask a doctor if discomfort persists.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Directions ■ wash affected area, may soak wart in warm water for 5 minutes ■ dry area thoroughly ■ carefully apply one drop at a time with applicator to sufficiently cover each wart ■ let dry ■ repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks
Other information ■ store between 20°–25°C (68°–77°F) ■ close tightly to prevent solidification ■ wipe top of bottle clean after each use ■ discard when signs of wart no longer appear ■ avoid surrounding skin when applying product ■ do not allow to come into contact with fabrics, floors, countertops or other surfaces – will stain
Inactive ingredients camphor, castor oil, ethanol, ethyl ether, nitrocellulose
Questions? Call 1-866-964-0939



SALICYLIC ACID

liquid wart remover liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83324-236
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	170 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ETHYL ETHER (UNII: 0F5N573A2Y)	
PYROXYLIN (UNII: KYR8BR2X6O)	
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
CASTOR OIL (UNII: D5340Y2I9G)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83324-236-31	1 in 1 CARTON	04/23/2025	09/30/2027
1		9 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	04/23/2025	09/30/2027

Labeler - Chain Drug Marketing Association Inc. (011920774)

Revised: 4/2026

Chain Drug Marketing Association Inc.