
5% Minoxidil Hair Growth Sprays Serum

Minoxidil 5% Biotin 0.5%

Hair Regrowth Treatment

Use to regrow hair and beard

Keep out of reach of children. For external use only.

Your hair loss is sudden and/or patchy. Your hair loss is associated with childbirth. You do not know the reason for your hair loss. You are under 18 years of age. Do not use on babies and children. Your scalp is red, inflamed, infected, irritated, or painful. You use other medicines on the scalp.

Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.

Some people have experienced changes in hair color andlor texture.

It takes time to regrow hair, Results may occur at 3 months with twice a day usage. For some men, youmay need to use this product for at least 6 months before you see results, The amount of hair regrowth isdifferent for each person.

Avoid contact with eyes. In case of accidental contact, rinse eyes with a large amount of cool tap water.

Chest pain, rapid heartbeat, faintness, or dizziness occurs.

Sudden, unexplained weight gain occurs.

If unwanted facial hair growth occurs .

If you do not see hair regrowth in 6 months.

Keep out of reach of children.lf swallowed, get medical help or contact a Poison Control Center

(1-800-222-1222)right away.

1. Make sure your hair and scalp are dry(no need to wash your hair before each use).

2.Apply 3-4 pumps of spray directly to the treated area of the scalp.

3.Gently massage into the scalp or thinning hair areas until absorbed.

4.Continued use is required to increase and maintain hair regrowth, Discontinuation may lead to hair loss

Butylene Glycol Glycerin Alcohol

1



			GROWTH SPRA	AYS SE	RUM		
mir	noxidil 5% liqui	d					
Pı	roduct Infor	mation					
Pr	oduct Type		HUMAN OTC DRUG	Item Code (Source)		NDC:85304-002	
Rc	oute of Admini	stration	TOPICAL				
Ac	tive Ingredi	ent/Active	Moiety				
Ingredie			ent Name Basis of S		Basis of Streng	yth	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1) MINOXIDIL					MINOXIDIL		5 g in 100 mL
BIOTIN (UNII: 6SO6U10H04) (BIOTIN - UNII:6SO6U10H04) BIOTIN							0.5 g in 100 mL
In	active Ingre	dionts					
In	active Ingre		Ingredient Name				Strength
			Ingredient Name				Strength
GL	active Ingre YCERIN (UNII: PE COHOL (UNII: 3K	DC6A3C0OX)	Ingredient Name				Strength
GL AL	YCERIN (UNII: PE	DC6A3C0OX) 9958V90M)	Ingredient Name				Strength
GL AL CA	YCERIN (UNII: PE Cohol (UNII: 3K	DC6A3C0OX) 9958V90M) D5340Y2I9G)					Strength
GL AL CA BU	YCERIN (UNII: PE COHOL (UNII: 3K STOR OIL (UNII:	DC6A3C0OX) 9958V90M) D5340Y2I9G) L (UNII: 3XUS85	5KORA)				Strength
GL AL CA BU DE	YCERIN (UNII: PE COHOL (UNII: 3K STOR OIL (UNII: TYLENE GLYCO	DC6A3C0OX) 9958V90M) D5340Y2I9G) L (UNII: 3XUS85 JNII: 106C93RI7	5KORA)				Strength
GL AL CA BU DE	YCERIN (UNII: PE COHOL (UNII: 3K STOR OIL (UNII: ITYLENE GLYCO XPANTHENOL (I	DC6A3C0OX) 9958V90M) D5340Y2I9G) L (UNII: 3XUS85 JNII: 106C93RI7	5KORA)				Strength
GL AL CA BU DE	YCERIN (UNII: PE COHOL (UNII: 3K STOR OIL (UNII: ITYLENE GLYCO XPANTHENOL (I	DC6A3C0OX) 9958V90M) D5340Y2I9G) L (UNII: 3XUS85 JNII: 106C93RI7	5KORA)				Strength
GL AL CA BU DE W/	YCERIN (UNII: PE COHOL (UNII: 3K STOR OIL (UNII: ITYLENE GLYCO XPANTHENOL (I	DC6A3C0OX) 9958V90M) D5340Y2I9G) L (UNII: 3XUS85 JNII: 106C93RI7	5KORA)				Strength
GL AL CA BU DE W/	YCERIN (UNII: PE COHOL (UNII: 3K STOR OIL (UNII: TYLENE GLYCO XPANTHENOL (I ATER (UNII: 059Q	DC6A3C0OX) 9958V90M) D5340Y2I9G) L (UNII: 3XUS85 JNII: 106C93RI7 F0KO0R)	5KORA)		Marketing Start Date	ľ	Strength Marketing End Date

100 mL in 1 BOTTLE; Type 0: Not a Combination

Product

Marketing Information									
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date						
OTC Monograph Drug	505G(a)(3)	04/27/2025							

Labeler - Guangzhou Borderless Technology Co., Ltd. (452282332)

Establishment

Name	Address	ID/FEI	Business Operations
Guangzhou Borderless Technology Co., Ltd.		452282332	manufacture(85304-002)

Revised: 4/2025

Guangzhou Borderless Technology Co., Ltd.