

**INBLAIR MOISTURIZER SPF 15- ethylhexyl methoxycinnamate, ethylhexyl salicylate, homosalate, and butyl methoxydibenzoylmethane cream  
Foshan Miwei Cosmetics Co.,Ltd.**

-----  
**inblair Moisturizer SPF 15**

Drug Facts

**ACTIVE INGREDIENTS PURPOSE**

Ethylhexyl Methoxycinnamate 5.994%.....Sunscreen  
Ethylhexyl Salicylate 3.5%..... Sunscreen  
Homosalate 2%..... Sunscreen  
Butyl Methoxydibenzoylmethane 1.5%..... Sunscreen

Sunscreen

Uses:

Helps prevent sunburn, decreases the risk of skin cancer and early skin aging if used as directed.

For external use only

Do not use on damaged or broken skin

When using this product, keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. In case of ingestion, get medical help or contact a Poison Control Center right away.

Keep out of reach of children. In case of ingestion, get medical help or contact a Poison Control Center right away.

Apply evenly to clean, dry skin before sun exposure. Apply once-daily. In the event of prolonged sun exposure, apply standard sunscreen as-needed throughout day

Water, Glycerin, Caprylic/Capric Triglyceride, Cetearyl Alcohol, Dimethicone, Niacinamide, Panthenol, Palmitic Acid, Polymethylsilsesquioxane, PEG-20 Stearate, Stearic Acid, Lauric/Myristic/Palmitic/Stearic Glycerides, Hydroxyacetophenone, 1,2-Hexanediol, Tocopheryl Acetate, Dimethiconol, Glyceryl Stearate, Polyacrylamide, Titanium Dioxide, Polyacrylic Acid, Xylitylglucoside, Butylene Glycol, C13-14 Isoparaffin, Anhydroxylitol, Sodium Hyaluronate, Potassium Hydroxide, Benzyl Alcohol, Laureth-7, Disodium EDTA, Xylitol, Polysorbate 20, Phenoxyethanol, Caprylyl Glycol, Carbomer, BHT, Ethylhexylglycerin, Benzoic Acid, Palmitoyl Pentapeptide-4

inblair

ELEVATE

## COLLAGEN PEPTIDES + B3 + SPF15

all skin types moisturizer

NET WT.50g[1.6fl oz]

Drug Facts

### ACTIVE INGREDIENTS PURPOSE

Ethylhexyl Methoxycinnamate 5.994%..... Sunscreen

Ethylhexyl Salicylate 3.5%..... Sunscreen

Homosalate 2%..... Sunscreen

Butyl Methoxydibenzoylmethane 1.5%..... Sunscreen

Uses:

Helps prevent sunburn, decreases the risk of skin cancer and early skin aging if used as directed.

### WARNINGS:

For external use only

Do not use on damaged or broken skin

When using this product, keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. In case of ingestion, get medical help or contact a Poison Control Center right away.

\*Pro-Vitamin B5, \*\*Peptide

### DIRECTIONS:

Apply evenly to clean, dry skin before sun exposure. Apply once-daily. In the event of prolonged sun exposure, apply standard sunscreen as-needed throughout day

### INACTIVE INGREDIENTS:

Water, Glycerin, Caprylic/Capric Triglyceride, Cetearyl Alcohol, Dimethicone, Niacinamide, Panthenol, Palmitic Acid, Polymethylsilsesquioxane, PEG-20 Stearate, Stearic Acid, Lauric/Myristic/Palmitic/Stearic Glycerides, Hydroxyacetophenone, 1,2-Hexanediol, Tocopheryl Acetate, Dimethiconol, Glyceryl Stearate, Polyacrylamide, Titanium Dioxide, Polyacrylic Acid, Xylitylglucoside, Butylene Glycol, C13-14 Isoparaffin, Anhydroxylitol, Sodium Hyaluronate, Potassium Hydroxide, Benzyl Alcohol, Laureth-7, Disodium EDTA, Xylitol, Polysorbate 20, Phenoxyethanol, Caprylyl Glycol, Carbomer, BHT, Ethylhexylglycerin, Benzoic Acid, Palmitoyl Pentapeptide-4.

### OTHER INFORMATION:

Protect this product from excessive heat and direct sun

QUESTIONS OR COMMENTS?

contact@inblair.com

Manufactured for Digital Ride Limited Trading as Inblair

21 Queen St Level 10 | Auckland 1010 INZ

Formulated in New Zealand with Global Ingredients | Made in China

Inblair ELEVATE

all skin types moisturizer

COLLAGEN PEPTIDES

Can support a firmer, plumper appearance to skin texture.

SPF15

To aide in the protection against harmful UV rays.

VITAMIN B3


Can reduce hyperpigmentation, & inflammation while promoting skin elasticity and hydration.

Uses:

Helps prevent sunburn, decreases the risk of skin cancer and early skin aging if used as directed.


DIRECTIONS:

Apply evenly to clean, dry skin before sun exposure. Apply once-daily. In the event of prolonged sun exposure, apply standard sunscreen as-needed throughout day



文件名: GE-0004 新设计\_20250922  
型号: GE-0004

Date: 2025-03-01  
Spec: 50g\*200.6mm\*22.5mm  
Unidad: mm



# INBLAIR MOISTURIZER SPF 15

ethylhexyl methoxycinnamate, ethylhexyl salicylate, homosalate, and butyl methoxydibenzoylmethane cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:84222-006
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ETHYLHEXYL SALICYLATE</b> (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE - UNII:4X49Y0596W)	ETHYLHEXYL SALICYLATE	3.5 g in 100 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	2 g in 100 mL
<b>BUTYL METHOXYDIBENZOYLMETHANE</b> (UNII: G63QQF2NOX) (BUTYL METHOXYDIBENZOYLMETHANE - UNII:G63QQF2NOX)	BUTYL METHOXYDIBENZOYLMETHANE	1.5 g in 100 mL
<b>ETHYLHEXYL METHOXYCINNAMATE</b> (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	ETHYLHEXYL METHOXYCINNAMATE	5.994 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>LAURIC/MYRISTIC/PALMITIC/STEARIC GLYCERIDES</b> (UNII: 82TZ9D9546)	0.55 mL in 100 mL
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	0.025 mL in 100 mL
<b>PANTHENOL</b> (UNII: WW9CM0067Z)	2 mL in 100 mL
<b>BENZOIC ACID</b> (UNII: 8SKN0B0MIM)	0.002 mL in 100 mL
<b>WATER</b> (UNII: 059QF0KO0R)	46.918 mL in 100 mL
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	11.34935 mL in 100 mL
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	0.083 mL in 100 mL
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	0.015 mL in 100 mL
<b>PALMITOYL PENTAPEPTIDE-4</b> (UNII: KK181SM5JG)	0.00065 mL in 100 mL
<b>POLYACRYLAMIDE (10000 MW)</b> (UNII: E2KR9C9V2I)	0.315 mL in 100 mL
<b>CETEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	4.25 mL in 100 mL
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	0.1 mL in 100 mL
<b>BHT</b> (UNII: 1P9D0Z171K)	0.006 mL in 100 mL
<b>ANHYDROXYLITOL</b> (UNII: 8XWR7NN42F)	0.12 mL in 100 mL
<b>SODIUM HYALURONATE</b> (UNII: YSE9PPT4TH)	0.1 mL in 100 mL
<b>LAURETH-7</b> (UNII: Z95S6G8201)	0.072 mL in 100 mL
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	1 mL in 100 mL
<b>PEG-20 STEARATE</b> (UNII: NBX892EA57)	0.75 mL in 100 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	0.3 mL in 100 mL
<b>DIMETHICONOL (40 CST)</b> (UNII: 343C7U75XW)	0.4 mL in 100 mL
<b>CAPRYLIC/CAPRIC TRIGLYCERIDE</b> (UNII: C9H2L21V7U)	8 mL in 100 mL
<b>POLYACRYLIC ACID (250000 MW)</b> (UNII: 9G2MAD7J6W)	0.3 mL in 100 mL
<b>XYLITYLGLUCOSIDE</b> (UNII: 00IEZ166FB)	0.25 mL in 100 mL
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	0.01275 mL in 100 mL
<b>NIACINAMIDE</b> (UNII: 25X5118RD4)	2 mL in 100 mL

<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	0.5 mL in 100 mL
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	3.6 mL in 100 mL
<b>CARBOMER</b> (UNII: 0A5MM307FC)	0.01 mL in 100 mL
<b>GLYCERYL STEARATE</b> (UNII: 230OU9XXE4)	0.4 mL in 100 mL
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	0.05 mL in 100 mL
<b>XYLITOL</b> (UNII: VCQ006KQ1E)	0.05 mL in 100 mL
<b>C13-14 ISOPARAFFIN</b> (UNII: E4F12ROE70)	0.225 mL in 100 mL
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	0.00225 mL in 100 mL
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	0.7 mL in 100 mL
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	0.25 mL in 100 mL
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	0.5 mL in 100 mL
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	0.5 mL in 100 mL
<b>PALMITIC ACID</b> (UNII: 2V16EO95H1)	1.3 mL in 100 mL

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84222-006-01	50 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/29/2025	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/29/2025	

**Labeler** - Foshan Miwei Cosmetics Co.,Ltd. (554530932)

Revised: 9/2025

Foshan Miwei Cosmetics Co.,Ltd.