

**INBLAIR MOISTURIZER SPF 15- ethylhexyl methoxycinnamate, ethylhexyl salicylate, homosalate, and butyl methoxydibenzoylmethane cream
Foshan Miwei Cosmetics Co.,Ltd.**

inblair Moisturizer SPF 15

Drug Facts

ACTIVE INGREDIENTS PURPOSE

Ethylhexyl Methoxycinnamate 5.994%.....Sunscreen
Ethylhexyl Salicylate 3.5%..... Sunscreen
Homosalate 2%..... Sunscreen
Butyl Methoxydibenzoylmethane 1.5%..... Sunscreen
Sunscreen

Uses:

Helps prevent sunburn, decreases the risk of skin cancer and early skin aging if used as directed.

For external use only

Do not use on damaged or broken skin

When using this product, keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. In case of ingestion, get medical help or contact a Poison Control Center right away.

Keep out of reach of children. In case of ingestion, get medical help or contact a Poison Control Center right away.

Apply evenly to clean, dry skin before sun exposure. Apply once-daily. In the event of prolonged sun exposure, apply standard sunscreen as-needed throughout day

Water, Glycerin, Caprylic/Capric Triglyceride, Cetearyl Alcohol, Dimethicone, Niacinamide, Panthenol, Stearic Acid, Glyceryl Stearate, Polymethylsilsesquioxane, PEG-20 Stearate, Hydroxyacetophenone, 1,2-Hexanediol, Tocopheryl Acetate, Dimethiconol, Polyacrylamide, Titanium Dioxide, Polyacrylic Acid, Xylitylglucoside, Butylene Glycol, C13-14 Isoparaffin, Anhydroxylitol, Sodium Hyaluronate, Potassium Hydroxide, Benzyl Alcohol, Laureth-7, Disodium EDTA, Xylitol, Polysorbate 20, Phenoxyethanol, Caprylyl Glycol, Carbomer, BHT, Ethylhexylglycerin, Benzoic Acid, Palmitoyl Pentapeptide-4

inblair

ELEVATE

COLLAGEN PEPTIDES + B3 + SPF15

all skin types moisturizer

NET WT.50g[1.6fl oz]

Drug Facts

ACTIVE INGREDIENTS PURPOSE

Ethylhexyl Methoxycinnamate 5.994%..... Sunscreen

Ethylhexyl Salicylate 3.5%..... Sunscreen

Homosalate 2%..... Sunscreen

Butyl Methoxydibenzoylmethane 1.5%..... Sunscreen

Uses:

Helps prevent sunburn, decreases the risk of skin cancer and early skin aging if used as directed.

WARNINGS:

For external use only

Do not use on damaged or broken skin

When using this product, keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. In case of ingestion, get medical help or contact a Poison Control Center right away.

*Pro-Vitamin B5, **Peptide

DIRECTIONS:

Apply evenly to clean, dry skin before sun exposure. Apply once-daily. In the event of prolonged sun exposure, apply standard sunscreen as-needed throughout day

INACTIVE INGREDIENTS:

Water, Glycerin, Caprylic/Capric Triglyceride, Cetearyl Alcohol, Dimethicone, Niacinamide, Panthenol, Stearic Acid, Glyceryl Stearate, Polymethylsiloxane, PEG-20 Stearate, Hydroxyacetophenone, 1,2-Hexanediol, Tocopheryl Acetate, Dimethiconol, Polyacrylamide, Titanium Dioxide, Polyacrylic Acid, Xylitylglucoside, Butylene Glycol, C13-14 Isoparaffin, Anhydroxylitol, Sodium Hyaluronate, Potassium Hydroxide, Benzyl Alcohol, Laureth-7, Disodium EDTA,

Xylitol, Polysorbate 20, Phenoxyethanol, Caprylyl Glycol, Carbomer, BHT, Ethylhexylglycerin, Benzoic Acid, Palmitoyl Pentapeptide-4

OTHER INFORMATION:

Protect this product from excessive heat and direct sun

QUESTIONS OR COMMENTS?

contact@inblair.com

Manufactured for Digital Ride Limited Trading as Inblair

21 Queen St Level 10 | Auckland 1010 INZ

Formulated in New Zealand with Global Ingredients | Made in China

Inblair ELEVATE

all skin types moisturizer

COLLAGEN PEPTIDES

Can support a firmer, plumper appearance to skin texture.

SPF15

To aide in the protection against harmful UV rays.

VITAMIN B3

Can reduce hyperpigmentation, & inflammation while promoting skin elasticity and hydration.

Uses:

Helps prevent sunburn, decreases the risk of skin cancer and early skin aging if used as directed.

DIRECTIONS:

Apply evenly to clean, dry skin before sun exposure. Apply once-daily. In the event of prolonged sun exposure, apply standard sunscreen as-needed throughout day



Date: 2025-03-05
 Spec: 50g*200.6mm*22.5mm
 Unidad: mm



INBLAIR MOISTURIZER SPF 15

ethylhexyl methoxycinnamate, ethylhexyl salicylate, homosalate, and butyl methoxydibenzoylmethane cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84222-006
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ETHYLHEXYL SALICYLATE (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE - UNII:4X49Y0596W)	ETHYLHEXYL SALICYLATE	3.5 g in 100 mL	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	2 g in 100 mL	
BUTYL METHOXYDIBENZOYLMETHANE (UNII: G63QQF2NOX) (BUTYL METHOXYDIBENZOYLMETHANE - UNII:G63QQF2NOX)	BUTYL METHOXYDIBENZOYLMETHANE	1.5 g in 100 mL	
ETHYLHEXYL METHOXYCINNAMATE (UNII: 4Y5P7MUD51) (ETHYLHEXYL METHOXYCINNAMATE - UNII:4Y5P7MUD51)	ETHYLHEXYL METHOXYCINNAMATE	5.994 g in 100 mL	

Inactive Ingredients	
Ingredient Name	Strength
POLYSORBATE 20 (UNII: 7T1F30V5YH)	0.025 mL in 100 mL
PANTHENOL (UNII: WW9CM0067Z)	2 mL in 100 mL
WATER (UNII: 059QF0KO0R)	46.918 mL in 100 mL
GLYCERIN (UNII: PDC6A3C0OX)	11.29935 mL in 100 mL
BENZYL ALCOHOL (UNII: LKG8494WBH)	0.083 mL in 100 mL
PHENOXYETHANOL (UNII: HIE492ZZ3T)	0.015 mL in 100 mL
PALMITOYL PENTAPEPTIDE-4 (UNII: KK181SM5JG)	0.00065 mL in 100 mL
POLYACRYLAMIDE (10000 MW) (UNII: E2KR9C9V2I)	0.315 mL in 100 mL
CETEARYL ALCOHOL (UNII: 2DMT128M1S)	4.25 mL in 100 mL
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	0.1 mL in 100 mL
BHT (UNII: 1P9D0Z171K)	0.006 mL in 100 mL

ANHYDROXYLITOL (UNII: 8XWR7NN42F)	0.12 mL in 100 mL
SODIUM HYALURONATE (UNII: YSE9PPT4TH)	0.1 mL in 100 mL
LAURETH-7 (UNII: Z95S6G8201)	0.072 mL in 100 mL
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	1 mL in 100 mL
PEG-20 STEARATE (UNII: NBX892EA57)	0.75 mL in 100 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	0.3 mL in 100 mL
BENZOIC ACID (UNII: 8SKN0B0MIM)	0.002 mL in 100 mL
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)	8 mL in 100 mL
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	0.3 mL in 100 mL
XYLITYLGLUCOSIDE (UNII: O0IEZ166FB)	0.25 mL in 100 mL
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	0.01275 mL in 100 mL
NIACINAMIDE (UNII: 25X51I8RD4)	2 mL in 100 mL
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	0.5 mL in 100 mL
DIMETHICONE (UNII: 92RU3N3Y1O)	3.6 mL in 100 mL
CARBOMER (UNII: 0A5MM307FC)	0.01 mL in 100 mL
GLYCERYL STEARATE (UNII: 230OU9XXE4)	1 mL in 100 mL
EDETATE DISODIUM (UNII: 7FLD91C86K)	0.05 mL in 100 mL
XYLITOL (UNII: VCQ006KQ1E)	0.05 mL in 100 mL
C13-14 ISOPARAFFIN (UNII: E4F12ROE70)	0.225 mL in 100 mL
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	0.00225 mL in 100 mL
STEARIC ACID (UNII: 4ELV7Z65AP)	2 mL in 100 mL
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	0.25 mL in 100 mL
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	0.5 mL in 100 mL
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	0.5 mL in 100 mL
DIMETHICONOL (40 CST) (UNII: 343C7U75XW)	0.4 mL in 100 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84222-006-01	50 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/29/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/29/2025	

Labeler - Foshan Miwei Cosmetics Co.,Ltd. (554530932)