
ANTIFUNGAL- miconazole ointment **VIVE HEALTH LLC**

vivecare[®]



Antifungal Ointment

Miconazole Nitrate 2%

DRUG FACTS Active Ingredients

Miconazole nitrate 2.0% w/w.

Purpose .Antifungal

USES: • For the treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris), and ringworm (tinea corporis)
• Relieves itching, scaling, cracking, burning, redness, soreness, irritation, discomfort, and chafing associated with jock itch.

WARNINGS: For external use only.

DO NOT USE: ■ On children under 2 years of age unless directed by a doctor. ■ On scalp or nails.

When using this product • Avoid contact with the eyes.

STOP USE AND ASK A DOCTOR IF: • Irritation occurs • There is no improvement within 4 weeks for athlete's foot and ringworm. • There is no improvement within 2 weeks for jock itch.

KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER

DIRECTIONS: • Clean the affected area and dry thoroughly. • Apply a thin layer of ointment over the affected area twice daily (morning and night) or as directed by a doctor. • Supervise children in the use of this product. • For athlete's foot, pay special attention to spaces between toes, wear well-litting ventilated shoes, and change shoes and socks at least once daily. • For athlete's foot and irrigworms. Use daily for 4 weeks. • For jock tich: Use daily for 2 weeks • If the condition persists longer, consult a doctor. • this product is not effective on the scale por nails.

OTHER INFORMATION:

Store at 59-86°F (15-30°C)

INACTIVE INGREDIENTS:

Captylic/capric Triglyceride, Ceteareth-20, Cetearyl Alcohol, Chlorocresol, Dimethicone, Disodium EDTA, Glyceryl Stearate, Imidazolidinyl Urea, PEG-100 Strearate, PEG-40 Castor Oil, Petrolatum, Propylene Glycol, Sodium Cetearyl Sulfate, Stearic Acid, Water, Xanthan Gum

Antifungal Ointment Miconazole Nitrate 2% - RHB3060

Distributed by: VIVE HEALTH 8955 Fontana Del Sol Way Naples. FL 34109 1-800-487-3808

LOT NO .: MFG DATE: EXP DATE:



vivecare°



DRUG FACTS

Active Ingredients
Miconazole nitrate 2.0% w/w.

Purpose

USES: • For the treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris), and ringworm (tinea corporis)
• Relieves itching, scaling, cracking, burning, redness, soreness, irritation, discomfort, and chafing associated with jock itch

WARNINGS: For external use only.

DO NOT USE: ■ On children under 2 years of age unless directed by a doctor. ■ On scalp or nails.

When using this product • Avoid contact with the eyes.

STOP USE AND ASK A DOCTOR IF: • Irritation occurs • There is no improvement within 4 weeks for athlete's foot and ringworm. • There is no improvement within 2 weeks for jock itch.

KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER

DIRECTIONS: • Clean the affected area and dry thoroughly. • Apply a thin layer of ointment over the affected area twice daily (morning and night) or as directed by a doctor. • Supervise children in the use of this product. • For athlete's foot, pay special attention to spaces between toes, wear well-fitting ventilated shoes, and change shoes and socks at least once daily. • For athlete's foot and ringworm: Use daily for 4 weeks. • For jock titch: Use daily for 2 weeks. • If the condition persists longer, consult a doctor. • this product is not effective on the scale por nails.

OTHER INFORMATION: ■ Store at 59-86°F (15-30°C)

INACTIVE INGREDIENTS:
Captylic/capric Triglyceride, Ceteareth-20, Cetearyl Alcohol, Chlorocresol, Dimethicone, Disodium EDTA, Glyceryl Stearate,
Imidazolidinyl Urea, PEG-100 Strearate, PEG-40 Castor Oil, Petrolatum, Propylene Glycol, Sodium Cetearyl Sulfate, Stearic
Acid, Water, Xanthan Gum

Antifungal Ointment

Miconazole Nitrate 2%

Antifungal Ointment Miconazole Nitrate 2% - RHB3060

Distributed by: VIVE HEALTH 8955 Fontana Del Sol Way Naples, FL 34109 1-800-487-3808 Made in India MEG DATE: EXP DATE:







Antifungal Ointment

Miconazole Nitrate 2%

DRUG FACTS **Active Ingredients**

Miconazole nitrate 2.0% w/w

Purpose

USES: ■ For the treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris), and ringworm (tinea corporis)
■ Relieves itching, scaling, cracking, burning, redness, soreness, irritation, discomfort, and chafing associated with jock itch.

WARNINGS: For external use only.

DO NOT USE: ■ On children under 2 years of age unless directed by a doctor. ■ On scalp or nails.

When using this product • Avoid contact with the eyes.

STOP USE AND ASK A DOCTOR IF: ■ Irritation occurs ■ There is no improvement within 4 weeks for athlete's foot and ringworm. ■ There is no improvement within 2 weeks for jock itch.

KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER

DIRECTIONS: • Clean the affected area and dry thoroughly. • Apply a thin layer of ointment over the affected area twice daily (morning and night) or as directed by a doctor. • Supervise children in the use of this product. • For athlete's foot, pay special attention to spaces between toes, wear well-fitting ventilated shoes, and change shoes and socks at least once daily. • For athlete's foot and ringworm: Use daily for 4 weeks. • For jock titch: Use daily for 2 weeks. • If the condition persists longer, consolut a doctor. • this product is not effective on the scale por nails.

INACTIVE INGREDIENTS:

inaci IVE INGREDIENI S: Cappylicicapric Triglyceride, Ceteareth-20, Cetearyl Alcohol, Chlorocresol, Dimethicone, Disodium EDTA, Glyceryl Stearate, Imidazolidinyl Urea, PEG-100 Strearate, PEG-40 Castor Oil, Petrolatum, Propylene Glycol, Sodium Cetearyl Sulfate, Stearic Acid, Water, Xanthan Gum

Antifungal Ointment Miconazole Nitrate 2% - **RHB3060**

VIVE HEALTH 8955
Fontana Del Sol Way Naples,
Fl. 34109 1-800-487-3808
Made in India

LOT NO.: MFG DATE: EXP DATE:



vivecare[®]



DRUG FACTS Active Ingredients Miconazole nitrate 2.0% w/w Purpose

USES: • For the treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris), and ringworm (tinea corporis)
• Relieves itching, scaling, cracking, burning, redness, soreness, irritation, discomfort, and chafing associated with jock itch

WARNINGS: For external use only.

DO NOT USE: ■ On children under 2 years of age unless directed by a doctor. ■ On scalp or nails

When using this product • Avoid contact with the eyes.

STOP USE AND ASK A DOCTOR IF: • Irritation occurs • There is no improvement within 4 weeks for athlete's foot and ringworm. • There is no improvement within 2 weeks for jock itch.

KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER

DIRECTIONS: • Clean the affected area and dry thoroughly. • Apply a thin layer of ointment over the affected area twice daily (morning and night) or as directed by a doctor. • Supervise children in the use of this product. • For athlete's foot, pay special attention to spaces between toes; wear well-fitting ventilated shees, and change shoes and socks at least once daily. • For athlete's foot and ringworm: Use daily for 4 weeks. • For jock litch: Use daily for 2 weeks • If the condition persists longer, consult a doctor. • this product is not effective on the scale por nails.

OTHER INFORMATION: • Store at 59-86°F (15-30°C)

INACTIVE INGREDIENTS:
Cappylic/capric Triglyceride, Ceteareth-20, Cetearyl Alcohol, Chlorocresol, Dimethicone, Disodium EDTA, Glyceryl Stearate, Imidazolidinyl Urea, PEG-100 Strearate, PEG-40 Castor Oil, Petrolatum, Propylene Glycol, Sodium Cetearyl Sulfate, Stearic Acid, Water, Xanthan Gum

Antifungal Ointment

Miconazole Nitrate 2%



EXP DATE:

LOT NO .:

MFG DATE:

Antifungal Ointment Miconazole Nitrate 2% - RHB3060

Distributed by: VIVE HEALTH 8955 Fontana Del Sol Way Naples, FL 34109 1-800-487-3808 Made in India



vivecare°



DRUG FACTS

Active Ingredients Miconazole nitrate 2.0% w/w.

USES: • For the treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris), and ringworm (tinea corporis)
• Relieves itching, scaling, cracking, burning, redness, soreness, irritation, discomfort, and chafing associated with jock itch.

WARNINGS: For external use only.

DO NOT USE: ■ On children under 2 years of age unless directed by a doctor. ■ On scalp or nails.

When using this product • Avoid contact with the eyes.

STOP USE AND ASK A DOCTOR IF: • Irritation occurs • There is no improvement within 4 weeks for athlete's foot and ringworm. • There is no improvement within 2 weeks for jock itch.

KEEP OUT OF REACH OF CHILDREN, IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER

DIRECTIONS: • Clean the affected area and dry thoroughly. • Apply a thin layer of ointment over the affected area twice daily (morning and night) or as directed by a doctor. • Supervise children in the use of this product. • For athlete's foot, pay special attention to spaces between toes, wear well-fitting ventilated shoes, and change shoes and socks at least once daily. • For athlete's foot and ringworm: Use daily for 4 weeks. • For jock titch: Use daily for 2 weeks. • If the condition persists longer, consult a doctor. • this product is not effective on the scale por nails.

OTHER INFORMATION: Store at 59-86°F (15-30°C)

INACTIVE INGREDIENTS:

INACTIVE INGREDIENTS:
Captylic/capric Triglyceride, Ceteareth-20, Cetearyl Alcohol, Chlorocresol, Dimethicone, Disodium EDTA, Glyceryl Stearate, Imidazolidinyl Urea, PEG-100 Strearate, PEG-40 Castor Oil, Petrolatum, Propylene Glycol, Sodium Cetearyl Sulfate, Stearic Acid, Water, Xanthan Gum

Antifungal Ointment

Miconazole Nitrate 2%




Antifungal Ointment Miconazole Nitrate 2% - RHB3060

Distributed by: VIVE HEALTH 8955 Fontana Del Sol Way Naples, FI 34109 1-800-487-3808 Made in India

LOT NO .: MFG DATE: EXP DATE:







DRUG FACTS Active Ingredients Miconazole nitrate 2.0% w/w.

USES: • For the treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris), and ringworm (tinea corporis)
• Relieves itching, scaling, cracking, burning, redness, soreness, irritation, discomfort, and chafing associated with jock itch

WARNINGS: For external use only.

DO NOT USE: ■ On children under 2 years of age unless directed by a doctor. ■ On scalp or nails

When using this product • Avoid contact with the eyes.

STOP USE AND ASK A DOCTOR IF: • Irritation occurs • There is no improvement within 4 weeks for athlete's foot and ringworm. • There is no improvement within 2 weeks for jock itch.

KEEP OUT OF REACH OF CHILDREN, IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER

DIRECTIONS: • Clean the affected area and dry thoroughly. • Apply a thin layer of ointment over the affected area twice daily (morning and night) or as directed by a doctor. • Supervise children in the use of this product. • For athlete's foot, pay special attention to spaces between toes; wear well-fitting ventilated shoes, and change shoes and socks at least once daily. • For athlete's foot and ringworm: Use daily for 4 weeks. • For jock ltch: Use daily for 2 weeks. • If the condition persists longer, consollt a doctor. • this product is not effective on the scale por nails.

OTHER INFORMATION: Store at 59-86°F (15-30°C)

INACTIVE INGREDIENTS:
Cappylic/capric Triglyceride, Ceteareth-20, Cetearyl Alcohol, Chlorocresol, Dimethicone, Disodium EDTA, Glyceryl Stearate,
Imidazolidinyl Urea, PEG-100 Strearate, PEG-40 Castor Oil, Petrolatum, Propylene Glycol, Sodium Cetearyl Sulfate, Stearic
Acid, Water, Xanthan Gum

Antifungal Ointment

Miconazole Nitrate 2%



Antifungal Ointment Miconazole Nitrate 2% - RHB3060

Distributed by: VIVE HEALTH 8955 Fontana Del Sol Way Naples, FL 34109 1-800-487-3808 Made in India

LOT NO .: MFG DATE: EXP DATE:



vivecare°



DRUG FACTS Active Ingredients Miconazole nitrate 2.0% w/w..

USES: • For the treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris), and ringworm (tinea corporis)
• Relieves itching, scaling, cracking, burning, redness, soreness, irritation, discomfort, and chafing associated with jock itch.

WARNINGS: For external use only.

DO NOT USE: ■ On children under 2 years of age unless directed by a doctor. ■ On scalp or nails.

When using this product • Avoid contact with the eyes.

STOP USE AND ASK A DOCTOR IF: • Irritation occurs • There is no improvement within 4 weeks for athlete's foot and ringworm. • There is no improvement within 2 weeks for jock itch.

KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER

DIRECTIONSs. • Clean the affected area and dry thoroughly. • Apply a thin layer of ointment over the affected area twice daily (morning and night) or as directed by a doctor. • Supervise children in the use of this product. • For athlete's foot, pay special attention to spaces between toes; wear well-fitting ventilated shoes, and change shoes and socks at least once daily. • For athlete's foot and ringworm: Use daily for 4 weeks. • For jock ltch: Use daily for 2 weeks. • If the condition persists longer, consult a doctor. • this product is not effective on the scale por nails.

INACTIVE INGREDIENTS:

Captylic/capric Triglyceride, Ceteareth-20, Cetearyl Alcohol, Chlorocresol, Dimethicone, Disodium EDTA, Glyceryl Stearate, Imidazolidinyl Urea, PEG-100 Strearate, PEG-40 Castor Oil, Petrolatum, Propylene Glycol, Sodium Cetearyl Sulfate, Stearic Acid, Water, Xanthan Gum

Antifungal Ointment

Miconazole Nitrate 2%



Antifungal Ointment Miconazole Nitrate 2% - RHB3060

Distributed by: VIVE HEALTH 8955 Fontana Del Sol Way Naples. FL 34109 1-800-487-3808 Made in India

LOT NO .: MFG DATE: EXP DATE:



vivecare°



DRUG FACTS **Active Ingredients** Purpose Miconazole nitrate 2.0% w/w

USES: ■ For the treatment of most athlete's foot (tinea pedis), jock itch (tinea cruris), and ringworm (tinea corporis)
■ Relieves itching, scaling, cracking, burning, redness, soreness, irritation, discomfort, and chafing associated with jock itch.

WARNINGS: For external use only.

DO NOT USE: • On children under 2 years of age unless directed by a doctor. • On scalp or nails.

When using this product Avoid contact with the eyes.

 $\textbf{STOP USE AND ASK A DOCTOR IF: \bullet Irritation occurs \bullet There is no improvement within 4 weeks for athlete's foot and ringworm. \bullet There is no improvement within 2 weeks for jock itch.$

KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER

DIRECTIONS: • Clean the affected area and dry thoroughly. • Apply a thin layer of ointment over the affected area twice daily (morning and night) or as directed by a doctor. • Supervise children in the use of this product. • For athlete's foot, pay special attention to spaces between toes, wear well-fitting ventilated shoes, and change shoes and socks at least once daily. • For athlete's foot and ringworm: Use daily for 4 weeks. • For jock tuch: Use daily for 2 weeks. • If the condition persists longer, consult a doctor. • this product is not effective on the scale por nails:

OTHER INFORMATION: Store at 59-86°F (15-30°C)

INACTIVE INGREDIENTS:
Captylic/capric Triglyceride, Ceteareth-20, Cetearyl Alcohol, Chlorocresol, Dimethicone, Disodium EDTA, Glyceryl Stearate,
Imidazolidinyl Urea, PEG-100 Strearate, PEG-40 Castor Oil, Petrolatum, Propylene Glycol, Sodium Cetearyl Sulfate, Stearic
Acid, Water, Xanthan Gum

Antifungal Ointment

Miconazole Nitrate 2%



Antifungal Ointment Miconazole Nitrate 2% - **RHB3060**

Distributed by: VIVE HEALTH 8955 Fontana Del Sol Way Naples, FL 34109 1-800-487-3808 Made in India

LOT NO.: MEG DATE: EXP DATE:



MICONAZOLE NITRATE 2%

PARABEN-FREE I HYPOALLERGENIC I CHG COMPATIBLE

EFFECTIVELY TREATS COMMON FUNGAL INFECTIONS LIKE ATHLETE'S FOOT,

JOCK ITCH, AND RINGWORM



MICONAZOLE NITRATE 2%

PARABEN-FREE I HYPOALLERGENIC I CHG COMPATIBLE

NET WT. 2.5oz (71 g)

MICONAZOLE NITRATE 2%

PARABEN-FREE I HYPOALLERGENIC I CHG COMPATIBLE

EFFECTIVELY TREATS COMMON FUNGAL INFECTIONS LIKE ATHLETE'S FOOT JOCK ITCH, AND RINGWORM

MICONAZOLE NITRATE 2%

PARABEN-FREE I HYPOALLERGENIC I CHG COMPATIBLE

EFFECTIVELY TREATS COMMON FUNGAL INFECTIONS LIKE ATHLETE'S FOOT, JOCK ITCH, AND RINGWORM

ANTIFUNGAL

miconazole ointment

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84722-3060	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
MICONAZOLE (UNII: 7NNO0D7S5M) (MICONAZOLE - UNII:7NNO0D7S5M)	MICONAZ OLE	2 g in 100 g	

Inactive Ingredients

Ingredient Name	Strength
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)	
CETEARETH-20 (UNII: YRC528SWUY)	
SODIUM CETEARYL SULFATE (UNII: 7ZBS06BH4B)	
PETROLATUM (UNII: 4T6H12BN9U)	
CETEARYL ALCOHOL (UNII: 2DMT128M1S)	
CHLOROCRESOL (UNII: 36W53O7109)	
IMIDAZOLIDINYL UREA (UNII: M629807ATL)	
CASTOR OIL (UNII: D5340Y2I9G)	
GLYCERYL STEARATE (UNII: 2300U9XXE4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

F	Packaging				
#	tem Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:84722- 3060-0	1 g in 1 TUBE; Type 0: Not a Combination Product	04/28/2025		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M005	04/28/2025		

Labeler - VIVE HEALTH LLC (047025993)

Revised: 4/2025 VIVE HEALTH LLC