

**FAMOTIDINE- famotidine tablet**  
**Little Pharma, Inc.**

-----  
Tips for Managing Heartburn

- Do not lie flat or bend over after eating
- Do not wear tight fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables

Just One Tablet prevents and relieves heartburn due to acid indigestion brought on by eating and drinking certain foods and beverages

Important: Read all directions and warnings before use. Tamper Evident: Do not use if imprinted inner safety seal is torn or missing

**Drug Facts**

**Active Ingredient (in each tablet)**

Famotidine USP 10mg

Acid reducer

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

**Allergy Alert**

Do not use if allergic to Famotidine or other acid reducers

**Do Not Use**

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor
- with other acid reducers

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition,
- heartburn with **lightheadedness, sweating, or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

**Ask a doctor or pharmacist before use if you are** taking a prescription drug. Acid reducers may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

in case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- adults and children 12 years and over:
- to **relieve** symptoms, swallow 1 tablet with a glass of water. Do not chew.
- to **prevent** symptoms, swallow 1 tablet with a glass of water at any time from **15 to 60 minutes before** eating food or drinking beverages that cause heartburn
- do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

## Other Information

- read the directions and warnings before use
- store at 20° to 25°C (68° to 77°F)
- protect from moisture

carnauba wax, corn starch, hydroxypropyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, sodium starch glycolate, talc, titanium dioxide

**Questions or comments?**

Call **1-844-243-1241** or email [hi@curistrelief.com](mailto:hi@curistrelief.com)

curist




Acid Relief

Famotidine Tablets, 10mg

Acid Reducer

Just One Tablet Prevents & Relieves Heartburn Due to Acid Indigestion

300 Tablets



<b>FAMOTIDINE</b>			
famotidine tablet			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:72559-038
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	10 mg in 10 mg

**Inactive Ingredients**

Ingredient Name	Strength
TALC (UNII: 7SEV7J4R1U)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	
MICROCRYSTALLINE CELLULOSE 102 (UNII: PNR0YF693Y)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STARCH, CORN (UNII: O8232NY3SJ)	
MICROCRYSTALLINE CELLULOSE 101 (UNII: 7T9FYH5QMK)	
HYPROMELLOSE 2910 (5 MPA.S) (UNII: R75537T0T4)	
HYPROMELLOSE 2910 (15 MPA.S) (UNII: 36SFW2JZ0W)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	

**Product Characteristics**

Color	white	Score	score with uneven pieces
Shape	ROUND	Size	6mm
Flavor		Imprint Code	T;10
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72559-038-23	300 mg in 1 BOTTLE; Type 0: Not a Combination Product	05/15/2025	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA215766	05/15/2025	

**Labeler** - Little Pharma, Inc. (074328189)