

**SAFETUSSIN PM NIGHTTIME COUGH RELIEF- dextromethorphan hbr,
doxylamine succinate liquid
Kramer Laboratories**

Safetussin PM NightTime Cough Relief *Drug Facts*

Active ingredients (in each 5mL)	Purpose
Dextromethorphan HBr, USP 7.5 mg	Cough Suppressant
Doxylamine Succinate 3.125 mg	Antihistamine

Uses

- temporarily relieves cough
- runny nose and sneezing

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product

- .to make a child sleep.

Ask a doctor before use if you have

- asthma
- emphysema
- glaucoma
- excessive phlegm (mucus)
- breathing problem
- chronic bronchitis
- persistent or chronic cough
- cough associated with smoking
- trouble urinating due to enlarged prostate gland
- a sodium-restricted diet

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product

- do not use more than directed
- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives and tranquilizers may increase drowsiness

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than 4 doses in any 24-hour period

age	dose
adults and children 12 years and over	20 mL every 6 hours
children under 12 years	ask a doctor
children under 4 years	do not use

Other information:

- Protect from excessive heat and freezing. Store at 15° - 30° C (59° - 86° F) **Save this package for complete information**

Inactive ingredients:

citric acid, glycerin, menthol, natural peppermint flavor, propylene glycol, purified water, sodium benzoate, sucralose

PRINCIPAL DISPLAY PANEL

SAFE FOR ADULTS WITH

HIGH BLOOD PRESSURE & DIABETES

Safetussin® PM

NightTime

Cough Relief

Dextromethorphan HBr 7.5 mg / Cough Suppressant

Doxylamine Succinate 3.125 mg / Antihistamine

Safe for adults with
High Blood Pressure
Diabetes

- ✓ Controls Cough
- ✓ Relieves Sneezing
- ✓ Relieves runny nose

SUGAR & ALCOHOL FREE

4.0 FL OZ (118mL)

SEGURO PARA ADULTOS CON PRESION ALTA Y DIABETES

Safetussin® PM

Alivia la Tos

Durante la Noche

Dextromethorphan HBr 7.5 mg / Antiusivo

Doxylamine Succinate 3.125 mg / Antihistaminico

Seguro para adultos con
Presión Alta
Diabetes

- ✓ Calma la tos,
- ✓ Alivia estornudos
- ✓ Alivia goteo de la nariz

SIN AZÚCAR Y SIN ALCOHOL

4 FL. OZ (118 mL)

Safetussin® PM

NIGHT TIME

COUGH RELIEF

Cough Suppressant / Antihistamine

Up To

8 Hours of cough relief

to help you rest

Safetussin® PM contains:

- ✓ No decongestants
- ✓ No acetaminophen
- ✓ No sugar
- ✓ No alcohol

- √ No sorbitol
- √ No fructose
- √ No gluten
- √ No dyes

Pharmacist Recommended Brand

Always read and follow label directions. Do not use longer than 7 consecutive days unless directed by a doctor. Ask a doctor if you have individual health questions.

Questions? Comments?

Call 1-800-824-4894

© 2023 Kramer Laboratories, Inc.
Bridgewater, NJ 08807 ● kramerlabs.com
K0723



SAFETUSSIN PM NIGHTTIME COUGH RELIEF

dextromethorphan hbr, doxylamine succinate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55505-221
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

Dextromethorphan (UNII: 7355X3ROTS) (Dextromethorphan - UNII:7355X3ROTS)	Dextromethorphan Hydrobromide	7.5 mg in 5 mL
DOXYLAMINE SUCCINATE (UNII: V9B19B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	3.125 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GLYCERIN (UNII: PDC6A3C0OX)	
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)	
MINT (UNII: FV98Z8GITP)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
water (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55505-221-33	1 in 1 CARTON	07/28/2023	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/28/2023	

Labeler - Kramer Laboratories (122720675)

Revised: 12/2023

Kramer Laboratories