

MCKESSON PVP PREP SOLUTION- povidone-iodine liquid
MCKESSON PVP PREP SOLUTION - povidone-iodine liquid
McKesson Medical-Surgical

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredient

Povidone-Iodine, 10% (equivalent to 1% available Iodine)

Purpose

Antiseptic

Uses

- Health-care antiseptic preparation of the skin prior to surgery.
- First aid antiseptic to help prevent infection in minor cuts, scrapes and burns.

Warnings

For external use only

Do not

- use in the eyes
- use as a first aid antiseptic Longer than one week
- use on individuals who are allergic or sensitive to iodine
- use on deep or puncture wounds
- use on animal bites
- use on serious burns
- apply over Large areas of the body

Stop use and ask a doctor if

- conditions persists or gets worse
- irritation and redness develop and persists for more than 72 hours

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For preparation of the skin prior to surgery

- Apply product to the operative site prior to surgery

As a first aid antiseptic

- Clean the affected area
- Apply a small amount of this product on the area 1-3 times daily
- May be covered with a sterile bandage

- If bandaged, Let dry first

Other Information



- Do not store above 77°F (25°C)
- Do not store below 68°F (20°C)

Not made with natural rubber latex.

Inactive ingredient

Citric Acid, Disodium Phosphate, Glycerin, Purified Water, Sodium Citrate, Tween 80

Principal Display Panel - McKesson PVP Prep Solution 4 fl oz Carton label

<p>NDC 68599-3502-1</p> <p>McKESSON</p> <p>PVP Prep Solution USP 10% POVIDONE IODINE</p> <p>TOPICAL ANTISEPTIC MICROBICIDE</p>  <p>NET CONTENTS 4 fl oz (118 mL)</p> <p>MFR # 039</p>	<p>Drug Facts</p> <table border="1"> <tr> <td>Active ingredient Povidone-Iodine, 10% (equivalent to 1% available Iodine).....Antiseptic</td> <td>Purpose Antiseptic</td> </tr> <tr> <td colspan="2">Uses ■ health-care antiseptic preparation of the skin prior to surgery ■ first aid antiseptic to help prevent infection in minor cuts, scrapes and burns</td> </tr> <tr> <td colspan="2">Warnings For external use only.</td> </tr> <tr> <td colspan="2">Do not ■ use in the eyes ■ use as a first aid antiseptic longer than one week ■ use on individuals who are allergic or sensitive to iodine ■ use on deep or puncture wounds ■ use on animal bites ■ use on serious burns ■ apply over large areas of the body</td> </tr> <tr> <td colspan="2">Stop use and ask a doctor if ■ conditions persists or gets worse ■ irritation and redness develop and persists for more than 72 hours</td> </tr> <tr> <td colspan="2">Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</td> </tr> <tr> <td colspan="2">Directions For preparation of the skin prior to surgery ■ Apply product to the operative site prior to surgery As a first aid antiseptic ■ Clean the affected area ■ Apply a small amount of this product on the area 1-3 times daily ■ May be covered with a sterile bandage ■ If bandaged, let dry first</td> </tr> <tr> <td colspan="2">Other information Store at 68-77°F (20-25°C). Not made with natural rubber latex.</td> </tr> <tr> <td colspan="2">Inactive ingredients Citric Acid, Disodium Phosphate, Glycerin, Purified Water, Sodium Citrate, Tween 80</td> </tr> <tr> <td colspan="2">Questions? Call 1-800-777-4908</td> </tr> </table> <p>Distributed by McKesson Medical-Surgical Inc. Richmond, VA 23233 PVN B0520 Made in Mexico</p>  <p>6 12479 21398 2</p>	Active ingredient Povidone-Iodine, 10% (equivalent to 1% available Iodine).....Antiseptic	Purpose Antiseptic	Uses ■ health-care antiseptic preparation of the skin prior to surgery ■ first aid antiseptic to help prevent infection in minor cuts, scrapes and burns		Warnings For external use only.		Do not ■ use in the eyes ■ use as a first aid antiseptic longer than one week ■ use on individuals who are allergic or sensitive to iodine ■ use on deep or puncture wounds ■ use on animal bites ■ use on serious burns ■ apply over large areas of the body		Stop use and ask a doctor if ■ conditions persists or gets worse ■ irritation and redness develop and persists for more than 72 hours		Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		Directions For preparation of the skin prior to surgery ■ Apply product to the operative site prior to surgery As a first aid antiseptic ■ Clean the affected area ■ Apply a small amount of this product on the area 1-3 times daily ■ May be covered with a sterile bandage ■ If bandaged, let dry first		Other information Store at 68-77°F (20-25°C). Not made with natural rubber latex.		Inactive ingredients Citric Acid, Disodium Phosphate, Glycerin, Purified Water, Sodium Citrate, Tween 80		Questions? Call 1-800-777-4908	
Active ingredient Povidone-Iodine, 10% (equivalent to 1% available Iodine).....Antiseptic	Purpose Antiseptic																				
Uses ■ health-care antiseptic preparation of the skin prior to surgery ■ first aid antiseptic to help prevent infection in minor cuts, scrapes and burns																					
Warnings For external use only.																					
Do not ■ use in the eyes ■ use as a first aid antiseptic longer than one week ■ use on individuals who are allergic or sensitive to iodine ■ use on deep or puncture wounds ■ use on animal bites ■ use on serious burns ■ apply over large areas of the body																					
Stop use and ask a doctor if ■ conditions persists or gets worse ■ irritation and redness develop and persists for more than 72 hours																					
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.																					
Directions For preparation of the skin prior to surgery ■ Apply product to the operative site prior to surgery As a first aid antiseptic ■ Clean the affected area ■ Apply a small amount of this product on the area 1-3 times daily ■ May be covered with a sterile bandage ■ If bandaged, let dry first																					
Other information Store at 68-77°F (20-25°C). Not made with natural rubber latex.																					
Inactive ingredients Citric Acid, Disodium Phosphate, Glycerin, Purified Water, Sodium Citrate, Tween 80																					
Questions? Call 1-800-777-4908																					

NDC 68599-3502-1

McKESSON

PVP Prep Solution
MFR# 039

USP 10%

POVIDONE IODINE

TOPICAL ANTISEPTIC MICROBICIDE

NET CONTENTS

4 fl oz

(118 mL)

Principal Display Panel - McKesson PVP Prep Solution 4 fl oz label

NDC 68599-3502-2

McKESSON

PVP Prep Solution USP

10% POVIDONE IODINE

NET CONTENTS

4 fl oz (118 mL)

36 BOTTLES PER CASE

Do not store above 77°F (25°C).

Do not store below 68°F (20°C).

Not made with natural rubber latex.

Distributed By

McKesson Medical-Surgical Inc.

Richmond, VA 23233

PVN B0520 Made in Mexico

LOT

EXP

MFR# 039

NDC 68599-3502-2

039

McKESSON

PVP Prep Solution USP
10% POVIDONE IODINE

TOPICAL ANTISEPTIC MICROBICIDE

NET CONTENTS | **36**
4 fl oz | BOTTLES
(118 mL) | PER CASE

Unvarnished area

MFR # 039

Store at 68-77°F (20-25°C).
Not made with natural rubber latex.

Distributed by McKesson Medical-Surgical Inc.
Richmond, VA 23233
PVN B0520 Made in Mexico

LOT
EXP

6 12479 21399 9

Principal Display Panel - McKesson PVP Prep Solution 16 fl oz Carton label

NDC 68599-3500-1

McKESSON

PVP Prep Solution USP

10% POVIDONE IODINE



TOPICAL ANTISEPTIC MICROBICIDE

NET CONTENTS

16 fl oz

(473 mL)

MFR# 035

<p>NDC 68599-3500-1</p> <p>McKESSON</p> <p>PVP Prep Solution USP 10% POVIDONE IODINE</p> <p>TOPICAL ANTISEPTIC MICROBICIDE</p> 	<p>Drug Facts</p> <table border="1"><tr><td>Active ingredient</td><td>Purpose</td></tr><tr><td>Povidone-iodine, 10% (equivalent to 1% available iodine).....</td><td>Antiseptic</td></tr></table> <p>Uses ■ health-care antiseptic preparation of the skin prior to surgery ■ first aid antiseptic to help prevent infection in minor cuts, scrapes and burns</p> <p>Warnings For external use only.</p> <p>Do not ■ use in the eyes ■ use as a first aid antiseptic longer than one week ■ use on individuals who are allergic or sensitive to iodine ■ use on deep or puncture wounds ■ use on animal bites ■ use on serious burns ■ apply over large areas of the body</p> <p>Stop use and ask a doctor if ■ conditions persists or gets worse ■ irritation and redness develop and persists for more than 72 hours</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <p>For preparation of the skin prior to surgery ■ Apply product to the operative site prior to surgery</p> <p>As a first aid antiseptic ■ Clean the affected area ■ Apply a small amount of this product on the area 1-3 times daily ■ May be covered with a sterile bandage ■ If bandaged, let dry first</p> <p>Other information Store at 68-77°F (20-25°C). Not made with natural rubber latex.</p> <p>Inactive ingredients Citric Acid, Disodium Phosphate, Glycerin, Purified Water, Sodium Citrate, Tween 80</p> <p>Questions? Call 1-800-777-4908</p>	Active ingredient	Purpose	Povidone-iodine, 10% (equivalent to 1% available iodine).....	Antiseptic
Active ingredient	Purpose				
Povidone-iodine, 10% (equivalent to 1% available iodine).....	Antiseptic				
<p>NET CONTENTS 16 fl oz (473 mL)</p> <p>MFR #035</p>	<p>Distributed by McKesson Medical-Surgical Inc. Richmond, VA 23233 PVN B0520 Made in Mexico</p>  <p>6 1 2 4 7 9 2 0 9 9 8 5</p>				

Principal Display Panel - McKesson PVP Prep Solution 16 fl oz label

NDC 68599-3500-2

035

McKESSON

PVP Prep Solution USP
10% POVIDONE IODINE

TOPICAL ANTISEPTIC MICROBICIDE

NET CONTENTS
16 fl oz
(473 mL) | **12**
BOTTLES
PER CASE

Unvarnished area

Store at 68-77°F (20-25°C).
Not made with natural rubber latex.

Distributed by McKesson Medical-Surgical Inc.
Richmond, VA 23233
PVN B0520 Made in Mexico

LOT
EXP

MFR # 035



NDC 68599-3500-2

McKESSON

PVP Prep Solution USP

10% POVIDONE IODINE

NET CONTENTS

16 fl oz (473 mL)

12 BOTTLES PER CASE

Do not store above 77°F (25°C).

Do not store below 68°F (20°C).

Not made with natural rubber latex.

Distributed By

McKesson Medical-Surgical Inc.

Richmond, VA 23233

PVN B0520 Made in Mexico

LOT

EXP

MFR# 035

Principal Display Panel - McKesson PVP Prep Solution 1 gal Carton label

NDC 68599-3500-5

McKESSON

PVP Prep Solution USP

10% POVIDONE IODINE

TOPICAL ANTISEPTIC MICROBICIDE

NET CONTENTS

1 gal

(3.8 L)

MFR# 036

NDC 68599-3500-5


McKESSON

PVP Prep Solution USP
10% POVIDONE IODINE
TOPICAL ANTISEPTIC MICROBICIDE

NET CONTENTS
1 gal
(3.8 L)

Distributed by McKesson Medical-Surgical Inc.
Richmond, VA 23233
PVN B0520
Made in Mexico

MFR # 036



6 1 2 4 7 9 1 2 1 0 0 4

Drug Facts	
Active ingredient Povidone-iodine, 10% (equivalent to 1% available iodine)	Purpose Antiseptic
Uses ■ health-care antiseptic preparation of the skin prior to surgery ■ first aid antiseptic to help prevent infection in minor cuts, scrapes and burns	
Warnings For external use only. Do not ■ use in the eyes ■ use as a first aid antiseptic longer than one week ■ use on individuals who are allergic or sensitive to iodine ■ use on deep or puncture wounds ■ use on animal bites ■ use on serious burns ■ apply over large areas of the body	
Stop use and ask a doctor if ■ conditions persists or gets worse ■ irritation and redness develop and persists for more than 72 hours	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions For preparation of the skin prior to surgery ■ Apply product to the operative site prior to surgery As a first aid antiseptic ■ Clean the affected area ■ Apply a small amount of this product on the area 1-3 times daily ■ May be covered with a sterile bandage ■ If bandaged, let dry first	
Other information Store at 68-77°F (20-25°C). Not made with natural rubber latex.	
Inactive ingredients Citric Acid, Disodium Phosphate, Glycerin, Purified Water, Sodium Citrate, Tween 80	
Questions? Call 1-800-777-4908	

Principal Display Panel - McKesson PVP Prep Solution 1 gal label

NDC 68599-3500-6

McKESSON

PVP Prep Solution USP

10% POVIDONE IODINE

NET CONTENTS

1 gal (3.8 L)

4 BOTTLES PER CASE

Do not store above 77°F (25°C).

Do not store below 68°F (20°C).

Not made with natural rubber latex.

Distributed By

McKesson Medical-Surgical Inc.

Richmond, VA 23233

PNV B0520 Made in Mexico

LOT

EXP

MFR# 036

NDC 68599-3500-6

036

McKESSON

PVP Prep Solution USP
10% POVIDONE IODINE


TOPICAL ANTISEPTIC MICROBICIDE

NET CONTENTS **1 gal** (3.8 L) | **4** BOTTLES PER CASE

Unvarnished area

MFR # 036

Store at 68-77°F (20-25°C).
Not made with natural rubber latex.
Distributed by McKesson Medical-Surgical Inc.
Richmond, VA 23233
PVN B0520 Made in Mexico
LOT
EXP



Principal Display Panel - McKesson PVP Prep Solution 8 fl oz. label

NDC 68599-3502-5

McKESSON

PVP Prep Solution
USP 10%

POVIDONE IODINE

TOPICAL ANTISEPTIC MICROBICIDE

NET CONTENTS

8 fl oz

(237 mL)

MFR # 034

NDC 68599-3502-5

McKESSON

PVP Prep Solution USP
10% POVIDONE IODINE

TOPICAL ANTISEPTIC MICROBICIDE

NET CONTENTS
8 fl oz
(237 mL)

MFR # **034**

Drug Facts

Active ingredient Povidone-iodine, 10% (equivalent to 1% available iodine).....**Purpose** Antiseptic

Uses ■ health-care antiseptic preparation of the skin prior to surgery
■ first aid antiseptic to help prevent infection in minor cuts, scrapes and burns

Warnings For external use only.

Do not ■ use in the eyes ■ use as a first aid antiseptic longer than one week
■ use on individuals who are allergic or sensitive to iodine
■ use on deep or puncture wounds ■ use on animal bites ■ use on serious burns ■ apply over large areas of the body

Stop use and ask a doctor if ■ conditions persists or gets worse
■ irritation and redness develop and persists for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For preparation of the skin prior to surgery ■ Apply product to the operative site prior to surgery

As a first aid antiseptic ■ Clean the affected area ■ Apply a small amount of this product on the area 1-3 times daily ■ May be covered with a sterile bandage ■ If bandaged, let dry first

Other information

Store at 68-77°F (20-25°C). Not made with natural rubber latex.

Inactive ingredients Citric Acid, Disodium Phosphate, Glycerin, Purified Water, Sodium Citrate, Tween 80

Questions? Call 1-800-777-4908

Distributed by
McKesson Medical-Surgical Inc.
Richmond, VA 23233
PVN B0520
Made in Mexico



Principal Display Panel - McKesson PVP Prep Solution 8 fl. oz. Carton Label

NDC 68599-3502-6

McKESSON

PVP Prep Solution USP

10% POVIDONE IODINE

NET CONTENTS

8 fl oz (237 mL)

24 BOTTLES PER CASE

Do not store above 77°F (25°C).

Do not store below 68°F (20°C).

Not made with natural rubber latex.

Distributed By

McKesson Medical-Surgical Inc.

Richmond, VA 23233

PVN B0520 Made in Mexico

LOT

EXP

MFR# 034

NDC 68599-3502-6

034

MCKESSON

PVP Prep Solution USP 10% POVIDONE IODINE

TOPICAL ANTISEPTIC MICROBICIDE

NET CONTENTS
8 fl oz
(237 mL) | **24**
BOTTLES
PER CASE

Unvarnished area

Store at 68-77°F (20-25°C).
Not made with natural rubber latex.

Distributed by McKesson Medical-Surgical Inc.
Richmond, VA 23233
PVN B0520 Made in Mexico

LOT
EXP

MFR # 034



MCKESSON PVP PREP SOLUTION

povidone-iodine liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68599-3502
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	1 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0K00R)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:68599-3502-2	36 in 1 CASE	10/20/2016	
1	NDC:68599-3502-1	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:68599-3502-6	24 in 1 CASE	03/13/2017	
2	NDC:68599-3502-5	237 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	10/17/2016	

MCKESSON PVP PREP SOLUTION

povidone-iodine liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68599-3500
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	1 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0K00R)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68599-3500-2	12 in 1 CASE	10/20/2016	
1	NDC:68599-3500-1	473 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:68599-3500-6	4 in 1 CASE	10/20/2016	
2	NDC:68599-3500-5	3800 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC monograph not final	part333E	10/17/2016	
-------------------------	----------	------------	--

Labeler - McKesson Medical-Surgical (023904428)

Establishment

Name	Address	ID/FEI	Business Operations
Degassa		812771980	manufacture(68599-3502, 68599-3500)

Revised: 5/2020

McKesson Medical-Surgical