

**AGE INTERVENTION DUALITY- benzoyl peroxide cream  
G.S. COSMECEUTICAL USA, INC.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**AGE INTERVENTION®  
DUALITY™**

***Drug Facts***

**Active Ingredients**

Benzoyl Peroxide-10%

**Purpose**

Anti-acne

**Uses**

For the treatment of Acne. Reduces the severity of acne blemishes, acne pimples, blackheads, whiteheads and allows the skin to heal.

**Warnings**

**For External Use Only.**

**When using this product**

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

**Do not use if you**

- have very sensitive skin
- are sensitive to benzoyl peroxide

**When using this product**

- avoid unnecessary sun exposure and use a sunscreen
- avoid contact with hair and dyed fabrics, which may be bleached by this product
- avoid contact with the eyes, lips and mouth
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration

**Stop use and ask a physician if**

- irritation becomes severe

**Keep out of reach of children.** If accidentally swallowed, seek medical help immediately or contact the Poison Control Center.

## **DIRECTIONS**

- Clean the skin thoroughly before applying this product.
- This product contains two parts. Dispense equal quantities of product from each of the two pumps, then briefly mix the two parts together on your palm.
- Cover the entire affected area with a thin layer one to three times daily.
- Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a physician.
- If bothersome dryness or peeling occurs, reduce application to once a day or every other day.
- If going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a physician.

## **Inactive Ingredients**

Water (Aqua), Propylene Glycol, Glycerin, Sorbitol, Polyacrylamide, C13-14 Isoparaffin, Cyclopentasiloxane, Cyclohexasiloxane, Carbomer, Laureth 7, Disodium EDTA, Triethanolamine, Diazolidinyl Urea, Methylparaben, Propylparaben

## **PRINCIPAL DISPLAY PANEL - 28 g Carton**

### **AGE INTERVENTION® DUALITY™**

Benzoyl Peroxide 10%  
Adult Acne Treatment Cream  
and Anti-Aging Complex

**JANMARINI**  
SKIN RESEARCH®

28 g / 1 oz.

**Drug Facts (continued)**


**DIRECTIONS:**

- Clean the skin thoroughly before applying this product.
- This product contains two parts. Dispense equal quantities of product from each of the two pumps, then briefly mix the two parts together on your palm.
- Cover the entire affected area with a thin layer one to three times daily.
- Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a physician.
- If bothersome dryness or peeling occurs, reduce application to once a day or every other day.
- If going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a physician.

**Inactive Ingredients:** Water (Aqua), Propylene Glycol, Glycerin, Sorbitol, Polyacrylamide, C13-14 Isoparaffin, Cyclopentasiloxane, Cyclohexasiloxane, Carbomer, Laureth 7, Disodium EDTA, Triethanolamine, Diazolidinyl Urea, Methylparaben, Propylparaben

**AGE INTERVENTION®  
DUALITY™**

Benzoyl Peroxide 10%  
Adult Acne Treatment Cream  
and Anti-Aging Complex



**JANMARRINI**  
SKIN RESEARCH®

28 g / 1 oz.

**JANMARRINI®**

# AGE INTERVENTION® DUALITY™

## Anti-Aging Face Cream

**INGREDIENTS:** Water (Aqua), Caprylic/Capric Triglyceride, Cyclopentasiloxane, Glycerin, Glyceryl Stearate, Polysorbate 20, Carthamus Tinctorius (Safflower) Seed Oil, Butyrospermum Parkii (Shea) Butter, Myristoyl Tripeptide-4, Polysorbate 60, Stearic Acid, Stearyl Alcohol, Cyclohexasiloxane, Sorbitol, Bisabolol, Retinol, Sodium Hyaluronate, Camellia Sinensis Leaf Extract, Palmitoyl Tetrapeptide-7, Palmitoyl Oligopeptide, Chrysin, Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Glyceryl Acrylate/Acrylic Acid Copolymer, Steareth-20, N-Hydroxysuccinimide, Triethanolamine, Carbomer, Hexylene Glycol, Ethylhexylglycerin, Caprylyl Glycol, BHT, Phenoxethanol

Jan Marini Skin Research, Inc.  
6951 Via del Oro  
San Jose, CA 95119 USA  
JanMarini.com  
Made in USA



Please recycle this box.



8 14924 01137 6

## AGE INTERVENTION® DUALITY™

### Anti-Acne Cream

#### Drug Facts

**Active Ingredients:**  
Benzoyl Peroxide-10%

**Purpose:**  
Anti-acne

**Uses:** For the treatment of Acne. Reduces the severity of acne blemishes, acne pimples, blackheads, whiteheads and allows the skin to heal.

#### Warnings: For External Use Only.

When using this product

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

Do not use if you

- have very sensitive skin
- are sensitive to benzoyl peroxide

When using this product

- avoid unnecessary sun exposure and use a sunscreen
- avoid contact with hair and dyed fabrics, which may be bleached by this product
- avoid contact with the eyes, lips and mouth
- skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration

Stop use and ask a physician if

- irritation becomes severe

**Keep out of reach of children.** If accidentally swallowed, seek medical help immediately or contact the Poison Control Center.

◀ Anti-Aging Face  
Cream Ingredients

Anti-Acne  
Cream Continued ▶

# AGE INTERVENTION DUALITY

benzoyl peroxide cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:65113-2372
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZOYL PEROXIDE</b> (UNII: W9WZN9A0GM) (BENZOYL PEROXIDE - UNII:W9WZN9A0GM)	BENZOYL PEROXIDE	10 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>GLYCERYL STEARATE CITRATE</b> (UNII: WH8T92A065)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)	
<b>STEARYL ALCOHOL</b> (UNII: 2KR89I4H1Y)	
<b>RETINOL</b> (UNII: G2SH0XKK91)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>CAMELLIA OLEIFERA LEAF</b> (UNII: 5077EL0C60)	
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)	
<b>PALMITOYL HEXAPEPTIDE-12</b> (UNII: HO4ZT5S86C)	
<b>CHRYSIN</b> (UNII: 3CN01F5ZJ5)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>STEARETH-20</b> (UNII: LQ8IK9E08)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	

## Product Characteristics

<b>Color</b>	YELLOW (VERY PALE YELLOW)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65113-2372-2	28 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	05/01/2011	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	05/01/2011	

**Labeler** - G.S. COSMECEUTICAL USA, INC. (017014734)

## Establishment

Name	Address	ID/FEI	Business Operations
G.S. COSMECEUTICAL USA, INC.		017014734	MANUFACTURE(65113-2372)

Revised: 1/2022

G.S. COSMECEUTICAL USA, INC.