

ULTRA-GUARD ACTIVATOR- organic acids liquid IBA

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Ultra-Guard Activator

Active Ingredient

Organic Acids 2.85%

Inert Ingredients

Contains a special emollient system

Mixing Directions

To make a ready-to-use solution of Ultra-Guard Sanitizing Barrier Teat dip, add equal volumes of Ultra-Guard Activator and Ultra-Guard Base into a clean dip cup/container and mix until the color is uniform throughout. Do not dilute. Mix only the amount needed for one milking of the herd. Discard any unused teat dip. Do not mix with any other products.

Recommended procedures for teat sanitation

POST-MILKING (POST-DIPPING)

Immediately after milking, dip all teats full length with READY-TO-USE ULTRA-GUARD SANITIZING BARRIER TEAT DIP. Ensure good coverage of all sides of the teats and teat orifices. Allow to dry. Do not wipe. Do not turn cows out in freezing weather until teat dip is completely dry.

NOTE: Before milking, use a compatible teat dip or udder wash to thoroughly clean the teats.

First Aid

EYE CONTACT: Rinse cautiously with fresh, tepid water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing for 15 minutes. Get immediate medical advice/attention. **SKIN CONTACT:** For RTU products wash any sensitive areas. **INGESTION:** Do not induce vomiting. Never give anything by mouth to an unconscious person. Drink large amounts of water. If vomiting occurs, keep airways open. Keep head lower than the hips to prevent aspiration into the lungs. Get immediate medical advice/attention.

Caution

Keep out of reach of children. Avoid contact with food. Do not take internally.

Warning

Do not dilute this product.

Do not return teat dip left in the teat dipper to storage container.

Ensure that dipped teats are dry before exposing the animals to weather conditions which may cause damage to the teats.

Protect this product from freezing. Store at room temperature. Always store away from direct sunlight.

Ultra-Guard Activator

NDC 29983-1079-8



NPE FREE

ULTRA-GUARD™

NPE FREE

SANITIZING BARRIER TEAT DIP

Provides A Protective Barrier Over The Teat End Until The Next Milking
Contains Emollients For Excellent Skin Conditioning

ACTIVE INGREDIENTS:

Organic Acids2.85%

INERT INGREDIENTS:

Contains A Special Emollient System

GENERAL RECOMMENDATIONS

1. Use teat dip applicators made of plastic or other non-corrosive materials. Do not use cups made of aluminum.
2. When solution in the teat dip cup becomes dirty discard remaining contents and refill cup with fresh teat dip.
3. Do not use this product for cleaning or sanitizing equipment.
4. Wash teat dip cups after each milking.

CAUTION: KEEP OUT OF REACH OF CHILDREN. AVOID CONTACT WITH FOOD. DO NOT TAKE INTERNALLY.

FIRST AID PROCEDURES

EYE CONTACT: RINSE CAUTIOUSLY WITH FRESH, TEARD WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES IF PRESENT AND EASY TO DO. CONTINUE RINSING FOR 15 MINUTES. GET IMMEDIATE MEDICAL ATTENTION.

SKIN CONTACT: FOR READY-TO-USE PRODUCTS, WASH ANY SENSITIVE AREAS.

INGESTION: DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. DRINK LARGE AMOUNTS OF WATER. IF VOMITING OCCURS, KEEP AIRWAYS OPEN. KEEP HEAD LOWER THAN THE HIPS TO PREVENT ASPIRATION INTO THE LUNGS. GET IMMEDIATE MEDICAL ATTENTION.

ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION FOR MEDICAL EMERGENCIES CALL 1-800-424-9300

ACTIVATOR

FOR USE ONLY WITH
ULTRA-GUARD™
BASE



MIXING DIRECTIONS: TO MAKE A READY-TO-USE SOLUTION OF ULTRA-GUARD™ SANITIZING BARRIER TEAT DIP, ADD EQUAL VOLUMES OF ULTRA-GUARD™ ACTIVATOR AND ULTRA-GUARD™ BASE INTO A CLEAN DIP CUP/CONTAINER AND MIX UNTIL THE COLOR IS UNIFORM THROUGHOUT. DO NOT DILUTE. MIX ONLY AMOUNT NEEDED FOR ONE MILKING OF THE HERD. DISCARD ANY UNUSED TEAT DIP. DO NOT MIX WITH ANY OTHER PRODUCTS.

RECOMMENDED PROCEDURES FOR TEAT SANITATION POST-MILKING (POST-DIPPING)

Immediately after milking, dip all teats full length with ready-to-use ULTRA-GUARD™ SANITIZING BARRIER TEAT DIP. Ensure good coverage of all sides of the teats and teat orifices. Allow to dry. Do not wipe. Do not turn cows out in freezing weather until teat dip is completely dry.

NOTE: BEFORE MILKING, USE A COMPATIBLE PRE-DIP OR UDDER WASH TO THOROUGHLY CLEAN THE TEATS.

WARNING

DO NOT DILUTE THIS PRODUCT.
DO NOT RETURN TEAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER.
ENSURE THAT DIPPED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER CONDITIONS WHICH MAY CAUSE DAMAGE TO THE TEATS. PROTECT THIS PRODUCT FROM FREEZING. STORE AT ROOM TEMPERATURE. ALWAYS STORE AWAY FROM DIRECT SUNLIGHT.

A PART OF THE COMPLETE IBA SANITATION PROGRAM

EXP. DATE:

LOT NO.:

NET CONTENTS: 55 GALLONS

IBA STOCK # 262172

1021W

MANUFACTURED EXCLUSIVELY FOR IBA INC., SANITATION DIVISION, 103 GILMORE DRIVE, SUTTON, MA 01590

ULTRA-GUARD ACTIVATOR

organic acids liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:29983-1079	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)		LACTIC ACID	2.85 kg in 100 kg	
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:29983-1079-6	58.57 kg in 1 DRUM		
2	NDC:29983-1079-8	214.75 kg in 1 DRUM		
3	NDC:29983-1079-9	1073.75 kg in 1 CONTAINER		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		04/28/2018		

Labeler - IBA (019494160)

Registrant - IBA (019494160)

Establishment

Name	Address	ID/FEI	Business Operations
Morgan Gallacher Inc. DBA in Custom Chemical Formulators Inc.		028311595	manufacture, api manufacture, pack

Revised: 12/2023

IBA