

**BENZETHONIUM CHLORIDE AND DYCLONINE HYDROCHLORIDE- liquid  
bandage liquid  
Chain Drug Marketing Association**

-----  
**Quality Choice Liquid Bandage**

***Active ingredients***

Benzethonium chloride 0.2%

Dyclonine hydrochloride 0.75%

***Purpose***

First aid antiseptic

Topical analgesic

***Uses***

- first aid to help prevent infection in minor cuts, scrapes and burns
- first aid for the temporary relief of pain in minor cuts, scrapes, and burns

***Warnings***

**For external use only.**

**Flammable:**

Keep away from fire or flame.

**Do not use**

- in the eyes
- over large areas of the body
- longer than 1 week unless directed by a doctor

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- conditions persists or gets worse
- infection occurs
- symptoms persist for more than 7 days or clear up and occur again within a few days

**Keep out of reach of children.**

If swallowed, get medical help or call a Poison Control Center right away.

### **Directions**

- for adults and children 2 years of age and older
- Clean the affected area
- apply a small amount of this product on the area 1 to 3 times daily and let dry
- may be covered with a sterile bandage
- if bandaged, let dry first
- children under 2 years of age: do not use, consult a doctor

### **Other information**

- **cap bottle tightly**
- wipe top of bottle clean after each use
- store between 20 ° to 25 °C ( 68 ° TO 77 °F)
- may temporarily sting upon application
- to remove, apply more Liquid Bandage and quickly wipe off
- do not allow to come into contact with fabrics, floors, countertops, or other surfaces  
- will stain.

### **Inactive ingredients**

acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

### **Questions**

Call 1-866-964-0939

### **Principal Display Panel**

Kills 99.9.% of germs to help prevent infection

QC

### **Quality Choice**

#### **Liquid**

#### **Bandage**

Benzethonium chloride 0.2% / First Aid Antiseptic

Dyclonine hydrochloride 0.75% / Topical Analgesic

Protects Small Cuts & Wounds

Helps Prevent Infection

Invisible & Flexible

Water- Resistant

Built-In Applicator Brush

0.3 FL. OZ. (9 mL)

Kills 99.9% of germs to help prevent infection\*

NDC 83324-232-03



Compare to the Active Ingredient In New-Skin<sup>SM</sup>

# Liquid Bandage

**Benzethonium Chloride 0.2% / First Aid Antiseptic Dyclonine Hydrochloride 0.75% / Topical Analgesic**

Protects Small Cuts & Wounds

- Helps Prevent Infection
- Invisible & Flexible
- Water-Resistant
- Built-In Applicator Brush



0.3 FL. OZ. (9 mL)

NOT ACTUAL SIZE

### Use Liquid Bandage For:

Blisters, chapped & cracked fingertips, hangnails, paper cuts, shaving nicks, & help in preventing the formation of calluses.

### Great For:

Athletes, active lifestyles, outdoor sportsmen, & musicians.

53-033QC-02

**QC**  
QUALITY  
CHOICE  
**Liquid  
Bandage**



# Liquid Bandage

Protects Small Cuts & Wounds

0.3 FL. OZ. (9 mL)

\*Kills 99.9% of 3 of the top germs within 60 minutes of contact

\*This product is not manufactured or distributed by Advantice Health, LLC, owner of the registered trademark New-Skin<sup>SM</sup>.



Distributed by CDMA, Inc.  
Novi, MI 48375  
www.qualitychoice.com  
Questions: 800-935-2362  
Made in USA from Globally Sourced Materials




**Other information** ■ cap bottle tightly ■ wipe top of bottle clean after each use ■ store between 20° to 25°C (68° to 77°F) ■ may temporarily sting upon application ■ to remove, apply more Liquid Bandage and quickly wipe off ■ do not allow to come into contact with fabrics, floors, countertops or other surfaces - will stain.

**inactive ingredients** acetone, amyli acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

**Questions? Call 1-866-964-0939**

■ clean the affected area ■ apply a small amount of this product on the area 1 to 3 times daily and let dry ■ if bandaged, let dry first ■ children under 2 years of age: do not use, consult a doctor



# BENZETHONIUM CHLORIDE AND DYCLONINE HYDROCHLORIDE

liquid bandage liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83324-232
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZETHONIUM CHLORIDE</b> (UNII: PH41D05744) (BENZ ETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	2 mg in 1 mL
<b>DYCLONINE HYDROCHLORIDE</b> (UNII: ZEC193879Q) (DYCLONINE - UNII:078A24Q30O)	DYCLONINE HYDROCHLORIDE	7.5 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ACETONE</b> (UNII: 1364PS73AF)	
<b>AMYL ACETATE</b> (UNII: 92Q24NH7AS)	
<b>CASTOR OIL</b> (UNII: D5340Y219G)	
<b>ETHYL ACETATE</b> (UNII: 76845O8NMZ)	
<b>PYROXYLIN</b> (UNII: KYR8BR2X6O)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

## Packaging

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:83324-232-03	1 in 1 CARTON	04/25/2025	
1		9 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	04/17/2025	

**Labeler** - Chain Drug Marketing Association (011920774)

Revised: 10/2025

Chain Drug Marketing Association