

## **RITE AID MAXIMUM STRENGTH- benzocaine liquid**

**Rite Aid**

-----  
**5820345 Rite Aid Max Str Oral Pain Relief**

### ***Active ingredient***

Benzocaine 20% (w/w)

### ***Purpose***

Oral anesthetic

### ***Use***

temporarily relieves pain associated with the following mouth irritations

- toothache
- sore gums
- canker sores
- braces
- minor dental procedures

### ***Warnings***

**Methemoglobinemia warning:** use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- pale, gray, or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

**Allergy alert:** do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics

### ***Do not use***

- more than directed
- for more than 7 days unless directed by a dentist or doctor
- for teething
- in children under 2 years of age

### ***Stop use and ask a doctor if***

- swelling, rash or fever develops
- irritation, pain or redness persists or worsens
- symptoms do not improve in 7 days
- allergic reaction occurs

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

## Directions

### Adults and children 2 years of age and older:

- apply to affected area using applicator tip
- use up to 4 times daily or as directed by a dentist or doctor
- children under 12 years of age should be supervised in the use of this product

**children under 2 years of age:** do not use

### Other information

- do not use if package has been opened
- store at 20-25°C (68-77°F)


**Inactive ingredients** Benzyl Alcohol, D&C Yellow 10, FD&C Blue 1, FD&C Red 40, Methylparaben, Natural and Artificial Flavor, Polyethylene Glycol, Propylene Glycol, Sodium Saccharin, Water

### DISTRIBUTED BY:

**RITE AID, 30 HUNTER LANE**

**CAMP HILL, PA 17011**

**MADE IN CANADA**



**RITE AID MAXIMUM STRENGTH**

benzocaine liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11822-0345
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>BENZOCAINE</b> (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	20 g in 100 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>D&amp;C YELLOW NO. 10</b> (UNII: 35SW5USQ3G)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>WATER</b> (UNII: 059QF0KO0R)	

**Product Characteristics**

<b>Color</b>	orange (dark orange/red to sl brown)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	MINT (Mint)	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0345-7	1 in 1 CARTON	01/01/2015	
1	NDC:11822-0345-1	14.7 g in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M022	01/01/2015	

**Labeler** - Rite Aid (014578892)

**Registrant** - Lornamead Inc. (080046418)

**Establishment**

Name	Address	ID/FEI	Business Operations
HK KOLMAR CANADA, INC		243501959	manufacture(11822-0345)

Revised: 1/2025

Rite Aid