# STOMACH RELIEF REGULAR STRENGTH- bis muth subsalicylate liquid Best Choice (Valu Merchandisers Company)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

## **Drug Facts**

## Active ingredient (in each 30 mL)

Bismuth subsalicylate 525 mg

## **Purpose**

Upset stomach reliever/Antidiarrheal

#### Uses

relieves

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including:
  - heartburn
  - indigestion
  - o nausea
  - o gas
  - fullness
  - belching

## Warnings

**Reye's syndrome**: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms ahould not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

# Allergy alert: Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)
- taking other salicylate products

#### Do not use

if you have

- an ulcer
- a bleeding problem
- bloody or black stool

### Ask a doctor before use if you have

- fever
- mucus in the stool

## Ask a doctor or pharmacist before use if you are

taking any drug for

- diabetes
- gout
- arthritis
- anticoagulation (thinning the blood)

## When using this product

a temporary, but harmless, darkening of the stool and/or tongue may occur.

## Stop use and ask a doctor if

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

## If pregnant or breast-feeding,

ask a health professional before use.

## Keep out of reach of childen.

In case of overdose, get medical help or contact a Posion Control Center right away. (1-800-222-1222)

#### **Directions**

- shake well before using
- mL = milliliter
- measure only with dosing cup provided. do not use any other dosng device
- keep dosing cup with product
- adults and children 12 years and over:
  - 30 mL (1 dose) every 1/2 to 1 hour as needed
  - o do not exceed 8 doses (240 mL) in 24 hours
  - use until diarrhea stops but not more than 2 days
- children under 12 years of age: ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

#### Other information

- each 30 mL contains: sodium 6 mg
- each 30 mL contains: salicylate 243 mg
- low sodium
- keep tightly closed
- protect from freezing
- avoid excessive heat (over 104°F or 40°C)

### **Inactive ingredients**

benzoic acid, D&C red #22, D&C red #28, flavor, magnesium aluminum silicate, methylcellulose, purified water, saccharin sodium, salicylic acid, sodium salicylate, sorbic acid

### Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

## **Principal Display Panel**

COMPARE TO THE ACTIVE INGREDIENT IN REGULAR STRENGTH PEPTO-BISMOL®\*

Stomach Relief

BISMUTH SUBSALICYLATE 525 mg

UPSET STOMACH RELIEVER/ANTIDIARRHEAL

SOOTHING RELIEF FOR:

INDIGESTION, UPSET STOMACH, NAUSEA, HEARTBURN, DIARRHEA

ALCOHOL FREE

**SUGAR FREE** 

REGULAR STRENGTH

FL OZ (mL)

\*This product is not manufactured or distributed by The Procter & Gamble Company. Pepto-Bismol® is a registered trademark of The Procter & Gamble Company.

# TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND DOSAGE CUP OR UNDER CAP IS BROKEN OR MISSING.

PROUDLY DISTRIBUTED BY:

VALU MERCHANDISERS, CO.

5000 KANSAS AVE

KANSAS CITY, KS 66106

### **Package Label**



BEST CHOICE Stomach Relief Regular Strength

# STOMACH RELIEF REGULAR STRENGTH

bismuth subsalicylate liquid

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63941-372
Route of Administration	ORAL		

l	Active Ingredient/Active Moiety				
l	Ingredient Name	<b>Basis of Strength</b>	Strength		
	<b>BISMUTH SUBSALICYLATE</b> (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:ZS9CD1I8YE, SALICYLIC ACID - UNII:O414PZ4LPZ)	BISMUTH SUBSALICYLATE	525 mg in 30 mL		

Inactive Ingredients		
Ingredient Name	Strength	
BENZOIC ACID (UNII: 8 SKN0 B0 MIM)		
<b>D&amp;C RED NO. 22</b> (UNII: 1678 RKX8 RT)		
<b>D&amp;C RED NO. 28</b> (UNII: 767IP0 Y5NH)		
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)		
WATER (UNII: 059QF0KO0R)		
SACCHARIN SODIUM (UNII: SB8ZUX40TY)		
SALICYLIC ACID (UNII: O414PZ4LPZ)		
SO DIUM SALICYLATE (UNII: WIQ 1H8 5S YP)		
SORBIC ACID (UNII: X045WJ989B)		
METHYLCELLULOSE (1500 CPS) (UNII: P0 NTE48364)		

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
1 NDC:63941-372-	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/31/2015		
2 NDC:63941-372- 12	355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/31/2015		

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC MONOGRAPH FINAL	part335	03/31/2015			

Labeler - Best Choice (Valu Merchandisers Company) (868703513)

Revised: 2/2019

Best Choice (Valu Merchandisers Company)