

SALICYLIC ACID- liquid corn and callus remover liquid
Chain Drug Marketing Association Inc.

Quality Choice Liquid Corn and Callus Remover

Active ingredient

Salicylic acid 17%w/w

Purpose

Corn and callus remover

Uses

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

Warnings

For external use only.

Flammable

- keep away from fire or flame

Do not use

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic, or if you have poor blood circulation

When using this product

- if product gets into the eye, flush with water for 15 minutes
- avoid inhaling vapors
- cap bottle tightly and store at room temperature away from heat

Stop use and ask a doctor if

discomfort persists

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash the affected area and dry thoroughly

- apply one drop at a time with applicator to sufficiently cover each corn/callus
- let dry
- use cushion with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)
- hold cushion down 2-3 seconds to adhere to skin
- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)
- may soak corn/callus in warm water for 5 minutes to assist in removal

Other information

- store between 20° - 25°C (68° - to 77°F)
- avoid surrounding skin when applying product
- close tightly to prevent solidification
- wipe top of bottle clean after each use
- do not allow to come into contact with fabrics, floors, countertops or other surfaces- will stain

Inactive ingredients

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-866-964-0939

Principal Display Panel

QC

Quality Choice

Liquid Corn &

Callus Remover

Salicylic Acid 17% / Corn & Callus Remover

Safely Removes Corns & Calluses

Soft Foam Cushions & Protects

3 Cushions 0.33 FL.OZ. (9.8 mL)

NDC 83324-235-13



Compare to the
Active Ingredient In
Dr. Scholl's®

Liquid Corn & Callus Remover

Salicylic Acid 17% / Corn & Callus Remover

Safely Removes Corns & Calluses
Soft Foam Cushions & Protects

3 Cushions **0.33 FL. OZ. (9.8 mL)**




IMPORTANT: CLOSE CAP TIGHTLY AFTER USE

Drug Facts

Active ingredient Salicylic acid 17% w/w	Purpose Corn and callus remover
--	---

Uses

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

Warnings

For external use only.

Flammable

- keep away from fire or flame

Do not use

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic, or if you have poor blood circulation

When using this product

- if product gets into the eye, flush with water for 15 minutes
- avoid inhaling vapors
- cap bottle tightly and store at room temperature away from heat

Stop use and ask a doctor if discomfort persists.

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash the affected area and dry thoroughly
- apply one drop at a time with applicator to sufficiently cover each corn/callus
- let dry
- use cushion with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)
- hold cushion down 2-3 seconds to adhere to skin
- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)
- may soak corn/callus in warm water for 5 minutes to assist in removal

Other information

- store between 20°–25°C (68°–77°F)
- avoid surrounding skin when applying product
- close tightly to prevent solidification
- wipe top of bottle clean after each use
- do not allow to come into contact with fabrics, floors, countertops or other surfaces – will stain

Inactive ingredients camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions? Call 1-866-964-0939

*This product is not manufactured or distributed by Scholl's Wellness Company LLC, owner of the registered trademark Dr. Scholl's®.

Distributed by CDMA, Inc.
Novi, MI 48375
www.qualitychoice.com
Questions: 800-955-2362
Made in USA from Globally Sourced Materials

41-030QC-02



6 35515 99384 6

SALICYLIC ACID

liquid corn and callus remover liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83324-235
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	170 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
ETHYL ETHER (UNII: 0F5N573A2Y)	
CASTOR OIL (UNII: D5340Y2I9G)	
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
NITROCELLULOSE (UNII: KYR8BR2X6O)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83324-235-13	1 in 1 CARTON	04/28/2025	
1		9.8 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M030	04/28/2025	

Labeler - Chain Drug Marketing Association Inc. (011920774)

Revised: 10/2025

Chain Drug Marketing Association Inc.