

**ERBORIAN - CC CREME HIGH DEFINITION SPF 25- octinoxate, octisalate, titanium dioxide, zinc oxide cream**  
**LABORATOIRES M&L**

-----  
**ERBORIAN - CC CREME HIGH DEFINITION SPF 25**

**Drug Facts**

***Active ingredients***

Ethylhexyl methoxycinnamate / Octinoxate 6.00%

Ethylhexyl salicylate / Octisalate 2.00%

Titanium dioxide 4.97%

Zinc oxide 1.92%

***Purpose***

Sunscreen

***Uses***

- Helps prevent sunburn
- If used as directed with other sun protection measures (see ***Directions*** ), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use**

- on damaged or broken skin

**When using this product**

- keep out of eyes. Rinse with water to remove

**Stop use and ask a doctor if**

- rash occurs.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away

***Directions***

For sunscreen use:

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours

- Use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. -2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses
  - Children under 6 months of age: Ask a doctor

### ***Other information***

- Protect the product in this container from excessive heat and direct sun

### ***Inactive ingredients***


Aqua/Water - Cyclomethicone - Dipropylene Glycol - Glycerin - Peg-10 Dimethicone - Methyl Trimethicone - C12-15 Alkyl Benzoate - Dimethicone - CI 77492/Iron Oxides - Distearidimonium Hectorite - Magnesium Sulfate - Vinyl Dimethicone/Methicone Silsesquioxane

Crosspolymer - Centella Asiatica Extract - Mel/Honey Extract - Mica - Talc - Trihydroxystearin - Butylene Glycol - Polyester-1 - Aluminum Hydroxide - Silica Dimethyl Silylate - Palmitic Acid - Stearic Acid - Tocopheryl Acetate - Ethylhexylglycerin - Phenoxyethanol - Methicone - Dimethicone/Vinyl Dimethicone Crosspolymer - Parfum/Fragrance - Hexyl Cinnamal - Alpha-Isomethyl Ionone - Linalool - Citronellol - Geraniol - Eugenol - Limonene - CI 77491/Iron Oxides

### ***Questions or comments***

Call toll free 1-888-975-2162

**ERBORIAN - CC CREME HIGH DEFINITION SPF 25 5ml (10345-910-05)**




**erborian**  
KOREAN SKIN THERAPY  
PARIS - FRANCE

**CC CRÈME**  
À LA CENTELLA ASIATICA

**HIGH DEFINITION  
RADIANCE  
FACE CREAM  
SKIN PERFECTOR**

BROAD SPECTRUM  
SPF 25 SUNSCREEN



5 ML NET WT. 0.17 OZ.

**Drug Facts**

Active ingredients	Purpose
Ethylhexyl methoxycinnamate / Octinoxate 6.00%	Sunscreen
Ethylhexyl salicylate / Octisalate 2.00%	Sunscreen
Titanium dioxide 4.97%	Sunscreen
Zinc oxide 1.92%	Sunscreen

**Uses**

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** ■ on damaged or broken skin

**When using this product** ■ keep out of eyes. Rinse with water to remove

**Stop use and ask a doctor if** ■ rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

For sunscreen use:

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. -2 p.m.

**Drug facts (continued)**

- Wear long-sleeved shirts, pants, hats and sunglasses
- Children under 6 months of age: Ask a doctor

**Other information**

- Protect the product in this container from excessive heat and direct sun




**Inactive ingredients**

Aqua/water - Cyclomethicone - Dipropylene Glycol - Glycerin - Peg-10 Dimethicone - Methyl Trimethicone - C12-15 Alkyl Benzoate - Dimethicone - Ci 77492/iron Oxides - Distearidimonium Hectorite - Magnesium Sulfate - Vinyl Dimethicone/Dimethicone Silsesquioxane Crosspolymer - Centella Asiatica Extract - Mel/honey Extract - Mica - Talc - Trihydroxystearin - Butylene Glycol - Polyester-1 - Aluminum Hydroxide - Silica Dimethyl Silylate - Palmitic Acid - Stearic Acid - Tocopheryl Acetate - Ethylhexylglycerin - Phenoxyethanol - Methicone - Dimethicone/vinyl Dimethicone Crosspolymer - Parfum/fragrance - Hexyl Cinnamal - Alpha-isomethyl none - Linalool - Citronellol - Geraniol - Eugenol - Limonene - Ci 77491/iron Oxides - Ci 77499/iron Oxides

**Questions or comments?**

Call toll free 1-888-975-2162

6AA30233  
www.erborian.com  
Made in South Korea  
M&L - 108 rue de Richelieu - Paris - France

8 809255 783940

## Product Label

**Drug Facts**  
(continued)

**Inactive ingredients**

Aqua/water - cydo-methicone - dipropylene glycol - glycerin - peg-10 dimethicone - methyl trimethicone - C12-15 alkyl benzoate - dimethicone - CI 77492/iron oxides - disteardimonium hectorite - magnesium sulfate - vinyl dimethicone/methicone silsesquioxane crosspolymer - centella asiatica extract - mel/honey extract - mica - talc - trihydroxystearin - butylene glycol - polyester-1 - aluminum hydroxide - silica dimethyl silylate - palmitic acid - stearic acid - tocopheryl acetate - ethylhexylglycerin - phenoxyethanol - methicone - dimethicone/vinyl dimethicone crosspolymer - paraffin/fragrance - hexyl cinnamal - alpha-isomethyl ionone - linalool - citronellol - geraniol - eugenol - limonene - CI 77491/iron oxides - CI 77499/iron oxides

**Questions or comments?**

Call toll free  
1-888-975-2162



**erborian**  
KOREAN SKIN THERAPY  
PARIS · SEOUL

**CC CRÈME**  
À LA CENTELLA ASIATICA

**SOIN ILLUMINATEUR  
DU VISAGE  
HAUTE DÉFINITION  
PERFECTEUR DE PEAU**

**HIGH DEFINITION  
RADIANCE  
FACE CREAM  
SKIN PERFECTOR**

**BROAD SPECTRUM  
SPF 25 SUNSCREEN**



15 ML NET WT. 0.5 OZ.

The Korean secret to a visibly perfect complexion is in high-tech, multi-use formulas that help to improve the appearance of your skin, making it look luminous and soft, and reducing the appearance of blemishes.

CC CRÈME is a multi-purpose formula: this "High Definition" illuminator, with its fine texture, contains encapsulated pigments to enhance your skin's beauty. Upon application, it adapts to your skin tone, naturally revealing a more even, more beautiful complexion. Enriched with Centella Asiatica, CC CRÈME helps to boost radiance, protects and hydrates, while also helping to unify and camouflage dehydration fine lines and refine the appearance of skin's texture.

Soft and radiant, your skin looks flawless, in "High Definition".

[Apply in a fine layer on your face, just like your daily moisturizer.]

Tested under dermatological supervision. Non Comedogenic.

Made in South Korea  
M&L - 108 rue de Richelieu  
- Paris - www.erborian.com

**Drug Facts**

**Active ingredients.....Purpose**

Ethylhexyl methoxycinnamate / Octinoxate 6.00%.....Sunscreen  
Ethylhexyl salicylate / Octisalate 2%.....Sunscreen  
Titanium dioxide 4.97%.....Sunscreen  
Zinc oxide 1.92%.....Sunscreen

**Uses**

■ Helps prevent sunburn  
■ If used as directed with other sun protection measures [see **Directions**], decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** ■ on damaged or broken skin

**When using this product** ■ keep out of eyes. Rinse with water to remove

**Stop use and ask a doctor if** ■ rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

For sunscreen use:

■ Apply liberally 15 minutes before sun exposure

■ Reapply at least every 2 hours

■ Use a water resistant sunscreen if swimming or sweating

■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

■ Limit time in the sun, especially from 10 a.m. - 2 p.m.

■ Wear long-sleeved shirts, pants, hats and sunglasses

■ Children under 6 months of age: Ask a doctor

**Other information**

■ Protect the product in this container from excessive heat and direct sun ▶



**erborian**  
KOREAN SKIN THERAPY

# CC CRÈME

À LA CENTELLA ASIATICA

HIGH DEFINITION RADIANCE  
FACE CREAM  
SKIN PERFECTOR  
BROAD SPECTRUM SPF 25 SUNSCREEN

CC CRÈME is a multi-purpose formula: this "High Definition" illuminator, with its fine texture, contains encapsulated pigments to enhance your skin's beauty. Upon application, it adapts to your skin tone, naturally revealing a more even, more beautiful complexion.

DORÉ

1.5 ML NET WT. 0.05 OZ.



## Drug Facts

### Active ingredients

Ethylhexyl methoxycinnamate / Octinoxate 6.00%.....Sunscreen  
 Ethylhexyl salicylate / Octisalate 2.00%.....Sunscreen  
 Titanium dioxide 4.97%.....Sunscreen  
 Zinc oxide 1.92%.....Sunscreen

### Purpose

### Uses

■ Helps prevent sunburn  
 ■ If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

#### For external use only

**Do not use** ■ on damaged or broken skin

**When using this product** ■ keep out of eyes. Rinse with water to remove

**Stop use and ask a doctor if** ■ rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

### Directions

For sunscreen use:

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. – 2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses
  - Children under 6 months of age: ask a doctor

## Drug facts (continued)

### Other information

■ Protect the product in this container from excessive heat and direct sun

### Inactive ingredients

Aqua/water - cyclomethicone - dipropylene glycol - glycerin - peg-10 dimethicone - methyl trimethicone - C12-15 alkyl benzoate - dimethicone - CI 77492/iron oxides - disteardimonium hectorite - magnesium sulfate - vinyl dimethicone /methicone silsesquioxane crosspolymer - centella asiatica extract - mel/honey extract - mica - talc - trihydroxystearin - butylene glycol - polyester-1 - aluminum hydroxide - silica dimethyl silylate - palmitic acid - stearic acid - tocopheryl acetate - ethylhexylglycerin - phenoxyethanol - methicone - dimethicone/vinyl dimethicone crosspolymer - parfum/fragrance - hexyl cinnamal - alpha-isomethyl ionone - linalool - citronellol - geraniol - eugenol - limonene - CI 77491/iron oxides - CI 77499/iron oxides

### Questions or comments?

Call toll free 1-888-975-2162

[Apply in a fine layer on your face, just like your daily moisturizer.]  
 Tested under dermatological supervision. Non comedogenic.  
 Free sample. Not for sale

6AA30184  
 www.erborian.com  
 Made in South Korea  
 M&L - 108 rue de Richelieu - Paris - France

*This area is for batch code  
 should be blank or light image*

## ERBORIAN - CC CREME HIGH DEFINITION SPF 25

octinoxate, octisalate, titanium dioxide, zinc oxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10345-910
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	20 mg in 1 mL
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	60 mg in 1 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	49.7 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	19.2 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>METHYL TRIMETHICONE</b> (UNII: S73ZQI0GXM)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)	
<b>CENTELLA ASIATICA</b> (UNII: 7M867G6T1U)	
<b>HONEY</b> (UNII: Y9H1V576FH)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TRIHYDROXYSTEARIN</b> (UNII: 06YD7896S3)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)	
<b>PALMITIC ACID</b> (UNII: 2V16EO95H1)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>.ALPHA.-HEXYLCINNAMALDEHYDE</b> (UNII: 7X6O37OK2I)	
<b>ISOMETHYL-.ALPHA.-IONONE</b> (UNII: 9XP4LC555B)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>.BETA.-CITRONELLOL, (R)-</b> (UNII: P01OUT964K)	
<b>GERANIOL</b> (UNII: L837108USY)	
<b>EUGENOL</b> (UNII: 3T8H1794QW)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10345-910-15	1 in 1 BOX	02/06/2015	
1		15 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:10345-910-01	1.5 mL in 1 PACKET; Type 0: Not a Combination Product	12/03/2017	
3	NDC:10345-910-45	1 in 1 BOX	02/06/2015	
3		45 mL in 1 TUBE; Type 0: Not a Combination Product		
4	NDC:10345-910-05	1 in 1 BOX	07/01/2018	
4		5 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/06/2015	

**Labeler** - LABORATOIRES M&L (262533623)

Revised: 12/2023

LABORATOIRES M&L