# **WALGREENS SPF 50 TINTED MINERAL FLUID- titanium dioxide lotion Walgreens**

-----

Titanium Dioxide 11%

Sunscreen

Helps prevent sunburn. If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

For external use only.

do not use on damaged or broken skin.

When using this product avoid contact with eyes. Rinse with water to remove.

Stop use and ask a doctor if rash or irritation developss and lasts.

If product is swallowed, get medical help or contact a Poison Control Center right away.

For sunscreen use: shake well before use, apply liberally 15 minutes before sun exposure and as needed, reapply:

after 40 minutes of swimming or sweating, immediately after towel drying, and at least every 2 hours.

**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

limit time in the sun, especially from 10 a.m. - 2 p.m., wear long-sleeved shirts, pants, hats, and sunglasses.

Children under 6 months of age: ask a doctor.

C12-15 alkyl bonzoate, water, isododecane, diemthicone, styrene/acrylates copolymer, undecane, triethylhexanoin, butyloctyl salicylate, nylon-12, isohexadecane, caprylyl methicone, phenethyl benzoate, aluminum stearate, dimethicone/PEG-10/15 crosspolymer, dicaprylyl carbonate, tridecane, disteardimonium hectorite, dicaprylyl ether, pentyle glycol, silica, propylene carbonate, phenoxyethanol, ethylhexylglycerin, stearic acid, PEG-8 laurate, PEG-9 polydimethylsiloxyethyl dimethicone, magnesium sulfate, benzoic acid, disodium stearoyl glutamate, tocopherol, diethylhexyl syringylidenemalonate, caprylic/capric triglyceride, iron oxides (CI 77492, CI 77499, CI 77491), triethoxycaprylysilane, maltodextrin, cassia alata leaf extract, polyhydroxystearic acid, alumina

# Drug Facts

## Active ingredient

Titanium Dioxide 11%

Purpose Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product avoid contact with eyes. Rinse with water to remove

Stop use and ask a doctor if rash or irritation develops and lasts. Keep out of the reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

### Directions

For sunscreen use:

- shake well before use
- apply liberally 15 minutes before sun exposure and as needed
- after 40 minutes of swimming or sweating
  immediately after towel drying

 at least every 2 hours
 at least every 2 hours
 Sun Protection Measures, Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of the protection of the spectrum spread of the spe of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
  Children under 6 months of age: ask a doctor

**Other information** • protect the product in this container from excessive heat and direct sun

**Inactive ingredients** C12-15 alkyl benzoate, water, isododecane, dimethicone, styrene/acrylates copolymer, undecane, triethylhexanoin, butyloctyl salicylate, nylon-12, isohexadecane, caprylyl methicone, phenethyl benzoate, aluminum stearate, dimethicone/PEG-10/15 crosspolymer, dicaprylyl carbonate, tridecane, disteardimonium hectorite, dicaprylyl ether, pentylene glycol, silica, propylene carbonate, phenoxyethanol, ethylhexylglycerin, stearic acid, PEG-8 laurate, PEG-9 polydimethylsiloxyethyl dimethicone, magnesium sulfate, benzolic acid, disodium stearoyl glutamate, tocopherol, diethylhexyl syringylidenemalonate, caprylic/capric triglyceride, iron oxides (Cl 77492, Cl 77499, Cl 77491), triethoxycaprylylsilane, maltodextrin, cassia alata leaf extract. polyhydroxystearic acid, alumina

### Questions or comments? please call 1-800-925-4733

††We invite you to compare to national brands. This product is not manufactured or distributed by La Roche-Posay Laboratoire Dermatologique, owner of the registered trademarks La Roche-Posay® and Anthelios®.



# Walgreens

TINTED MINERAL

# Ultra-Light Fluid **Face Sunscreen**

**BROAD SPECTRUM SPF 50** LIQUID SUNSCREEN **UVA/UVB PROTECTION** 

COMPARE TO THE ACTIVE INGREDIENT IN LA ROCHE-POSAY" ANTHELIOS" TINTED MINERAL SPF 50 SUNSCREEN FOR FACE<sup>††</sup>

Tested on sensitive skin

Water resistant (40 minutes)

#### Made without:

Oxybenzone, Octinoxate, Phthalates, Parabens

> 1.7 FL OZ 50 mL

NDC 0363-1812-01 DISTRIBUTED BY: WALGREEN CO. DEERFIELD, IL 60015 100% SATISFACTION **GUARANTEED** walgreens.com ©2025 Walgreen Co. MADE IN U.S.A. OF U.S. AND IMPORTED INGREDIENTS WBORG0725-F



WALGREEN

The Cist Recomme

OJOTAN

ESTED

Q

# **WALGREENS SPF 50 TINTED MINERAL FLUID**

titanium dioxide lotion

# **Product Information**

NDC:0363-1812 **Product Type** HUMAN OTC DRUG Item Code (Source)

**Route of Administration TOPICAL** 

# **Active Ingredient/Active Moiety**

**Ingredient Name Basis of Strength** Strength TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) TITANIUM DIOXIDE 11 g in 100 mL

Inactive Ingredients	
Ingredient Name	Strength
MAGNESIUM SULFATE (UNII: DE08037SAB)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
PHENETHYL BENZOATE (UNII: 0C143929GK)	
PEG-8 LAURATE (UNII: 76208IWA10)	
BENZOIC ACID (UNII: 85KN0B0MIM)	
CI 77499 (UNII: XM0M87F357)	
UNDECANE (UNII: JV0QT00NUE)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SENNA ALATA LEAF (UNII: 4BXR6YZN92)	
<b>ALUMINA</b> (UNII: LMI2606933)	
ISODODECANE (UNII: A8289P68Y2)	
STYRENE/ACRYLAMIDE COPOLYMER (MW 500000) (UNII: 5Z4DPO246A)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
DIMETHICONE 200 (UNII: RGS4T2AS00)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
CI 77491 (UNII: 1K09F3G675)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
TRIDECANE (UNII: A3LZF0L939)	
DICAPRYLYL ETHER (UNII: 77JZM5516Z)	
TOCOPHEROL (UNII: R0ZB2556P8)	
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)	
WATER (UNII: 059QF0KO0R)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)	
CI 77492 (UNII: EX43802MRT)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
C12-15 ALKYL BENZOATE (UNII: A9EJ3J61HQ)	
NYLON-12 (UNII: 446U8J075B)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
CAPRYLYL METHICONE (UNII: Q95M2P1KJL)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:0363-1812- 01	1 in 1 CARTON	11/03/2025			
1		50 mL in 1 BOTTLE; Type 0: Not a Combination				

<b>*</b>   P	roduct					
Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC Monograph Drug	M020	11/03/2025				

# Labeler - Walgreens (008965063)

# Registrant - Derma Care Research Labs, LLC (116817470)

Establishment					
Name	Address	ID/FEI	<b>Business Operations</b>		
Derma Care Research Labs, LLC		116817470	manufacture(0363-1812)		

Revised: 11/2025 Walgreens