## PEDIFIX LIDOCAINE PAIN-RELIEF PATCHES- lidocaine pain-relief patches patch PediFix, Inc

\_\_\_\_\_

DRUG FACTS

**IIDOCAINE 4%** 

**Topical Anesthetic** 

Temporarily relieves minor pain

For external use only

• On cut, irritated, or swollen skin. • On puncture wounds. • For more than one week without

consulting a doctor. • If you are allergic to any active or inactive ingredient. • If the pouch is

damaged or opened.

- Use only as directed.
- Read and follow all directions and warnings on this carton.
- Avoid contact with the eyes, mucous membranes, or rashes.
- Do not use at the same time as other topical analgesics.
- Do not bandage tightly or apply local heat (such as heating pads) to the area of use.
- Do not microwave.
- Dispose of used patches in a manner that always keeps the product away from children and pets. Used patches still contain the drug and could produce serious adverse effects if a child or pet chews or ingests them.
- Localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling, or blistering.
- Conditions worsen.
- Symptoms persist for more than 7 days or clear up and occur again within a few days.

ask a health professional before use.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.

Adults and children 12 years of age and over:

- Clean and dry the affected area.
- Carefully remove the backing from the patch starting at the corner.
- Apply the sticky side of the patch to the affected area.
- Use one patch for up to 8 hours.
- Discard the patch after a single use.

Children under 12 years of age: Consult a physician before use.

Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

Acrylic block co-polymer adhesive

Call 1-800-PEDIFIX (733-4349), write to PediFix, 301 Fields Lane, Brewster, NY 10509, or visit pedifix.com.

PediFix

**Meidcal Footcare** 

Lidocain

Pain-Relief

Patches

Relieve Pain Instantly!

Scissor-Trim to Any Size

Water-Resistant

Unscented

4% Lidocaine Topical Anesthetic

Maximum Strength

6

**Medicated Patches** 

Trim to Any Size



Pr	oduct Inform	mation					
Pro	oduct Type		HUMAN OTC DRUG	Item Code (Source) NDC		NDC:68927-3700	
Ro	ute of Adminis	stration	TOPICAL				
Ac	tive Ingredie	ent/Active	Moiety				
Ingredient			t Name Bas		Basis	of Strengt	h Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)					LIDOCAINE		4 mg in 100 mg
o	LYQUATERNIUM	-	edient Name			49.6 mg in 1	Strength 00 mg
	-	-					-
	LYQUATERNIUM ckaging	-				49.6 mg in 1	00 mg
Pa	-	I <b>-7</b> (UNII: 0L414					-
Pa #	ckaging	I <b>-7</b> (UNII: 0L414	IVCS5Y) ckage Description	0		49.6 mg in 1 ing Start ate	00 mg Marketing End
Pa #	ckaging Item Code NDC:68927-	I-7 (UNII: 0L414 Pac	IVCS5Y) ckage Description	0	D	49.6 mg in 1 ing Start ate	00 mg Marketing End
<b>Pa</b> #	ckaging Item Code NDC:68927-	Pac 2 in 1 CONTAIR 3 in 1 CELLO F	IVCS5Y) ckage Description		D	49.6 mg in 1 ing Start ate	00 mg Marketing End
Pa # 1 :	ckaging Item Code NDC:68927-	Pac 2 in 1 CONTAI 3 in 1 CELLO P 4 mg in 1 PAT	AVCS5Y) ckage Description NER PACK		D	49.6 mg in 1 ing Start ate	00 mg Marketing End
Pa # 1 :	ckaging Item Code NDC:68927-	Pac 2 in 1 CONTAI 3 in 1 CELLO P 4 mg in 1 PAT Product	VCS5Y) ckage Description NER PACK CH; Type 0: Not a Combinat		D	49.6 mg in 1 ing Start ate	00 mg Marketing End
Pa # 1	ckaging Item Code NDC:68927- 3700-1	Pac 2 in 1 CONTAIR 3 in 1 CELLO P 4 mg in 1 PATC Product <b>nformat</b>	VCS5Y) ckage Description NER PACK CH; Type 0: Not a Combinat	tion	D 5/05/2025 Marke	49.6 mg in 1 ing Start ate	00 mg Marketing End

Labeler - PediFix, Inc (122271935)

AKRON

Registrant - PediFix, Inc (122271935)

Establishment								
Name	Address	ID/FEI	<b>Business Operations</b>					
PediFix		122271935	pack(68927-3700)					
Establishment								
Name	Address	ID/FEI	<b>Business Operations</b>					

manufacture(68927-3700)

186569323

Revised: 5/2025