

SINUS PRESSURE AND PAIN PE MAXIMUM STRENGTH- acetaminophen and phenylephrine hcl tablet
Rite Aid Corporation

Rite Aid 44-502

Active ingredients (in each caplet)

Acetaminophen 325 mg
Phenylephrine HCl 5 mg

Purpose

Pain reliever/fever reducer
Nasal decongestant

Uses

- temporarily relieves these symptoms associated with hay fever or other upper respiratory allergies, and the common cold:
- minor aches and pains
- nasal congestion
- headache
- sinus congestion and pressure
- promotes sinus drainage
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- heart disease
- thyroid disease
- diabetes
- liver disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not use more than directed**
- adults and children 12 years and over
 - take 2 caplets every 4 hours
 - do not take more than 10 caplets in 24 hours
- children under 12 years: ask a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, croscarmellose sodium, crospovidone, FD&C yellow #6 aluminum lake, magnesium stearate, microcrystalline cellulose, povidone, silicon dioxide, stearic acid

Questions or comments?

1-800-426-9391

Principal Display Panel

NDC 11822-5022-8

Compare to the active ingredients in
Sudafed PE® Pressure + Pain*

MAXIMUM STRENGTH
**SINUS PRESSURE &
PAIN RELIEF PE**

ACETAMINOPHEN 325 mg
PAIN RELIEVER / FEVER REDUCER
PHENYLEPHRINE HCl 5 mg
NASAL DECONGESTANT

NON-DROWSY

Relieves sinus headache, sinus pressure & congestion

ACTUAL SIZE

24
CAPLETS

**TAMPER EVIDENT: DO NOT USE IF
PACKAGE IS OPENED OR IF BLISTER
UNIT IS TORN, BROKEN OR SHOWS
ANY SIGNS OF TAMPERING**

*This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark SUDAFED PE® SINUS PRESSURE + PAIN.

50844 REV0820F50208

DISTRIBUTED BY: RITE AID,
200 NEWBERRY COMMONS
ETTERS, PA 17319
www.riteaid.com

SATISFACTION

GUARANTEE

If you're not satisfied, we'll happily refund your money.

SINUS PRESSURE & PAIN RELIEF PE

MAXIMUM STRENGTH

NDC 11822-5022-8

MAXIMUM STRENGTH

SINUS PRESSURE & PAIN RELIEF PE

ACETAMINOPHEN 325 mg
PAIN RELIEVER / FEVER REDUCER

PHENYLEPHRINE HCl 5 mg
NASAL DECONGESTANT

NON-DROWSY

Relieves sinus headache, sinus pressure & congestion



24 CAPLETS

Compare to the active ingredients in **Sudafed PE® Sinus Pressure + Pain***



Drug Facts (continued)

Warnings (continued): Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours. ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product ■ Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin redness ■ blisters ■ rash ■ If a skin reaction occurs, stop use and seek medical help right away.

Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. ■ If you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have ■ heart disease ■ thyroid disease ■ diabetes ■ liver disease ■ high blood pressure ■ difficulty in urination due to enlargement of the prostate gland.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Drug Facts (continued)

Questions or comments? 1-800-426-9391

Drug Facts (continued)

*This product is not manufactured or distributed by Kenue Inc., owner of the registered trademark SUDAFED PE® SINUS PRESSURE + PAIN. 50844 REV0202050208

SATISFACTION GUARANTEE
If you're not satisfied, we'll happily refund your money.

DISTRIBUTED BY: RITE AID, 200 NEWBERRY COMMONS, ETTES, PA 17319, www.riteaid.com

B-1702-502-08-83 REV08200F50208

Drug Facts (continued)

When using this product do not exceed recommended dosage.

Stop use and ask a doctor if ■ nervousness, dizziness, or sleepiness occur ■ pain or nasal congestion gets worse or lasts more than 7 days ■ fever gets worse or lasts more than 3 days ■ redness or swelling is present ■ new symptoms occur ■ These could be signs of a serious condition.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions ■ do not use more than directed ■ adults and children 12 year and over ■ take 2 caplets every 4 hours ■ do not take more than 10 caplets in 24 hours ■ children under 12 years: ask a doctor

Other information ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ see end flap for expiration date and lot number

Inactive ingredients corn starch, croscarmellose sodium, croscopolone, FD&C yellow #6 aluminum lake, magnesium stearate, microcrystalline cellulose, povidone, silicon dioxide, stearic acid

Drug Facts (continued)

Uses ■ temporarily relieves these symptoms associated with hay fever or other upper respiratory allergies, and the common cold ■ minor aches and pains ■ nasal congestion ■ headache ■ sinus congestion and pressure ■ promotes sinus drainage ■ temporarily reduces fever

Active ingredients (in each caplet)
Acetaminophen 325 mg, Pain reliever/fever reducer
Phenylephrine HCl 5 mg, Nasal decongestant

Purpose

Drug Facts

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

No print/No varnish area
Lot no./Exp date

0 11822 04168 3

SINUS PRESSURE AND PAIN PE MAXIMUM STRENGTH

acetaminophen and phenylephrine hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-5022
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
FD&C YELLOW NO. 6 ALUMINUM LAKE (UNII: GYP6Z2JR6Q)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	orange (light orange / peach)	Score	no score
Shape	OVAL	Size	18mm
Flavor		Imprint Code	44;502
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-5022-8	2 in 1 CARTON	06/23/2005	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC Monograph Drug	M012	06/23/2005	
--------------------	------	------------	--

Labeler - Rite Aid Corporation (014578892)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(11822-5022) , pack(11822-5022)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(11822-5022)

Revised: 1/2026

Rite Aid Corporation