#### DAYTIME AND NIGHTTIME COUGH AND CHEST CONGESTION CHILDRENSdextromethorphan hbr, guaifenesin, chlorpheniramine maleate CVS Pharmacy

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

\_\_\_\_\_

# CVS Health Non-Drowsy Children's Daytime & Night-Time Cough and Chest Congestion DM

# Active ingredients Day Time (in each 5 mL)

Dextromethorphan HBr USP 5 mg Guaifenesin. USP 100 mg

# Active ingredients for Nighttime (in each 10 mL)

Chlorpheniramine maleate, USP 2 mg Dextromethorphan HBr USP 15 mg

# **Purposes for Day Time**

Cough suppressant Expectorant

# **Purpose for Night Time**

Antihistamine Cough suppressant

## Uses

# DAYTIME

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

## NIGHTTIME

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itching of the nose or throat
- itchy, watery eyes

## Warnings

# Do not us

# DAYTIME

 If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

# NIGHTTIME

- to sedate a child or to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

# Ask a doctor before use if you have

# DAYTIME

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

## NIGHTTIME

- trouble urinating due to an enlarges prostate gland
- glaucoma
- a cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis or emphysema

# Ask a doctor or pharmacist before use if you are

## NIGHTTIME

taking sedatives or tranquilizers.

# When using this product

# NIGHTTIME

• do not use more than directed.

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

#### Stop use and ask a doctor if

#### DAYTIME

• cough last more than 7 days, comes back or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

#### NIGHTTIME

• cough last more than 7 days, comes back or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

## If pregnant or breast-feeding,

#### DAYTIME

ask a health professional before use.

#### NIGHTTIME

ask a health professional before use

## Keep out of reach of children.

## DAYTIME

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

#### NIGHTTIME

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away

#### Directions

#### DAYTIME

- measure only with dosing cup provided.
- keep dosing cup with product
- mL= milliliter
- do not take more than 6 doses in any 24-hour period

age	dose
Children under 4 years	Do not use
Children 4 to under 6 years	5 mL every 4 hours
Children 6 to under 12 years	10 mL every 4 hours
Adults and children 12 years and older	20 mL every 4 hours

## NIGHTTIME

- measure only with dosing cup provided.
- keep dosing cup with product
- mL= milliliter
- do not take more than 4 doses in any 24-hour period

age	dose
Children under 6 years	Do not use
Children 6 to under 12 years	10 mL every 6 hours
Adults and children 12 years and older	20 mL every 6 hours

## Other information

#### DAYTIME

- each 5 mL contains: sodium 3 mg
- store at room temperature. Do not refrigerate
- contain low sodium
- do not use if printed seal under cap is torn or missing

## NIGHTTIME

- each 10 mL contains: sodium 3 mg
- store at room temperature. Do not refrigerate
- contain low sodium
- do not use if printed seal under cap is torn or missing

## Inactive ingredients

## Inactive ingredients for Day Time

anhydrous citric acid, edetate disodium, FD&C Blue # 1, FD&C Red # 40, natural and artificial flavors, potassium citrate, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose, xanthan gum

## Inactive ingredients for Night Time

anhydrous citric acid, FD&C Red # 40, natural and artificial flavors, potassium sorbate, potassium citrate, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose

## Questions or comments?

1-866-467-2748

**Principal Display Panel** 

# Compare to the active ingredients in Children's Robitussin $^{\mbox{\scriptsize B}}$ Cough & Chest Congestion DM\*

Non-Drowsy

# Children's

# **Cough & Chest Congestions DM**

# Each 5 mL dose of oral solution contains:

DEXTROMETHORPHAN HBr, USP 5 mg

Cough suppressant

GUAIFENESIN, USP 100 mg

Expectorant

# Relieves

- Chest congestion/mucus
- Cough

# For Ages 4 and over

Grape Flavor

Naturally and Artificially Flavored

Dosage cup included

TWO 4 FL OZ (118 mL) BOTTLES TOTAL – 8 FL OZ (236 mL)

# Compare to the active ingredients in Children's Robitussin $^{\ensuremath{\mathbb{R}}}$ Nighttime Cough DM\*

# NDC# 69842-657-08

Children's

Nighttime Cough DM

Each 10 mL dose of oral solution contains:

# CHLORPHENIRAMINE MALEATE, USP 2 mg

Antihistamine

DEXTROMETHORPHAN HBr, USP 15 mg

Cough suppressant

# Relieves

- Cough up to 8 hours
- Runny nose

Alcohol free

For Ages 6 & over

Fruit Punch Flavor

# **Naturally and Artificially Flavored**

## Dosage cup included

TWO 4 FL OZ (118 mL) BOTTLES TOTAL - 8 FL OZ (236 mL)

\*This product is not manufactured or distributed by Pfizer, owner of the registered trademarks Children's Robitussin<sup>®</sup> Cough + Chest Congestion DM and Children's Robitussin<sup>®</sup> Nighttime Cough DM.

Distributed by: CVS Pharmacy, Inc.

One CVS Drive, Woonsocket, RI 02895

©2018 CVS/pharmacy

CVS.com<sup>®</sup>

1-800-SHOP CVS

V-12431

CVS<sup>®</sup> Quality

Money Back Guarantee



# DAYTIME AND NIGHTTIME COUGH AND CHEST CONGESTION CHILDRENS

dextromethorphan hbr, guaifenesin, chlorpheniramine maleate kit

Product Inform	nation						
Product Type	HUMAN OTC DRUG Item Code (Source)			ce)	NDC:69842	2-657	
Packaging							
# Item Code	Package Description Marketin				eting Start Date		ting End ate
1 NDC:69842-657- 08	1 in 1 KIT; Type 0: No Product	ot a Combination		02/19/2019	9		
Quantity of Da							
Quantity of Pa Part #		<b>.</b>		Та	tal Product (	Quentity	
Part 1 1 BOTTLE	Package Quanti	-	18 mL	10		Quantity	
Part 2 1 BOTTLE			18 mL				
Part 1 of 2							
_	DUGH AND C		NGES	STION	GRAPE F	LAVOR	
_	<b>DUGH AND C</b> an hbr, guaifenesir		NGES	STION	GRAPE F	LAVOR	
_	an hbr, guaifenesir		NGES	STION	GRAPE F	LAVOR	
dextromethorpha	an hbr, guaifenesir <b>nation</b>		NGES	STION	GRAPE F	LAVOR	
dextromethorpha Product Inform Route of Adminis	an hbr, guaifenesir <b>nation</b>	n liquid	NGES	5TION	GRAPE F	LAVOR	
dextromethorpha Product Inform Route of Adminis	an hbr, guaifenesir mation stration ORAL	n liquid	NGES	5TION	GRAPE F		Strengt
dextromethorpha <b>Product Inform</b> Route of Adminis <b>Active Ingredia</b> DEXTROMETHORPH	an hbr, guaifenesir mation stration ORAL ent/Active Moiet	h liquid <b>Ey</b> Name E (UNII: 9D2RTI9K		STION		Strength PRPHAN	
dextromethorpha Product Inform Route of Adminis Active Ingredia DEXTROMETHORPHA	an hbr, guaifenesir mation stration ORAL ent/Active Moiet Ingredient I HAN HYDROBROMIDI	n liquid <b>Ey</b> Name E (UNII: 9D2RTI9K	YH)		Basis of S DEXTROMETHO	Strength PRPHAN	Strengt 5 mg
dextromethorpha Product Inform Route of Adminis Active Ingredia DEXTROMETHORPHA	an hbr, guaifenesir mation stration ORAL ent/Active Moiet Ingredient I HAN HYDROBROMIDI N - UNII:7355X3ROTS)	n liquid <b>Ey</b> Name E (UNII: 9D2RTI9K	YH)		Basis of S DEXTROMETHC HYDROBROMID	Strength PRPHAN	<b>Strengt</b> 5 mg in 5 mL 100 mg
dextromethorpha <b>Product Inform</b> <b>Route of Adminis</b> <b>Active Ingredia</b> <b>DEXTROMETHORPHA</b> <b>GUAIFENESIN</b> (UNII)	an hbr, guaifenesir mation stration ORAL ent/Active Moiet Ingredient I HAN HYDROBROMIDI N - UNII:7355X3ROTS) 495W7451VQ) (GUAIF	n liquid <b>Ey</b> Name E (UNII: 9D2RTI9K	YH)		Basis of S DEXTROMETHC HYDROBROMID	Strength PRPHAN	<b>Strengt</b> 5 mg in 5 mL 100 mg
dextromethorpha Product Inform Route of Adminis Active Ingredia DEXTROMETHORPHA GUAIFENESIN (UNIIS Inactive Ingredia	an hbr, guaifenesin mation stration ORAL ent/Active Moiet Ingredient I HAN HYDROBROMIDI N - UNII:7355X3ROTS) : 495W7451VQ) (GUAIF dients	n liquid Ey Name E (UNII: 9D2RTI9K ENESIN - UNII:49 edient Name	YH)		Basis of S DEXTROMETHC HYDROBROMID	Strength PRPHAN E	<b>Strengt</b> 5 mg in 5 mL 100 mg
dextromethorpha Product Inforr Route of Adminis Active Ingredia DEXTROMETHORPHA GUAIFENESIN (UNIIS Inactive Ingred ANHYDROUS CITRI	an hbr, guaifenesir mation stration ORAL ent/Active Moiet Ingredient I HAN HYDROBROMIDI N - UNII: 7355X3ROTS) 495W7451VQ) (GUAIF dients Ingre	n liquid Ey Name E (UNII: 9D2RTI9K ENESIN - UNII:49 edient Name	YH)		Basis of S DEXTROMETHC HYDROBROMID	Strength PRPHAN E	Strengt 5 mg in 5 mL 100 mg in 5 mL
dextromethorpha Product Inform Route of Adminis Active Ingredia DEXTROMETHORPHA GUAIFENESIN (UNII) Inactive Ingred ANHYDROUS CITRI EDETATE DISODIU	an hbr, guaifenesir mation stration ORAL ent/Active Moiet Ingredient I HAN HYDROBROMIDI N - UNII: 7355X3ROTS) 495W7451VQ) (GUAIF dients Ingre C ACID (UNII: XF417D3 M (UNII: 7FLD91C86K)	n liquid Ey Name E (UNII: 9D2RTI9K ENESIN - UNII:49 edient Name	YH)		Basis of S DEXTROMETHC HYDROBROMID	Strength PRPHAN E	Strengt 5 mg in 5 mL 100 mg in 5 mL
dextromethorpha Product Inforr Route of Adminis Active Ingredia DEXTROMETHORPHA GUAIFENESIN (UNIIS Inactive Ingred ANHYDROUS CITRI EDETATE DISODIU FD&C BLUE NO. 1	an hbr, guaifenesir mation stration ORAL ent/Active Moiet Ingredient I HAN HYDROBROMIDI N - UNII: 7355X3ROTS) 495W7451VQ) (GUAIF dients Ingre C ACID (UNII: XF417DE M (UNII: 7FLD91C86K) (UNII: H3R47K3TBD)	n liquid Ey Name E (UNII: 9D2RTI9K ENESIN - UNII:49 edient Name	YH)		Basis of S DEXTROMETHC HYDROBROMID	Strength PRPHAN E	Strengt 5 mg in 5 mL 100 mg in 5 mL
dextromethorpha Product Inform Route of Adminis Active Ingredia DEXTROMETHORPHA GUAIFENESIN (UNIIS Inactive Ingred ANHYDROUS CITRI EDETATE DISODIU FD&C BLUE NO. 1 FD&C RED NO. 40	an hbr, guaifenesir mation stration ORAL ent/Active Moiet Ingredient I HAN HYDROBROMIDI N - UNII: 7355X3ROTS) 495W7451VQ) (GUAIF dients Ingre C ACID (UNII: XF417D3 M (UNII: 7FLD91C86K)	ty Name E (UNII: 9D2RTI9K ENESIN - UNII:49 edient Name BPSL)	YH)		Basis of S DEXTROMETHC HYDROBROMID	Strength PRPHAN E	Strengt 5 mg in 5 mL 100 mg in 5 mL

SODIUM BENZ		<00R)						
			FE5EU)					
SORBITOL (UN								
SUCRALOSE (								
XANTHAN GUI	M (UNII:	TTV12P4NE	E)					
Product Cl	haract	teristics						
Color								
Shape	Size							
Flavor								
Contains								
Packaging								
# Item		Pack	age Description		Mark	eting Start		ting End
"Code						Date	D	ate
1	118 m Produc		LE; Type 0: Not a Comb	pination				
Marketir	ng In	format	tion					
Marketing Applica Category		tion Number or Monograph Citation		Marketing Start Date		Marketing End Date		
OTC monograph final part341								
ore monograp	n finai	part341			02/19	/2019		
		part341			02/19	/2019		
Part 2 of	f 2				02/19	/2019		
Part 2 of NIGHT T	f 2 IME (	COUGH	<b>I DM FRUIT F</b>		02/19	/2019		
Part 2 of NIGHT T chlorphenira	f 2 IME ( amine r	<b>COUGH</b> maleate, c	<b>I DM FRUIT F</b> liphenhydramine hb		02/19	/2019		
Part 2 of NIGHT T	f 2 IME ( amine r	<b>COUGH</b> maleate, c			02/19	/2019		
Part 2 of NIGHT T chlorphenira	f 2 IME ( amine r	<b>COUGH</b> maleate, c <b>ation</b>			02/19	/2019		
Part 2 of NIGHT T chlorphenira Product In	f 2 IME ( amine r aforma minist	<b>COUGH</b> maleate, c <b>ation</b> ration	liphenhydramine ht		02/19	/2019		
Part 2 of NIGHT T chlorphenira Product In Route of Ad	f 2 IME ( amine r aforma minist	COUGH maleate, c ation ration	liphenhydramine ht		02/19	/2019 Basis of St	rength	Strengt
Part 2 of NIGHT T chlorphenira Product In Route of Ad Active Ingi	f 2 IME ( amine r aforma ministr redien	COUGH maleate, c ation ration ht/Active Ingre	liphenhydramine hk ORAL <b>Moiety</b>	prliquid			-	Strengt 2 mg in 10 mL
Part 2 of NIGHT T chlorphenira Product In Route of Ad Active Ingi CHLORPHENIE	f 2 IME ( amine r aministi nedien redien RAMINE 50) IORPHA	COUGH maleate, c ation ration ht/Active Ingre MALEATE	Iiphenhydramine hk ORAL Moiety dient Name (UNII: V1Q0090J9Z) (CH ROMIDE (UNII: 9D2RTIS	HLORPHENIRA		Basis of St CHLORPHENIRAM	INE	2 mg in 10 mL 15 mg
Part 2 of NIGHT T chlorphenira Product In Route of Ad Active Ingi CHLORPHENIE UNII: 3U6I01965 DEXTROMETH (DEXTROMETHC	f 2 IME ( amine r aforma ministi redien redien RAMINE 50) IORPHAN	COUGH maleate, c ation ration nt/Active Ingre MALEATE N HYDROB - UNII:73552	Iiphenhydramine hk ORAL Moiety dient Name (UNII: V1Q0090J9Z) (CH ROMIDE (UNII: 9D2RTIS	HLORPHENIRA		Basis of St CHLORPHENIRAM MALEATE DEXTROMETHORF	INE	2 mg in 10 mL 15 mg
Part 2 of NIGHT T chlorphenira Product In Route of Ad Active Ingi CHLORPHENIE UNII:3U6I01965 DEXTROMETH	f 2 IME ( amine r aforma ministi redien redien RAMINE 50) IORPHAN	COUGH maleate, c ation ration nt/Active Ingre MALEATE N HYDROB - UNII:73552	Iiphenhydramine hk ORAL Moiety dient Name (UNII: V1Q0090J9Z) (CH ROMIDE (UNII: 9D2RTIS	HLORPHENIRA 9KYH)		Basis of St CHLORPHENIRAM MALEATE DEXTROMETHORF	INE PHAN	2 mg in 10 mL

FD&C RED NO	. 40 (UI	NII: WZB9127XOA)				
POTASSIUM S	ORBAT	E (UNII: 1VPU26JZZ4)				
POTASSIUM C	ITRATE	(UNII: EE90ONI6FF)				
PROPYLENE G	LYCOL	(UNII: 6DC9Q167V3)				
WATER (UNII: C	)59QF0k	(O0R)				
SODIUM BENZ	OATE (	UNII: OJ245FE5EU)				
SORBITOL (UN	II: 506T	60A25R)				
SUCRALOSE (U	JNII: 96	(6UQ3ZD4)				
Product Ch	aract	eristics				
Color		RED	S	core		
Shape			S	ize		
Flavor		FRUIT PUNCH	h	mprint Code		
Contains						
Packaging						
# Item Code		Package Des	cription	Marketing Start Date	Marketing End Date	
1	118 mL in 1 BOTTLE; Type 0: Not a Combination Product					
Marketin	ig In	formation				
Marketin Categor	g	Application Num	ber or Monograph ation	Marketing Start Date	Marketing End Date	
OTC monograp	-			02/19/2019		
Marketin	g In	formation				
Marketin Categor	g	<b>Application Num</b>	ber or Monograph ation	Marketing Start Date	Marketing End Date	
OTC monograp	-	part341		02/19/2019		
<b>J</b> 1						

Labeler - CVS Pharmacy (062312574)

Revised: 9/2023

CVS Pharmacy