

**DAYTIME AND NIGHTTIME COUGH AND CHEST CONGESTION CHILDRENS-
dextromethorphan hbr, guaifenesin, chlorpheniramine maleate
CVS Pharmacy**

**CVS Health Non-Drowsy Children's Daytime & Night-Time Cough and Chest
Congestion DM**

Active ingredients Day Time (in each 5 mL)

Dextromethorphan HBr USP 5 mg

Guaifenesin. USP 100 mg

Active ingredients for Nighttime (in each 10 mL)

Chlorpheniramine maleate, USP 2 mg

Dextromethorphan HBr USP 15 mg

Purposes for Day Time

Cough suppressant

Expectorant

Purpose for Night Time

Antihistamine

Cough suppressant

Uses

DAYTIME

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

NIGHTTIME

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itching of the nose or throat
 - itchy, watery eyes

Warnings

Do not us

DAYTIME

- If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

NIGHTTIME

- to sedate a child or to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

DAYTIME

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

NIGHTTIME

- trouble urinating due to an enlarges prostate gland
- glaucoma
- a cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis or emphysema

Ask a doctor or pharmacist before use if you are

NIGHTTIME

taking sedatives or tranquilizers.

When using this product

NIGHTTIME

- **do not use more than directed.**
- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

DAYTIME

- cough last more than 7 days, comes back or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

NIGHTTIME

- cough last more than 7 days, comes back or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,**DAYTIME**

ask a health professional before use.

NIGHTTIME

ask a health professional before use

Keep out of reach of children.**DAYTIME**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

NIGHTTIME

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away

Directions**DAYTIME**

- measure only with dosing cup provided.
- keep dosing cup with product
- mL= milliliter
- do not take more than 6 doses in any 24-hour period

age	dose
Children under 4 years	Do not use
Children 4 to under 6 years	5 mL every 4 hours
Children 6 to under 12 years	10 mL every 4 hours
Adults and children 12 years and older	20 mL every 4 hours

NIGHTTIME

- measure only with dosing cup provided.
- keep dosing cup with product
- mL= milliliter
- do not take more than 4 doses in any 24-hour period

age	dose
Children under 6 years	Do not use
Children 6 to under 12 years	10 mL every 6 hours

Other information**DAYTIME**

- each 5 mL contains: **sodium 3 mg**
- store at room temperature. Do not refrigerate
- contain low sodium
- **do not use if printed seal under cap is torn or missing**

NIGHTTIME

- each 10 mL contains: **sodium 3 mg**
- store at room temperature. Do not refrigerate
- contain low sodium
- **do not use if printed seal under cap is torn or missing**

Inactive ingredients***Inactive ingredients for Day Time***

anhydrous citric acid, edetate disodium, FD&C Blue # 1, FD&C Red # 40, natural and artificial flavors, potassium citrate, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose, xanthan gum

Inactive ingredients for Night Time

anhydrous citric acid, FD&C Red # 40, natural and artificial flavors, potassium sorbate, potassium citrate, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose

Questions or comments?

1-866-467-2748

Principal Display Panel

Compare to the active ingredients in Children's Robitussin[®] Cough & Chest Congestion DM*

Non-Drowsy**Children's****Cough & Chest Congestions DM****Each 5 mL dose of oral solution contains:**

DEXTROMETHORPHAN HBr, USP 5 mg

Cough suppressant

GUAIFENESIN, USP 100 mg

Expectorant

Relieves

- Chest congestion/mucus
- Cough

For Ages 4 and over

Grape Flavor

Naturally and Artificially Flavored

Dosage cup included

TWO 4 FL OZ (118 mL) BOTTLES TOTAL – 8 FL OZ (236 mL)

Compare to the active ingredients in Children's Robitussin[®] Nighttime Cough DM*

NDC# 69842-657-08

Children's

Nighttime Cough DM

Each 10 mL dose of oral solution contains:

CHLORPHENIRAMINE MALEATE, USP 2 mg

Antihistamine

DEXTROMETHORPHAN HBr, USP 15 mg

Cough suppressant

Relieves

- Cough up to 8 hours
- Runny nose

Alcohol free

For Ages 6 & over

Fruit Punch Flavor

Naturally and Artificially Flavored

Dosage cup included

TWO 4 FL OZ (118 mL) BOTTLES TOTAL – 8 FL OZ (236 mL)

*This product is not manufactured or distributed by Pfizer, owner of the registered trademarks Children's Robitussin[®] Cough + Chest Congestion DM and Children's Robitussin[®] Nighttime Cough DM.

Distributed by: CVS Pharmacy, Inc.

One CVS Drive, Woonsocket, RI 02895

©2018 CVS/pharmacy


CVS.com[®]

1-800-SHOP CVS

V-12431

CVS® Quality

Money Back Guarantee



DAYTIME AND NIGHTTIME COUGH AND CHEST CONGESTION CHILDRENS

dextromethorphan hbr, guaifenesin, chlorpheniramine maleate kit

Product Information

Product Type HUMAN OTC DRUG **Item Code (Source)** NDC:69842-657

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-657-08	1 in 1 KIT; Type 0: Not a Combination Product	02/19/2019	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	118 mL
Part 2	1 BOTTLE	118 mL

Part 1 of 2

DAYTIME COUGH AND CHEST CONGESTION GRAPE FLAVOR

dextromethorphan hbr, guaifenesin liquid

Product Information

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
POTASSIUM CITRATE (UNII: EE90ONI6FF)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	purple	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

Item	Marketing Start	Marketing End
------	-----------------	---------------

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/19/2019	

Part 2 of 2

NIGHT TIME COUGH DM FRUIT PUNCH

chlorpheniramine maleate, diphenhydramine hbr liquid

Product Information

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	2 mg in 10 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
POTASSIUM CITRATE (UNII: EE90ONI6FF)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	red	Score	
Shape		Size	
Flavor	FRUIT PUNCH	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/19/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/19/2019	

Labeler - CVS Pharmacy (062312574)

Revised: 8/2024

CVS Pharmacy