

**AGE20S SIGNATURE ESSENCE PACT INTENSE COVER 17N PACK OF 2-  
octinoxate, octocrylene, titanium dioxide cream  
Aekyung Industrial Co., Ltd.**

-----  
**67225-5016 AGE20S SIGNATURE ESSENCE PACT INTENSE COVER 17N PACK  
OF 2**

Octinoxate 6.50%

Octocrylene 3.00%

Titanium Dioxide 5.12%

Sunscreen

■ Helps prevent sunburn.

■ If used as directed with other sun protection measures ( **see *Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

For external use only.

Do not use on damaged skin or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison control center right away.

Protect the product in this container from excessive heat and avoid storing it under direct sun. ■ Do not crush or drop product. ■ Handle with care. ■ Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

**Directions**


Apply the product on your skin with the included applicator by rubbing the product with the applicator and gently patting it on your skin. Apply liberally 15 minutes before sun exposure.

■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ Limit time in the sun, especially from 10 a.m. - 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses. Children under 6 months of age: Ask a doctor.

■ Reapply at least every 2 hours. Use a water-resistant sunscreen if swimming or sweating.

Water, Betula Platyphylla Japonica Juice, Dipropylene Glycol, Pentaerythrityl Stearate/Caprates/Caprylate/Adipate, Phenyl Trimethicone, Niacinamide, Hydrogenated Poly(C6-14 Olefin), Euphorbia Cerifera (Candelilla) Wax, Dimethicone, Cyclopentasiloxane, Butylene Glycol, Triisostearin, Squalane, Aloe Barbadensis Leaf Extract, 1,2-Hexanediol, Cyclohexasiloxane, Propanediol, Aluminum Hydroxide, Cetyl PEG/PPG-10/1 Dimethicone, Polymethylsilsesquioxane, Methyl Methacrylate Crosspolymer, Silica, Sodium Glutamate, VP/Hexadecene Copolymer, C30-45 Alkyl

Methicone, Stearic Acid, p-Anisic Acid, Dimethicone/PEG-10/15 Crosspolymer, C30-45 Olefin, Glyceryl Caprylate, Betula Platyphylla Japonica Bark Extract, Triethoxycaprylsilane, Glycerin, Tocopheryl Acetate, Panthenol, Ceramide NP, Stearyl Heptanoate, Myristoyl/Palmitoyl Oxostearamide/Arachamide MEA, Adenosine, Cholesterol, Sodium Hyaluronate, Polyhydroxystearic Acid, Hydrolyzed Hyaluronic Acid, Lactobacillus Ferment Lysate, Haematococcus Pluvialis Extract, Linoleic Acid, BHT, Sodium Citrate, Boron Nitride, Astaxanthin, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Tocopherol, Glycine Soja (Soybean) Oil, Lecithin, Ethylhexylglycerin, Disodium EDTA, Sodium Ascorbyl Phosphate, Aphanothece Sacrum Polysaccharide, sh-Polypeptide-60, Fragrance, Alpha-Isomethyl Ionone, Benzyl Benzoate, Benzyl Salicylate, Linalool, +/- may contain(Titanium Dioxide (CI 77891), Iron Oxide (CI 77492), Iron Oxide (CI 77491), Iron Oxide (CI 77499))



## AGE20S SIGNATURE ESSENCE PACT INTENSE COVER 17N PACK OF 2

octinoxate, octocrylene, titanium dioxide cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:67225-5016
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	0.7168 g in 14 g
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.91 g in 14 g

<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	0.42 g in 14 g
---	-------------	----------------

## Inactive Ingredients

Ingredient Name	Strength
<b>CERAMIDE NP</b> (UNII: 4370DF050B)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>SOYBEAN OIL</b> (UNII: 241ATL177A)	
<b>PANTHENOL</b> (UNII: WW9CM0067Z)	
<b>GLYCERIN</b> (UNII: PDC6A3C00X)	
<b>FERROSOFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>GLYCERYL CAPRYLATE</b> (UNII: TM2TZD4G4A)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>HAEMATOCOCCUS PLUVIALIS</b> (UNII: 31T0FF0472)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>STEARYL HEPTANOATE</b> (UNII: 2M4UGL1NCN)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BETULA PLATYPHYLLA BARK</b> (UNII: ZF70YKN0YO)	
<b>BETULA PLATYPHYLLA VAR. JAPONICA RESIN</b> (UNII: 1B33PG6N4K)	
<b>LINOLEIC ACID</b> (UNII: 9KJL21T0QJ)	
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>POLYHYDROXYSTEARIC ACID STEARATE</b> (UNII: 8KQ7I65XZE)	
<b>HYDROGENATED SOYBEAN LECITHIN</b> (UNII: H1109Z9J4N)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>C30-45 OLEFIN</b> (UNII: 6DWD51M008)	
<b>C30-45 ALKYL METHICONE</b> (UNII: NFX970DSI2)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>MONOSODIUM GLUTAMATE</b> (UNII: W81N5U6R6U)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>CHOLESTEROL</b> (UNII: 97C5T2UQ7J)	
<b>HYALURONIC ACID</b> (UNII: S270N0TRQY)	
<b>MYRISTOYL/PALMITOYL OXOSTEARAMIDE/ARACHAMIDE MEA</b> (UNII: 1211AIM8G7)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>HYDROGENATED POLY(C6-14 OLEFIN; 2 CST)</b> (UNII: POTX083987)	
<b>ASTAXANTHIN</b> (UNII: 8XPW32PR7I)	
<b>ADENOSINE</b> (UNII: K72T3FS567)	
<b>VINYLPYRROLIDONE/HEXADECENE COPOLYMER</b> (UNII: KFR5QEN0N9)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>SQUALANE</b> (UNII: GW89575KF9)	
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>CANDELILLA WAX</b> (UNII: WL0328HX19)	

**ALUMINUM OXIDE** (UNII: LMI26O6933)

**DIETHYLAMINO HYDROXYBENZOYL HEXYL BENZOATE** (UNII: ANQ870JD20)

**PROPANEDIOL** (UNII: 5965N8W85T)

**TRISOSTEARIN** (UNII: 71503RH8KG)

**NIACINAMIDE** (UNII: 25X51I8RD4)

**P-ANISIC ACID** (UNII: 4SB6Y7DMM3)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67225-5016-2	2 in 1 PACKAGE	05/07/2025	
1	NDC:67225-5016-1	14 g in 1 CASE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/07/2025	

**Labeler** - Aekyung Industrial Co., Ltd. (690511126)

### Establishment

Name	Address	ID/FEI	Business Operations
Aekyung Industrial Co., Ltd.		690511126	manufacture(67225-5016)

Revised: 12/2025

Aekyung Industrial Co., Ltd.