

**AGE20S SIGNATURE ESSENCE PACT INTENSE COVER 21N PACK OF 2-  
octinoxate, octocrylene, titanium dioxide cream  
Aekyung Industrial Co., Ltd.**

-----  
**67225-5025 AGE20S SIGNATURE ESSENCE PACT INTENSE COVER 21N PACK  
OF 2**

Octinoxate 6.50%

Octocrylene 3.00%

Titanium Dioxide 5.12%

Sunscreen

■ Helps prevent sunburn.

■ If used as directed with other sun protection measures ( **see *Directions*** ), decreases the risk of skin cancer and early skin aging caused by the sun.

For external use only.

Do not use on damaged skin or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison control center right away.

■ Protect the product in this container from excessive heat and avoid storing it under direct sun.

■ Do not crush or drop product. ■ Handle with care. ■ Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

■ Apply the product on your skin with the included applicator by rubbing the product with the applicator and gently patting it on your skin. ■ Apply liberally 15 minutes before sun exposure.


■ **Sun Protection Measures** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

■ Limit time in the sun, especially from 10 a.m. - 2 p.m. ■ Wear long-sleeved shirts, pants, hats, and sunglasses. ■ Children under 6 months of age: Ask a doctor.

■ Reapply at least every 2 hours. Use a water-resistant sunscreen if swimming or sweating.

Water, Betula Platyphylla Japonica Juice, Dipropylene Glycol, Pentaerythrityl Stearate/Caprate/Caprylate/Adipate, Phenyl Trimethicone, Niacinamide, Hydrogenated Poly(C6-14 Olefin), Euphorbia Cerifera (Candelilla) Wax, Dimethicone, Cyclopentasiloxane, Butylene Glycol, Triisostearin, Squalane, Aloe Barbadensis Leaf Extract, 1,2-Hexanediol, Cyclohexasiloxane, Propanediol, Aluminum Hydroxide, Cetyl PEG/PPG-10/1 Dimethicone, Polymethylsilsesquioxane, Methyl Methacrylate Crosspolymer, Silica, Sodium Glutamate, VP/Hexadecene Copolymer, C30-45 Alkyl

Methicone, Stearic Acid, p-Anisic Acid, Dimethicone/PEG-10/15 Crosspolymer, C30-45 Olefin, Glyceryl Caprylate, Betula Platyphylla Japonica Bark Extract, Triethoxycaprylsilane, Glycerin, Tocopheryl Acetate, Panthenol, Ceramide NP, Stearyl Heptanoate, Myristoyl/Palmitoyl Oxostearamide/Arachamide MEA, Adenosine, Cholesterol, Sodium Hyaluronate, Polyhydroxystearic Acid, Hydrolyzed Hyaluronic Acid, Lactobacillus Ferment Lysate, Haematococcus Pluvialis Extract, Linoleic Acid, BHT, Sodium Citrate, Boron Nitride, Astaxanthin, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Tocopherol, Glycine Soja (Soybean) Oil, Lecithin, Ethylhexylglycerin, Disodium EDTA, Sodium Ascorbyl Phosphate, Aphanothece Sacrum Polysaccharide, sh-Polypeptide-60, Fragrance, Alpha-Isomethyl Ionone, Benzyl Benzoate, Benzyl Salicylate, Linalool, +/- may contain(Titanium Dioxide (CI 77891), Iron Oxide (CI 77492), Iron Oxide (CI 77491), Iron Oxide (CI 77499))



## AGE20S SIGNATURE ESSENCE PACT INTENSE COVER 21N PACK OF 2

octinoxate, octocrylene, titanium dioxide cream

### Product Information

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:67225-5025 |
| <b>Route of Administration</b> | TOPICAL        |                           |                |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength         |
|---|-------------------|------------------|
| <b>TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)</b> | TITANIUM DIOXIDE  | 0.7168 g in 14 g |

|   |             |                |
|---|-------------|----------------|
| <b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE | 0.42 g in 14 g |
| <b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)   | OCTINOXATE  | 0.91 g in 14 g |

## Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>HYALURONIC ACID</b> (UNII: S270N0TRQY)                                  |          |
| <b>PANTHENOL</b> (UNII: WW9CM0067Z)  |          |
| <b>VINYLPYRROLIDONE/HEXADECENE COPOLYMER</b> (UNII: KFR5QEN0N9)            |          |
| <b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)                                 |          |
| <b>GLYCERYL CAPRYLATE</b> (UNII: TM2TZD4G4A)                               |          |
| <b>ADENOSINE</b> (UNII: K72T3FS567)  |          |
| <b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)                          |          |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)                                 |          |
| <b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)                               |          |
| <b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)                              |          |
| <b>WATER</b> (UNII: 059QF0K00R)  |          |
| <b>MONOSODIUM GLUTAMATE</b> (UNII: W81N5U6R6U)                             |          |
| <b>C30-45 ALKYL METHICONE</b> (UNII: NFX970DSI2)                           |          |
| <b>C30-45 OLEFIN</b> (UNII: 6DWD51M008)                                    |          |
| <b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)                              |          |
| <b>HYDROGENATED POLY(C6-14 OLEFIN; 2 CST)</b> (UNII: POTX083987)           |          |
| <b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)           |          |
| <b>SOYBEAN OIL</b> (UNII: 241ATL177A)                                      |          |
| <b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)                         |          |
| <b>TRISOSTEARIN</b> (UNII: 71503RH8KG)                                     |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)   |          |
| <b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)                                  |          |
| <b>CANDELILLA WAX</b> (UNII: WL0328HX19)                                   |          |
| <b>SQUALANE</b> (UNII: GW89575KF9)   |          |
| <b>PROPANEDIOL</b> (UNII: 5965N8W85T)                                      |          |
| <b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)            |          |
| <b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)                                   |          |
| <b>CHOLESTEROL</b> (UNII: 97C5T2UQ7J)                                      |          |
| <b>NIACINAMIDE</b> (UNII: 25X51I8RD4)                                      |          |
| <b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)                               |          |
| <b>POLYHYDROXYSTEARIC ACID STEARATE</b> (UNII: 8KQ7I65XZE)                 |          |
| <b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)                                    |          |
| <b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)                                   |          |
| <b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)                               |          |
| <b>BETULA PLATYPHYLLA VAR. JAPONICA BARK</b> (UNII: ZF70YKN0YO)            |          |
| <b>BETULA PLATYPHYLLA VAR. JAPONICA RESIN</b> (UNII: 1B33PG6N4K)           |          |
| <b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)                               |          |
| <b>CERAMIDE NP</b> (UNII: 4370DF050B)                                      |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)                                     |          |
| <b>HYDROGENATED SOYBEAN LECITHIN</b> (UNII: H1109Z9J4N)                    |          |
| <b>MYRISTOYL/PALMITOYL OXOSTEARAMIDE/ARACHAMIDE MEA</b> (UNII: 1211AIM8G7) |          |
| <b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)                                   |          |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)                                      |          |
| <b>DIETHYLAMINO HYDROXYBENZOYL HEXYL BENZOATE</b> (UNII: ANQ870JD20)       |          |

|   |  |
|---|--|
| <b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)      |  |
| <b>STEARYL HEPTANOATE</b> (UNII: 2M4UGL1NCN)      |  |
| <b>ASTAXANTHIN</b> (UNII: 8XPW32PR7I)             |  |
| <b>LINOLEIC ACID</b> (UNII: 9KJL21T0QJ)           |  |
| <b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)        |  |
| <b>P-ANISIC ACID</b> (UNII: 4SB6Y7DMM3)           |  |
| <b>HAEMATOCOCCUS PLUVIALIS</b> (UNII: 31T0FF0472) |  |

### Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:67225-5025-2 | 2 in 1 PACKAGE                                    | 05/07/2025           |                    |
| 1 | NDC:67225-5025-1 | 14 g in 1 CASE; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020                                     | 05/07/2025           |                    |

**Labeler** - Aekyung Industrial Co., Ltd. (690511126)

### Establishment

| Name                         | Address | ID/FEI    | Business Operations     |
|------------------------------|---------|-----------|-------------------------|
| Aekyung Industrial Co., Ltd. |         | 690511126 | manufacture(67225-5025) |

Revised: 12/2025

Aekyung Industrial Co., Ltd.