

**TAGRID ANTIFUNGAL RINGWORM TREATMENT 1% CLOTRIMAZOLE-  
clotrimazole cream  
TAGRID LLC**

-----  
**Tagrid Antifungal Ringworm Treatment 1% CLOTRIMAZOLE**

Clotrimazole 1%

Antifungal

Uses:

1. Clinically proven to effectively relieve most ringworm infections.
2. [Relieves itching, redness, irritation, and discomfort associated with fungal skin conditions.
3. Supports healthier
4. skin recovery

For external use only.

Do not use:

1. On irritated skin or any area that is infected or reddened
2. If allergic to any of the ingredients.
3. If pregnant or breastfeeding, unless directed by a doctor.
4. Avoid contact with eyes

Stop use and ask a doctor if:  
discomfort, burning, or irritation occurs If no improvement within 4 weeks

Do not use:

If pregnant or breastfeeding, unless directed by a doctor.

Keep out of reach of children.

- If product gets into eyes, flush with water for 15 minutes.
- If swallowed, get medical help or contact a Poison Control Center immediately

Directions:

1. Wash affected area with soap and warm water and dry thoroughly
2. Apply a thin layer over affected area twice daily (morning and night), or as directed by a doctor
3. Supervise children in the use of this product
4. If condition persists longer, consult a doctor
5. This product is not effective on the scalp or nails.

1. Store in a cool, dry place (59-86°F/15-30°C)
2. Close the cap tightly after use

Questions or comments?

- Contact us at: [support@tagridstore.com](mailto:support@tagridstore.com)

- Distributed by TAGRID LLC
- San Francisco, CA, USA 94131
- Website: [tagridstore.com](http://tagridstore.com)

1. *Capsicum annuum* var. *glabriusculum* Whole
2. *Viola philippica* Whole
3. *Euphorbia fischeriana* Root
4. *Murraya exotica* Whole
5. *Mentha canadensis* Whole
6. *Sophora flavescens* Root
7. *Cnidium monnieri* Fruit
8. *Grona styracifolia* Whole
9. *Dictamnus dasycarpus* Root Bark
10. *Smilax glabra* Tuber
11. *Phellodendron amurense* Bark
12. *Gleditsia sinensis* Whole
13. *Stemona tuberosa* Root

54\*37\*140MM

**TAGRID**<sup>®</sup>

**Drug Facts**

Active ingredient	Purpose
Clotrimazole 1%	Antifungal

**Uses**

- Clinically proven to effectively relieve most ringworm infections
- Relieves itching, redness, irritation, and discomfort associated with fungal skin conditions
- Supports healthier skin recovery

**Directions**

- Wash affected area with soap and warm water and dry thoroughly
- Apply a thin layer over affected area twice daily (morning and night), or as directed by a doctor
- Supervise children in the use of this product
- If condition persists longer, consult a doctor
- This product is not effective on the scalp or nails

**Warnings**

For external use only.

**Do not use**

- On irritated skin or any area that is infected or reddened
- If allergic to any of the ingredients
- If pregnant or breastfeeding, unless directed by a doctor
- Avoid contact with eyes

**Stop use and ask a doctor**

- If discomfort, burning, or irritation occurs
- If no improvement within 4 weeks

**Keep out of reach of children**

- If product gets into eyes, flush with water for 15 minutes
- If swallowed, get medical help or contact a Poison Control Center immediately

**Storage**

- Store in a cool, dry place (59–86°F / 15–30°C).
- Close the cap tightly after use

**Questions or comments?**

Contact us at: [support@tagridstore.com](mailto:support@tagridstore.com)  
 Distributed by TAGRID LLC  
 San Francisco, CA, USA 94131  
 Website: [tagridstore.com](http://tagridstore.com)



Advanced Formula



Hypoallergenic  
Dermatologist-Tested



Cruelty-Free

**TAGRID**<sup>®</sup>

**ANTIFUNGAL  
RINGWORM  
TREATMENT**

**1% CLOTRIMAZOLE**



**MAXIMUM  
STRENGTH**

**DERMATOLOGIST-TESTED  
FOR EXTERNAL USE ONLY**



**INACTIVE INGREDIENTS**

Capsicum annuum var. glabrusculum whole, Viola philippica whole, Euphorbia fischeriana root, Murraya Paniculata Whole, Mentha canadensis whole, Sophora flavescens root, Cnidium monnieri fruit, Grona styracifolia whole, Dictamnus dasycarpus root bark, Smilax glabra tuber, Phellodendron amurense bark, Gleditsia sinensis whole, Stemona tuberosa root.

MANUFACTURED AT THE TAGRID LICENSED FACILITY IN THE PRC.



**NET WT. 3.53 FL OZ (100 G)**

**TAGRID ANTIFUNGAL RINGWORM TREATMENT 1% CLOTRIMAZOLE**  
clotrimazole cream

**Product Information**

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:85384-0006

**Route of Administration** TOPICAL

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
CLOTRIMAZOLE (UNII: G07GZ97H65) (CLOTRIMAZOLE - UNII:G07GZ97H65)	CLOTRIMAZOLE	1 g in 100 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
CAPSICUM ANNUUM VAR. GLABRIUSCULUM WHOLE (UNII: EBY87O68PT)	
VIOLA PHILIPPICA WHOLE (UNII: O176VC3N54)	
EUPHORBIA FISCHERIANA ROOT (UNII: R4DRG4762Y)	
MURRAYA PANICULATA WHOLE (UNII: Y8ZAA3Z7WU)	
STEMONA TUBEROSA ROOT (UNII: 7S9328671Z)	
MENTHA CANADENSIS WHOLE (UNII: J1BO4MHT2L)	
SOPHORA FLAVESCENS ROOT (UNII: IYR6K8KQ5K)	
CNIDIUM MONNIERI FRUIT (UNII: V1A3S3CUS)	
GRONA STYRACIFOLIA WHOLE (UNII: 2GQP5Q33SQ)	
DICTAMNUS DASYCARPUS ROOT BARK (UNII: LA97176ILS)	
SMILAX GLABRA TUBER (UNII: PES3YXA3LR)	
PHELLODENDRON AMURENSE BARK (UNII: PBG27B754G)	
GLEDITSIA SINENSIS WHOLE (UNII: FS3UB95UTG)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:85384-0006-1	100 g in 1 TUBE; Type 0: Not a Combination Product	05/20/2025	

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M005	05/20/2025	

**Labeler** - TAGRID LLC (118778969)

**Registrant** - TAGRID LLC (118778969)