

## **SENNA S- docusate sodium, sennosides tablet**

### **Walgreens**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Drug Facts**

#### **Active ingredients (in each tablet)**

Docusate sodium 50 mg

Sennosides 8.6 mg

#### **Purpose**

Stool softener

Laxative

#### **Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6-12 hours

#### **Warnings**

##### **Do not use**

- if you are now taking mineral oil, unless directed by a doctor
- laxative products for longer than 1 week unless directed by a doctor

##### **Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that continues over a period of 2 weeks

##### **Stop use and ask a doctor if**

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

##### **If pregnant or breast-feeding,**

ask a health professional before use.

##### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-

1222) right away.

### Directions

- take preferably at bedtime or as directed by a doctor

age	starting dosage	maximum dosage
adults and children 12 years of age or over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

### Other information

- **each tablet contains:** calcium 20 mg
- **each tablet contains:** sodium 6 mg LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

### Inactive ingredients

carnauba wax, croscarmellose sodium, D&C yellow #10 aluminum lake, dibasic calcium phosphate dihydrate, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium benzoate, stearic acid, titanium dioxide

### Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

### Principal Display Panel

Compare to the active ingredients in Senokot-S®††

### Senna-S

DOCUSATE SODIUM 50 mg /

STOOL SOFTENER

SENNOSIDES 8.6 mg / LAXATIVE

DUAL ACTION

- Natural Vegetable Laxative
- Gently relieves constipation

TABLETS

††This product is not manufactured or distributed by Avrio Health L.P., owner of the registered trademark Senokot-S®

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION**

≠≠This product is not manufactured or distributed by Purdue Products L.P., distributor of Senokot-S®.

**DISTRIBUTED BY: WALGREENS CO**

**200 WILMOT RD., DEERFIELD, IL 60015**

**walgreens.com**

**Product Labeling**

**VALUE SIZE**

*Walgreens*

Compare to the active ingredients  
in Senokot-S®

**Senna-S**

DOCUSATE SODIUM 50 mg / STOOL SOFTENER  
SENNOSIDES 8.6 mg / LAXATIVE

Dual Action

- Natural vegetable laxative
- Relieves occasional constipation

**220** TABLETS

ACTUAL SIZE

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

**Drug Facts**

**Active ingredients (in each tablet)** Purpose  
 Docusate sodium 50 mg.....Stool softener  
 Sennosides 8.6 mg.....Laxative

**Uses** ■ relieves occasional constipation (irregularity)  
 ■ generally produces bowel movement in 6-12 hours

**Warnings**  
**Do not use**  
 ■ if you are now taking mineral oil, unless directed by a doctor  
 ■ laxative products for longer than 1 week unless directed by a doctor

**Ask a doctor before use if you have** ■ stomach pain  
 ■ nausea ■ vomiting ■ noticed a sudden change in bowel habits that continues over a period of 2 weeks

**Stop use and ask a doctor if you have** rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

**Drug Facts (continued under label)**

**W3ORG0921-F3**

Walgreens Pharmacists Recommended.  
 Our pharmacists recommend the Walgreens brand.  
 We invite you to compare to national brands.  
 ††This product is not manufactured or distributed by Avrio Health L.P., owner of the registered trademark Senokot-S®.  
 DISTRIBUTED BY: WALGREEN CO, 200 WILMOT RD., DEERFIELD, IL 60015  
 100% SATISFACTION GUARANTEED walgreens.com ©2021 Walgreen Co.

ITEM 152983 W10064-1021-F

how2recycle.info

PLASTIC BOTTLE

PEEL HERE

**Drug Facts (continued)**

If pregnant or breast-feeding, ask a health professional before use.  
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ take preferably at bedtime or as directed by a doctor

age	starting dosage	maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

**Other information**  
 ■ each tablet contains: calcium 20 mg  
 ■ each tablet contains: sodium 6 mg LOW SODIUM  
 ■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

**Inactive ingredients** carnauba wax, croscarmellose sodium, D&C yellow #10 aluminum lake, dibasic calcium phosphate dihydrate, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium benzoate, stearic acid, titanium dioxide

**Questions or comments?**  
 Call 1-877-753-3838 Monday-Friday 9AM-5PM EST

**WALGREENS Senna-S**

**SENNAS S**

docusate sodium, sennosides tablet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-8760
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>DOCUSATE SODIUM</b> (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
<b>SENNOSIDES</b> (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>D&amp;C YELLOW NO. 10</b> (UNII: 35SW5USQ3G)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	

**Product Characteristics**

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	TCL081
<b>Contains</b>			

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:0363-8760-12	1 in 1 BOX	11/29/2019	
1		120 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:0363-8760-60	1 in 1 BOX	11/29/2019	
2		60 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:0363-8760-20	220 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/29/2019	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	11/29/2019	

**Labeler** - Walgreens (008965063)

Revised: 11/2022

Walgreens