

**VCF CONTRACEPTIVE PRE-FILLED APPLICATORS- nonoxynol-9 gel, metered  
APOTHECUS PHARMACEUTICAL CORP**

-----  
**VCF® CONTRACEPTIVE GEL PRE-FILLED APPLICATORS**

***Drug Facts***

**Active Ingredient**

Nonoxynol-9, (4%)

**Purpose**

Vaginal Contraceptive

**Use**

- for the prevention of pregnancy
- with condom or alone

**Warnings**

**For Vaginal Use Only**

**Not for rectal (anal) use.**

**Sexually Transmitted Disease (STDs) alert**

This product does **not** protect against HIV (AIDS) or other STDs and may increase the risk of getting HIV from an infected partner.

**Do not use** if you or your sex partner has HIV/AIDS. If you do not know if you or your sex partner is infected, choose another form of birth control

**Stop use and ask a doctor** if you or your partner get burning, itching, a rash, or other irritation of the vagina or penis.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- For maximum protection against unwanted pregnancy, follow the enclosed directions exactly.
- Insert one applicatorful into the vagina prior to intercourse (see complete, illustrated directions on package insert).
- Each applicatorful is effective immediately and up to one hour after application.
- An additional applicatorful is required prior to each act of intercourse, regardless of time since last application.

## **Other Information**

- When used correctly every time you have sex, latex condoms greatly reduce, but do not eliminate, the risk of catching or spreading HIV, the virus that causes AIDS.
- Use a latex condom without nonoxynol-9 if you or your sex partner has HIV/AIDS, multiple sex partners, or other HIV risk factors.
- VCF® is tested by independent laboratories for determination of sperm inactivating qualities, using the I.P.P.F. agreed protocol
- Store at room temperature, 59° - 86° F (15° - 30° C).  
Avoid exposure to extremes of hot and cold.

## **Inactive Ingredients**

purified water, propylene glycol, CMC 7MF, sorbitol solution, PVP K 30, simethicone, lactic acid, methyl paraben, potassium sorbate, sodium benzoate, trisodium EDTA

## **Questions?**

If you have any questions, call our toll-free line at 1-800-879-2393 between 9:00AM and 5:00PM EST, Monday through Friday.

Distributed By:  
Apothecus Pharmaceutical Corp.  
Oyster Bay, NY 11771

## **PRINCIPAL DISPLAY PANEL - 2.55 g Applicator Box**

***New!***

**Compare To  
CONCEPTROL®!**

**VCF®**

Vaginal  
Contraceptive  
Gel

FOR PREVENTION OF PREGNANCY

Pre-Filled Applicators

- Safe and effective
- Hormone free
- Easy to use

***Contains the Spermicide  
Doctors Recommend Most***

**10**  
PRE-FILLED APPLICATORS  
NET WT. 0.09 oz. (2.55g) EACH



# VCF<sup>®</sup>

## Vaginal Contraceptive Gel

**New!**

**Compare To  
CONCEPTROL<sup>®</sup>!**

**New!**

**Compare To  
CONCEPTROL<sup>®</sup>!**

# VCF<sup>®</sup>

## Vaginal Contraceptive Gel

FOR PREVENTION OF PREGNANCY

Pre-Filled Applicators



- Safe and effective
- Hormone free
- Easy to use

*Contains the Spermicide  
Doctors Recommend Most*

**10** PRE-FILLED APPLICATORS  
NET WT. 0.09 oz. (2.55g) EACH

# VCF<sup>®</sup>

## Vaginal Contraceptive Gel

FOR PREVENTION OF PREGNANCY

Pre-Filled Applicators



- Safe and effective
- Hormone free
- Easy to use

*Contains the Spermicide  
Doctors Recommend Most*

**10** PRE-FILLED APPLICATORS  
NET WT. 0.09 oz. (2.55g) EACH






Visit us at our website [www.apothecus.com](http://www.apothecus.com)

Distributed By:  
Apothecus Pharmaceutical Corp.  
Oyster Bay, NY 11771

Conceptrol is a registered trademark of  
Revive Personal Products Company.

- Safe and effective
- Hormone free
- Easy to use

**VCF**<sup>®</sup>  
Vaginal  
Contraceptive  
Gel



## Drug Facts

### Active Ingredient

Nonoxynol-9, (4%) . . . . . Vaginal Contraceptive

### Purpose

### Use

- for the prevention of pregnancy
- with condom or abstinence

### Warnings

**For Vaginal Use Only**

**Not for rectal (anal) use.**

#### Sexually Transmitted Disease (STDs) alert:

This product does **not** protect against HIV (AIDS) or other STDs and may increase the risk of getting HIV from an infected partner.

**Do not use** if you or your sex partner has HIV/AIDS. If you do not know if you or your sex partner is infected, choose another form of birth control.

**Stop use and ask a doctor** if you or your partner get burning, itching, a rash, or other irritation of the vagina or penis.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.


### Directions

- For maximum protection against unwanted pregnancy, follow the enclosed directions exactly.
- Insert one applicatorful into the vagina prior to intercourse (see complete, illustrated directions on package insert).
- Each applicatorful is effective immediately and up to one hour after application.
- An additional applicatorful is required prior to each act of intercourse, regardless of time since last application.

### Other Information

- When used correctly every time you have sex, latex condoms greatly reduce, but do not eliminate, the risk of catching or spreading HIV, the virus that causes AIDS.
- Use a latex condom with out nonoxynol-9 if you or your sex partner has HIV/AIDS, multiple sex partners, or other HIV risk factors.
- VCF<sup>®</sup> is tested by independent laboratories for determination of sperm inactivating qualities, using the I.P.P.F. agreed protocol
- Store at room temperature, 59° - 86° F (15° - 30° C). Avoid exposure to extremes of hot and cold.

SPARE OUT/  
NON-VARNISH AREA



## VCF CONTRACEPTIVE PRE-FILLED APPLICATORS

nonoxynol-9 gel, metered

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:52925-512 |
| <b>Route of Administration</b> | VAGINAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength     |
|---|-------------------|--------------|
| <b>NONOXYNOL-9</b> (UNII: 48Q180SH9T) (NONOXYNOL-9 - UNII:48Q180SH9T) | NONOXYNOL-9       | 4 g in 100 g |

### Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| <b>Water</b> (UNII: 059QF0KO0R)                         |          |
| <b>Propylene Glycol</b> (UNII: 6DC9Q167V3)              |          |
| <b>Sodium Benzoate</b> (UNII: OJ245FE5EU)               |          |
| <b>Sorbitol</b> (UNII: 506T60A25R)                      |          |
| <b>Povidone K30</b> (UNII: U725QWY32X)                  |          |
| <b>Lactic Acid, Unspecified Form</b> (UNII: 33X04XA5AT) |          |
| <b>Methylparaben</b> (UNII: A218C7HI9T)                 |          |
| <b>Potassium Sorbate</b> (UNII: 1VPU26JZZ4)             |          |
| <b>Edetate Trisodium</b> (UNII: 420IP921MB)             |          |

**Product Characteristics**

|                 |       |                     |  |
|-----------------|-------|---------------------|--|
| <b>Color</b>    | WHITE | <b>Score</b>        |  |
| <b>Shape</b>    |       | <b>Size</b>         |  |
| <b>Flavor</b>   |       | <b>Imprint Code</b> |  |
| <b>Contains</b> |       |                     |  |

**Packaging**

| # | Item Code        | Package Description  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:52925-512-10 | 10 in 1 BOX  | 06/01/2014           |                    |
| 1 |                  | 2.55 g in 1 APPLICATOR; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.) |                      |                    |
| 2 | NDC:52925-512-25 | 250 in 1 CARTON  | 06/01/2014           |                    |
| 2 |                  | 2.55 g in 1 APPLICATOR; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.) |                      |                    |

**Marketing Information**

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC monograph drug | 505G(a)(3)                               | 06/01/2014           |                    |

**Labeler** - APOTHECUS PHARMACEUTICAL CORP (119263747)

Revised: 12/2024

APOTHECUS PHARMACEUTICAL CORP