MENTHOL COUGH DROPS- menthol lozenge American Sales

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Menthol 5.4 mg

Active ingredient (in each drop)

Menthol 5.4 mg

Purpose

Cough suppressant/Oral anesthetic

Uses temporarily relieves:

cough as may occur with a cold

occasional minor irritation and sore throat

Warnings

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly. If sore mouth symptoms do not improve in 7 days, see your dentist or doctor promptly. These symptoms could be serious.

Ask a doctor before use if you have:

- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough accompanied by excessive phlegm (mucus)

Stop use and ask doctor if

- cough persists for more than 7 days, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.
- sore throat is severe, or irritation, pain or redness lasts or worsens
- sore mouth does not improve in 7 days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

adults and children 5 years and over - dissolve 1 lozenge slowly in mouth. Repeat every 2 hours as needed or as directed by a doctor.

children under 5 years - ask a doctor


Other information


• 10 calories per drop

Inactive ingredients: Corn starch, corn syrup, eucalyptus oil, FD&C blue no. 1, FD&C red no. 40, glycerin, gum arabic, medium chain triglycerides, natural flavor, potassium

sorbate, soybean oil, sucrose and water.

Questions? Or to report an adverse event call **1-800-245-2898**. Monday - Friday, 9AM to 4PM EST





children under 5 years | ask a doctor

5 years and over adults and children Directions

ide

Seal

rea

or as directed by a doctor. every two hours as necessary in mouth. May be repeated allow 1 drop to dissolve slowly

before use. Keep out of the reach of children. If pregnant or breast-feeding, ask a health professional

- sore mouth does not improve in 7 days Or WOrsens
- sore throat is severe, or imitation, pain or redness lasts These could be signs of a serious condition. is accompanied by fever, rash, or persistent headache.
- cough persists for more than 7 days, tends to recur, or Stop use and consult doctor if
 - condy accombanied by excessive phiegm (mucus) smoking, asthma, or emphysema
 - becaragent or chronic cough such as occurs with



Side Seal Area



MENTHOL COUGH DROPS

menthol lozenge

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:41520-009

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength

MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)

MENTHOL

5.4 mg

Inactive Ingredients

Ingredient Name Strength

WATER (UNII: 059QF0KO0R)

Product Characteristics

Color	blue (light blue with blue flakes)	Score	no score
Shape	OVAL	Size	16mm

		MENTHOL	Imprint Code	В					
Со	ntains								
Packaging									
ГС			Marketing Start	Markating End					
#	Item Code	Package Description	Date	Marketing End Date					
1	NDC:41520-009- 30	30 in 1 BAG; Type 0: Not a Combination Product	06/09/2016						
				9 4 //					
		-	-						
Marketing Information									
	Marketing Category	Application Number or Monograp Citation	h Marketing Start Date	Marketing End Date					
ОТ	C monograph fina		06/09/2016						
	- '	I.							

Labeler - American Sales (809183973)

Establishment							
Name	Address	ID/FEI	Business Operations				
Bestco Inc.		002149136	manufacture(41520-009)				

Revised: 10/2023 American Sales