

**CHLORASEPTIC TOTAL SORE THROAT AND COUGH, SUGAR FREE- menthol and benzocaine and dextromethorphan hydrobromide lozenge
Prestige Brands Holdings, Inc.**

Chloraseptic Sugar Free Lozenges

Drug Facts

Active Ingredients

(in each lozenge)

Benzocaine 6 mg

Purpose

Oral pain reliever

Active Ingredients

(in each lozenge)

Dextromethorphan HBr 5 mg

Purpose

Cough Suppressant

Active Ingredients

(in each lozenge)

Menthol 10 mg

Purpose

Oral pain reliever

Uses

Temporarily relieves

- occasional minor irritation, pain, sore throat and sore mouth
- cough due to minor throat and bronchial irritation as may occur with the common cold

Warnings

Methemoglobinemia warning:

Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- pale, gray, or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

Allergy Alert: Do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other “caine” anesthetics. If a skin reaction occurs, stop use and seek medical help right away.

Sore Throat Warning: Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult doctor promptly. Do not use more than 2 days or administer to children under 6 years of age unless directed by a doctor.

Do not use

- this product if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson’s disease), or for 2 weeks after stopping the MAOI drug. If you are uncertain whether your prescription drug contains an MAOI, consult a health care professional before taking this product.
- for teething
- in children under 6 years of age

Ask a doctor before use if you have

- a persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- a cough accompanied by excessive phlegm (mucus)

When using this product

do not exceed recommended dosage.

Stop use and ask a dentist or doctor if:

- sore mouth symptoms do not improve in 7 days
- irritation, pain or redness persists or worsens
- swelling, rash or fever develops
- cough persists for more than 1 week, tends to recur, or is accompanied by a high fever, rash, or persistent headache. These could be symptoms of a serious condition.

If pregnant or breast-feeding,

ask a health care professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- **Adults and children over 12 years of age:** 2 lozenges every 4 hours – not to exceed 12 lozenges every 24 hours.
- **Children 6-12 years of age:** 1 lozenge every 4 hours – not to exceed 6 lozenges every 24 hours.
- **Children under 6 years of age:** do not use.

Other Information

- Store between 15°C - 30°C (59°F - 86°F) .
- Protect from moisture.
- Check expiration date before using.

Inactive Ingredients

Acesulfame Potassium, FD&C Blue no. 1, FD&C Red no. 40, Flavor, Glycerine, Hydrogenated Starch Hydrolysate, Isomalt, Soy Lecithin, Sucralose, Water

Questions?

1-800-552-7932Chloraseptic.com

PRINCIPAL DISPLAY PANEL

Chloraseptic® Total Sugar Free

SORE THROAT + COUGH Lozenges

Benzocaine / Menthol / Oral Anesthetic/Analgesic

Dextromethorphan HBr /Cough Suppressant

Wild Cherry|15 lozenges



CHLORASEPTIC TOTAL SORE THROAT AND COUGH, SUGAR FREE

menthol and benzocaine and dextromethorphan hydrobromide lozenge

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67172-015
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	10 mg	
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	6 mg	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg	

Inactive Ingredients	
Ingredient Name	Strength
ACESULFAME POTASSIUM (UNII: 230V73Q5G9)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYDROGENATED STARCH HYDROLYSATE (UNII: 27F77DSJ5V)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics			
Color	red	Score	2 pieces
Shape	OVAL	Size	4mm

Flavor	CHERRY	Imprint Code	C
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67172-015-11	1 in 1 CARTON	08/01/2010	
1		15 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	08/01/2010	

Labeler - Prestige Brands Holdings, Inc. (159655021)

Revised: 10/2025

Prestige Brands Holdings, Inc.