FIRST AID ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin b sulfate gel

Hubei Changjian Medical Products Co., Ltd.

First Aid Antibiotic Ointment

Drug Facts

Active ingredients (in each gram)

Bacitracin zinc (bacitracin 400 units)

Neomycin sulfate (neomycin 3.5mg)

Polymyxin B sulfate (polymyxin B 5,000 units)

Purpose

First aid antibiotic

Use

• First aid to help prevent infection in minor cuts, scrapes and burns.

Warnings

For external use only.

Do not use

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor.

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- the condition persists or gets worse.
- a rash or other allergic reaction develops.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean the affected area.
- Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily.
- May be covered with a sterile bandage.

Other information

Store at room temperature

Inactive ingredients

Mineral oil, petrolatum, purified water

Package Labeling: 82996-001-01

First Aid Antibiotic Ointment Bacitracin Zinc, Neomycin Sulfate, Polymyxin B Sulfate

Net Wt. 1/57 oz (0.5 g)





Hubei Changjian Medical Products Co., Ltd. No.1 Building 1, shazigang Industrial Park, Taodian Town, Huangzhou District, Huanggang City, Hubei, 438011, China

Drug Facts

Active ingredients (in each gram)

Purpose

Bacitracin zinc (bacitracin 400 units)
Neomycin sulfate (neomycin 3.5mg)
Polymyxin B sulfate (polymyxin B 5,000 units

.First aid antibiotic

Use First aid to help prevent infection in minor cuts.scrapes and burns.

Warnings For external use only.

Do not use ■ in the eyes ■ over large areas of the body

- if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor.

Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns

Stop use and ask a doctor if ■ the condition persists or gets worse. ■ a rash or other allergic reaction develops. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily.
- May be covered with a sterile bandage.

Other information

Store at room temperature.

Inactive ingredients

Mineral oil, petrolatum, purified water

TO REPORT A SERIOUS ADVERSE EVENT, CONTACT +1(855)924-2182





FIRST AID ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate gel

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:82996-001

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingradiant Name Basis of Strongth

інутеціені іматіе	Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RW052I)	BACITRACIN	400 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:116QD7X297)	NEOMYCIN	35 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII: J2VZ 07J96K)	POLYMYXIN B	5000 [iU] in 1 g

Inactive Ingredients				
Ingredient Name	Strength			
MINERAL OIL (UNII: T5L8T28FGP)				
PETROLATUM (UNII: 4T6H12BN9U)				
WATER (UNII: 059QF0KO0R)				

l	P	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
			0.5 g in 1 POUCH; Type 0: Not a Combination Product	11/01/2022	04/01/2027	

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M004	11/01/2022	04/01/2027		

Labeler - Hubei Changjian Medical Products Co., Ltd. (699440035)

Revised: 10/2024 Hubei Changjian Medical Products Co., Ltd.