

TOP MEDICATED PAIN RELIEVING- camphor, menthol, methyl salicylate oil
Albert Max, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

TOP MEDICATED OIL

Drug Facts

Active ingredients

Camphor 10%

Menthol 16%

Methyl Salicylate 40%

Purpose

External Analgesic

Uses

Temporarily relieves minor aches and pains of muscles and joints due to:

- simple backache • arthritis • strains • bruises • sprains

Warnings

For external use only

Do not use

- on wounds
- on irritated or damaged skin
- otherwise than as directed

When using this product

- avoid contact with the eyes or mucous membranes
- do not bandage tightly

Stop use and ask a doctor if

- condition worsens • symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- excessive irritation of the skin develops
- nausea, vomiting, abdominal discomfort, diarrhea, or skin rashes occurs

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years of age and older: apply 3 to 4 drops of medicated oil to the affected area 1 to 2 times daily. After applying the product, a warm pad may be placed on the affected area for 10 minutes and then massage as shown in the illustrations.
- children under 12 years of age: consult your physician.
- refer to the above warnings; use otherwise than as directed may be dangerous.

Other information

- store at 16° to 30°C (61° to 86° F) • store in an airtight container

Inactive ingredients

- Eucalyptus oil • Lavender oil

DISTRIBUTED BY:**A&A MEDICAL SUPPLIES, INC.****S. El Monte, CA 91733 USA****MADE IN TAIWAN****ITEM NO. HK105****Packaging**



DRUG FACTS LABEL

Drug Facts 藥品資料

Active ingredients 有效成份 Purpose 用途
 Camphor 10% 樟腦 External Analgesic 外用鎮痛藥
 Menthol 16% 薄荷腦 External Analgesic 外用鎮痛藥
 Methyl Salicylate 40% 水楊酸甲酯 External Analgesic 外用鎮痛藥

Uses 作用 Temporarily relieves minor aches and pains of muscles and joints due to:
 暫時緩解因下列症狀引起的肌肉和關節輕微疼痛:
 • simple backache 普通背痛 • arthritis 關節炎
 • strains 扭傷 • bruises 瘀傷 • sprains 扭傷

Warnings 告誡 For external use only 只供外用
 Do not use 在下列情況下請勿使用
 • on wounds • 傷口
 • on irritated or damaged skin • 過敏或破損的皮膚
 • otherwise than as directed • 說明以外的用途

When using this product 在使用本品時
 • avoid contact with the eyes • 避免接觸眼睛或黏膜
 or mucous membranes
 • do not bandage tightly • 切勿用繃帶包紮過緊

Drug Facts (continued) 藥品資料 (續)

Stop use and ask a doctor if
 如出現下列情況應停止使用本品並請教醫生:
 • condition worsens • symptoms persist for more than 7 days
 情況惡化 症狀持續七天以上
 • symptoms clear up and occur again within a few days
 症狀消失幾天後又再出現
 • excessive irritation of the skin develops 皮膚出現過敏

Drug Facts (continued) 藥品資料 (續)

• nausea, vomiting, abdominal discomfort, diarrhea, or skin rash occurs
 噁心、嘔吐、腹部不適、腹瀉、或出現皮疹

Keep out of reach of children
 If swallowed, get medical help or contact a Poison Control Center right away.
 保存在兒童接觸不到的地方
 如果吞下，請立即就醫或聯絡毒物控制中心。

Drug Facts (continued) 藥品資料 (續)

Directions 用法
 • adults and children 12 years of age and older: apply 3 to 4 drops of medicated oil to the affected area 1 to 2 times daily. After applying the product, a warm pad may be placed on the affected area for 10 minutes and then massage as shown in the illustrations.
 成人和12歲以上的兒童：應請教醫生。
 塗上藥物後，可敷敷患處10分鐘，並依圖按摩。
 • children under 12 years of age: consult your physician.
 12歲以下的兒童：應請教醫生。
 • refer to the above warnings; use otherwise than as directed may be dangerous.

Drug Facts (continued) 藥品資料 (續)

請參考上述告誡；若不依照說明使用可能會導致危險。

Other information 其它資訊
 • store at 16° to 30°C (61° to 86°F) • store in an airtight container
 儲存溫度16°到30°C (61°到86°F) 保持容器蓋緊

Inactive ingredients 無藥效成份
 • Eucalyptus oil 桉葉油 • Lavender oil 薰衣草精油

camphor, menthol, methyl salicylate oil

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68233-808
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CAMPHOR (NATURAL) (UNII: N20HL7Q941) (CAMPHOR (NATURAL) - UNII:N20HL7Q941)	CAMPHOR (NATURAL)	0.1 g in 1 mL
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL, UNSPECIFIED FORM	0.16 g in 1 mL
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	0.4 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
EUCALYPTUS OIL (UNII: 2R04ONI662)	
LAVENDER OIL (UNII: ZBP1YXW0H8)	

Product Characteristics

Color	yellow	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68233-808-01	50 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/24/2012	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	05/24/2012	

Labeler - Albert Max, Inc. (149445798)