

QIDILA 5% MINOXIDIL FOAM- minoxidil biotin aerosol, foam
Beijing JUNGE Technology Co., Ltd.

For external use only.

Extremely Flammable: Avoid fire, flame, or smoking during and immediately following application.

swallowed, get medical help or contact a Poison Control Center rightaway. (1-800-222-1222) right away.

ALCOHOL - GLYCERIN - CETYL ALCOHOL - STEARYL ALCOHOL - POLYSORBATE 80 - ANHYDROUS CITRIC ACID - LACTIC ACID - CASTOR OIL - .ALPHA.-TOCOPHEROL - EDETATE DISODIUM - WATER

Before use, read all information on carton and enclosed leaflet

Store at controlled room temperature 20° to 25°C (68° to 77°F). Do not incinerate container, Do not expose to heat or store at temperature above 120°F (49°C).

See enclosed leaflet for complete directions on how to use.

Apply half a capful twice daily directly to the scalp in the hair loss area

Massage into scalp with fingers, then wash hands well.

Using more or more often will not improve results.

Continued use is necessary to increase and keep your hair regrowth or hair loss will begin again.

Do not use more than directed.

Do not apply on other parts of the body.

Avoid contact with the eyes, In case of accidental contact, rinse eyes with large amounts of cool tap water.

For some women, you may need to use this product once a day for at least 6 months before you see results.

The amount of hair regrowth is different for each person. This product will not work for all women

if chest pain, rapid heartbeat, faintness, or dizziness occurs

if sudden, unexplained weight gain occurs.

if your hands or feet swell.

if scalp irritation or redness occurs.

if unwanted facial hair growth occurs .

if you do not see hair regrowth in 6 months.

your degree of hair loss is different than that shown on side of this carton because this product may not work for you.

You have no family history of hair loss.

Your hair loss is sudden and/or patchy.

You do not know the reason for your hair loss.

Your hair loss is associated with childbirth.

You are under 18 years of age, Do not use on babies and children,

You use other medicines on the scalp.


Your scalp is red, inflamed, infected, irritated, or painful.

Minoxidil 5% Biotin 5%

For external use only. Extremely Flammable: Avoid fire, flame, or smoking during and immediately following application.

Use to regrow hair on the top of the scalp

Hair regrowth treatment



QIDILA 5% MINOXIDIL FOAM

minoxidil biotin aerosol, foam

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85212-0036
Route of Administration	EXTRACORPOREAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BIOTIN (UNII: 6SO6U10H04) (BIOTIN - UNII:6SO6U10H04)	BIOTIN	5 g in 100 mL
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
CETYL ALCOHOL (UNII: 936JST6JCN)	1 mL in 100 mL
CITRIC ACID (UNII: 2968PHW8QP)	1 mL in 100 mL
ISOBUTANE (UNII: BXR49TP611)	1 mL in 100 mL
WATER (UNII: 059QF0KO0R)	82.5 mL in 100 mL
LACTIC ACID (UNII: 33X04XA5AT)	1 mL in 100 mL
DEHYDRATED ALCOHOL (UNII: 3K9958V90M)	1 mL in 100 mL
POLYSORBATE 60 (UNII: CAL22UVI4M)	1 mL in 100 mL
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	0.5 mL in 100 mL
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	1 mL in 100 mL

Product Characteristics

Color		Score	
Shape	FREEFORM	Size	

Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85212-0036-1	60 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	01/01/2025	



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075357	01/01/2025	

Labeler - Beijing JUNGE Technology Co., Ltd. (848718652)

Registrant - Beijing JUNGE Technology Co., Ltd. (848718652)

Establishment

Name	Address	ID/FEI	Business Operations
Zhejiang Ayan Biotech Co., Ltd.		544377996	manufacture(85212-0036)

Revised: 5/2025

Beijing JUNGE Technology Co., Ltd.