

**CICATRICURE BRIGHTENING WITH SPF SUNSCREEN- avobenzone, homosalate, octinoxate, octisalate, and oxybenzone cream  
Genomma Lab USA Inc.**

-----  
**Cicatricure® Brightening Face Cream With SPF**

***Drug Facts***

---

***Active ingredients Purpose***

OCTINOXATE, 7.5% Sunscreen

OCTISALATE, 4.5% Sunscreen

HOMOSALATE, 4.5% Sunscreen

OXYBENZONE, 3% Sunscreen

AVOBENZONE, 1% Sunscreen

---

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (***see Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes.

Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

**For sunscreen use**

- apply generously and evenly 15 minutes before sun exposure. Reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating.

**Sun Protection Measures**

Spending time in the sun increases your risk of skin cancer and early skin aging. To

decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF factor of 15 or higher and other skin protection measures including:

- limit time in the sun, especially from 10am to 2pm
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

### **Other information**

- protect product from excessive heat and direct sun
- may stain some fabrics
- keep this carton for future reference.

### **Inactive ingredients**

WATER, GLYCERIN, ALCOHOL, POLYSORBATE 60, SORBITAN STEARATE, BUTYLENE GLYCOL, TRIETHANOLAMINE, CARBOMER, BENZYL ALCOHOL, PHENOXYETHANOL, METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER, FRAGRANCE, POLYSORBATE 20, HYDROLYZED OAT PROTEIN, PPG-2 MYRISTYL ETHER PROPIONATE, ETHYL ASCORBIC ACID, ALPHA-ARBUTIN, ETHYLHEXYLGLYCERIN, SILANEDIOL SALICYLATE, MELANIN, PALMITOYL TRIPEPTIDE-1, PALMITOYL TETRAPEPTIDE-7.

### **Questions**

Call toll free 1 877-994-3666 Monday to Friday, 8am to 6pm, Central time

Distributed by:  
Genomma Lab USA Inc.  
Houston, TX 77098

### **PRINCIPAL DISPLAY PANEL - 50 ml Bottle Carton**

WITH SUNSCREEN

cicatricure®  
BRIGHTENING CREAM

Unifies skin tone

Reduces appearance  
of wrinkles

Moisturizes and helps nourish

EXCLUSIVE FORMULA \*QACETYL 10®  
& NUTRI-ACLARANT

SPF 20

\*QAcetyl-10® is an exclusive blend of conditioners and peptides

Net. Wt. 1.6 FL Oz (50 ml)



# cicatricure®

WITH SUNSCREEN / CON FILTRO SOLAR

# cicatricure®

LONG EXPOSURE TO UV RAYS MAY CAUSE PREMATURE APPEARANCE OF WRINKLES AND DARK SPOTS, AS WELL AS DEHYDRATION OF THE SKIN. CICATRICURE® BRIGHTENING FACE CREAM MOISTURIZES AND UNIFIES THE SKIN TONE, PROVIDING BRIGHTNESS TO THE FACE AND VISIBLY YOUNGER LOOKING SKIN. WITH RESULTS FROM THE 2ND WEEK. PLUS, IT CONTAINS SPF 20 TO PROTECT THE SKIN FROM HARMFUL UV RAYS FROM THE SUN.

LA EXPOSICIÓN PROLONGADA A LOS RAYOS UV PUEDE PROVOCAR LA APARICIÓN PREMATURA DE ARRUGAS Y MANCHAS OSCURAS, ASÍ COMO LA DESHIDRATACIÓN DE LA PIEL. CICATRICURE® CREMA FACIAL ACLARADORA HIDRATA Y UNIFICA EL TONO DE LA PIEL, BRINDANDO LUMINOSIDAD AL ROSTRO Y UNA APARIENCIA VISIBLEMENTE MÁS JOVEN CON RESULTADOS A PARTIR DE LA 2ª SEMANA. ADEMÁS, CONTIENE FPS 20 QUE PROTEGE LA PIEL DE LOS DAÑINOS RAYOS UV DEL SOL.

### ARE YOU MAKING ANY OF THESE COMMON SKIN MISTAKES?

¿ESTÁS COMETIENDO ALGUNO DE ESTOS ERRORES COMUNES EN LA PIEL?

- ❖ **Lack of skin protection from the sun contributes to early appearance of spots and wrinkles.**  
La falta de protección de la piel contra el sol contribuye a la aparición temprana de manchas y arrugas.
- ❖ **Exposing your skin to dry environments without moisturizing may increase signs of aging.**  
Exponer la piel a ambientes secos sin hidratarla puede aumentar los signos de la edad.
- ❖ **Not following product directions may not provide optimal results for your skin.**  
No seguir las indicaciones de uso del producto puede no proporcionar resultados óptimos para la piel.

Actual Size / Tamaño real

## BRIGHTENING CREAM CREMA ACLARADORA ANTIMANCHAS

Unifies skin tone  
Unifica el tono de la piel

Reduces appearance  
of wrinkles  
Reduce la apariencia de arrugas

Moisturizes and helps nourish  
Humecta y ayuda a nutrir

EXCLUSIVE FORMULA \*QACETYL 10®  
& NUTRI-ACLARANT  
FÓRMULA EXCLUSIVA  
\*QACETYL 10® & NUTRI-ACLARANT

**SPF 20**  
FPS 20

\*QAcetyl-10® is an exclusive blend of conditioners and peptides  
\*QAcetyl-10® es una mezcla exclusiva de acondicionadores y péptidos


Net Wt. 1.6 FL Oz (50 ml)

2000012171



Lot No./Lote No.:

Exp. date:



**BRIGHTENING  
ACLARADORA  
ANTIMANCHAS**



DRAMATIZATION DRAMATIZACIÓN

**Drug Facts**

Active ingredients	Purpose
AVOBENZONE 1%.....	Sunscreen
HOMOSALATE 4.5%.....	Sunscreen
OCTINOXATE 7.5%.....	Sunscreen
OCTISALATE 4.5%.....	Sunscreen
OXYBENZONE 3%.....	Sunscreen

**Uses**

- helps prevent sunburn

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use: • apply generously and evenly 15 minutes before sun exposure. Reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating.

Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk,

**Datos del medicamento**

Principios activos	Propósito
AVOBENZONA 1%.....	Filtro solar
HOMOSALATO 4.5%.....	Filtro solar
OCTINOXATO 7.5%.....	Filtro solar
OCTISALATO 4.5%.....	Filtro solar
OXIBENZONA 3%.....	Filtro solar

**Usos**

- ayuda a prevenir las quemaduras solares

**Precauciones**

Para uso externo únicamente

No aplicar sobre la piel dañada o herida

Al usar este producto evitar el contacto con la zona de los ojos. Enjuagar con agua para retirar

Suspender el uso y consultar al médico si aparecen sarpullidos

Mantener fuera del alcance de los niños. Si se traga, buscar ayuda médica o comunicarse con un centro de toxicología de inmediato.

**Instrucciones**

Para usar como filtro solar: • aplicar de forma uniforme y abundante 15 minutos antes de exponerse al sol • repetir la aplicación cada 2 horas • usar un filtro solar resistente al agua en caso de nadar o transpirar. Medidas de protección contra

**PROVEN EFFICACY**  
**EFICACIA PROBADA**

**84%** **REDUCES SPOTS APPEARANCE**  
Reduce la apariencia de las manchas

**79%** **EVENES SKIN TONE**  
Unifica el tono de la piel

**91%** **RENEWED SKIN**  
Piel renovada

**CLINICALLY PROVEN**  
**PROBADO CLÍNICAMENTE**

Based on consumer studies, percentage of panelists who experienced the benefit.  
Basado en estudios de consumidor, porcentaje de panelistas que experimentaron el beneficio.

regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other skin protection measures including:

- limit time in the sun, especially from 10am to 2pm
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

**Other information**

- protect product from excessive heat and direct sun
- may stain some fabrics
- keep this carton for future reference.

**Inactive ingredients**

WATER, GLYCERIN, ALCOHOL, POLYSORBATE 60, SORBITAN STEARATE, BUTYLENE GLYCOL, TRIETHANOLAMINE, CARBOMER, BENZYL ALCOHOL, PHENOXYETHANOL, METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER, POLYSORBATE 20, HYDROLYZED OAT PROTEIN, PPG-2 MYRISTYL ETHER PROPIONATE, 3-O-ETHYL ASCORBIC ACID, ALPHA-ARBUTIN, ETHYLHEXYLGLYCERIN, SILANEDIOL SALICYLATE, MELANIN, PALMITOYL TRIPEPTIDE-1, PALMITOYL TETRAPEPTIDE-7.

**el sol:** Pasar tiempo al sol aumenta el riesgo de cáncer de piel y envejecimiento prematuro. Para disminuir este riesgo, use regularmente un filtro solar con valor FPS 15 de amplio espectro o mayor y otras medidas de protección de la piel, por ejemplo:  
 • limitar la exposición al sol, especialmente desde las 10:00 a.m. hasta las 2:00 p.m.  
 • usar camisas de manga larga, pantalones, sombrero y anteojos de sol  
 • bebés menores de 6 meses: consultar al médico

**Otra información**

- proteger del calor excesivo y los rayos directos del sol
- puede manchar algunas telas
- guarde este cartón para referencia futura.

**Ingredientes Inactivos**


AGUA, GLICERINA, ALCOHOL, POLISORBATO 60, ESTEARATO DE SORBITAN, BUTILENGLICOL, TRIETANOLAMINA, CARBOMERO, ALCOHOL BENCÍLICO, FENOXIETANOL, METIL METACRILATO/GLICOL DIMETACRILATO CROSPOLIMERO, POLISORBATO 20, PROTEINA DE AVENA HIDROLIZADA, PPG-2 MIRISTIL ETER PROPIONATO, 3-O-ACIDO ETHYL ASCORBICO, ALFA-ARBUTINA, ETILHEXILGLICERINA, SALICILATO DE SILANEDIOL, MELANINA, PALMITOIL TRIPEPTIDO-1, PALMITOIL TETRAPEPTIDO-7.

**Questions? / ¿Preguntas?**

Call toll free / Llame sin costo al  
**1-877-994-3666**  
Monday to Friday/ lunes a viernes,  
8am to 6pm, Central time/ horario central

**Distributed by / Distribuido por:**

Genomma Lab USA Inc.  
Houston, TX 77098  
[www.genommalab.us](http://www.genommalab.us)



**CICATRICURE BRIGHTENING WITH SPF SUNSCREEN**

avobenzone, homosalate, octinoxate, octisalate, and oxybenzone cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50066-704
<b>Route of Administration</b>	TOPICAL		

<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
<b>Avobenzonone</b> (UNII: G63QQF2NOX) (Avobenzonone - UNII:G63QQF2NOX)		Avobenzonone	10 mg in 1 mL	
<b>Homosalate</b> (UNII: V06SV4M95S) (Homosalate - UNII:V06SV4M95S)		Homosalate	45 mg in 1 mL	
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)		Octinoxate	75 mg in 1 mL	
<b>Octisalate</b> (UNII: 4X49Y0596W) (Octisalate - UNII:4X49Y0596W)		Octisalate	45 mg in 1 mL	
<b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (Oxybenzone - UNII:95OOS7VE0Y)		Oxybenzone	30 mg in 1 mL	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>				<b>Strength</b>
<b>glycerin</b> (UNII: PDC6A3C0OX)				
<b>Polysorbate 60</b> (UNII: CAL22UVI4M)				
<b>Polysorbate 20</b> (UNII: 7T1F30V5YH)				
<b>Sorbitan Monostearate</b> (UNII: NVZ4I0H58X)				
<b>Butylene glycol</b> (UNII: 3XUS85K0RA)				
<b>CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE</b> (UNII: 0A5MM307FC)				
<b>Product Characteristics</b>				
<b>Color</b>	white	<b>Score</b>		
<b>Shape</b>		<b>Size</b>		
<b>Flavor</b>		<b>Imprint Code</b>		
<b>Contains</b>				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50066-704-01	1 in 1 CARTON	10/07/2019	
1		50 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	10/07/2019		

**Labeler** - Genomma Lab USA Inc. (832323534)

**Registrant** - Garcoa, Inc. (036464697)