

**GENTLE OVERNIGHT LAXATIVE- bisacodyl tablet, delayed release**  
**Better Living Brands, LLC**

-----  
**Signature Select 44-327-Overnight-Delisted**

***Active ingredient (in each tablet)***

Bisacodyl USP, 5 mg

***Purpose***

Stimulant laxative

***Uses***

- for relief of occasional constipation and irregularity
- this product generally produces bowel movement in 6 to 12 hours

***Warnings***

**Do not use**

if you cannot swallow without chewing.

**Ask a doctor before use if you have**

- stomach pain, nausea or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

**When using this product**

- do not chew or crush tablet(s)
- do not use within 1 hour after taking an antacid or milk
- it may cause stomach discomfort, faintness, and cramps

**Stop use and ask a doctor if**

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

***Directions***

- **do not take more than directed**
- take with a glass of water

adults and children 12 years and over	take 1 to 3 tablets in a single daily dose
children 6 to under 12 years	take 1 tablet in a single daily dose
children under 6 years	ask a doctor

***Other information***

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid excessive humidity
- see end flap for expiration date and lot number

***Inactive ingredients***

acacia, ammonium hydroxide, calcium carbonate, carnauba wax, colloidal anhydrous silica, corn starch, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, iron oxide black, lactose anhydrous, magnesium stearate, methylparaben, polydextrose, polyethylene glycol, polyvinyl acetate phthalate, povidone, propylene glycol, propylparaben, shellac glaze, simethicone, sodium alginate, sodium benzoate, sodium bicarbonate, stearic acid, sucrose, talc, titanium dioxide, triacetin, triethyl citrate

***Questions or comments?***

**1-800-426-9391**

***Principal display panel***

**COMPARE TO**

Dulcolax® Laxative Tablets  
active ingredient\*

NDC 21130-827-12

***Signature***

**SELECT®**

Quality Guaranteed

**GENTLE**

**OVERNIGHT LAXATIVE**

**BISACODYL USP, 5 mg**

**Stimulant laxative**

- Gentle, dependable constipation relief

**COMFORT COATED TABLETS**

Actual Size

# 100 TABLETS

**TAMPER EVIDENT: DO NOT USE  
IF PACKAGE IS OPENED OR IF  
BLISTER UNIT IS TORN,  
BROKEN OR SHOWS  
ANY SIGNS OF TAMPERING**

## DISTRIBUTED BY:

BETTER LIVING BRANDS LLC  
P.O. BOX 99  
PLEASANTON, CA 94566-0009  
‡1-888-723-3929

**LOVE IT  
OR IT'S ON US‡**

\*T\*This product is not manufactured or distributed by A. Nattermann & Cie. GmbH, distributors of Dulcolax® Laxative Tablets. 50844 REV0923C32712

**TAMPER EVIDENT: DO NOT USE  
IF PACKAGE IS OPENED OR IF  
BLISTER UNIT IS TORN,  
BROKEN OR SHOWS  
ANY SIGNS OF TAMPERING**

DISTRIBUTED BY:  
BETTER LIVING BRANDS LLC  
P.O. BOX 99  
PLEASANTON, CA 94566-0009  
‡1-888-723-3929

RD 23298

3 21330 78772 7

S1714



## GENTLE OVERNIGHT LAXATIVE

**Signature SELECT**

### GENTLE OVERNIGHT LAXATIVE

BISACODYL USP, 5 mg  
Stimulant laxative

• Gentle, dependable constipation relief  
COMFORT COATED TABLETS

Actual Size



**100 TABLETS**

\*This product is not manufactured or distributed by A. Nattermann & Cie. GmbH, distributors of Dulcolax® Laxative Tablets. 50844 REV0923C32712



Scan here for more information



No Print/No Varnish Lot & EXP

**Signature SELECT**

## GENTLE OVERNIGHT LAXATIVE

B-1817-327-12-SS  
REV0923C32712

**KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION**

<b>Drug Facts</b>	<b>Directions</b>	<b>Other information</b>	<b>Questions or comments?</b>
Bisacodyl USP, 5 mg	<ul style="list-style-type: none"> <li>do not take more than directed</li> <li>Take 1 to 3 tablets in a single daily dose</li> <li>adults and children 12 years and over</li> <li>Take 1 tablet in a single daily dose</li> <li>children 6 to under 12 years</li> <li>children under 6 years ask a doctor</li> </ul>	<ul style="list-style-type: none"> <li><b>TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN</b></li> <li>store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)</li> <li>avoid excessive humidity</li> <li>use end flap for expiration date and lot number</li> </ul>	1-800-426-9391
<ul style="list-style-type: none"> <li>for relief of occasional constipation and irregularity</li> <li>this product generally produces bowel movement in 6 to 12 hours</li> </ul>	<ul style="list-style-type: none"> <li>use end flap for expiration date and lot number</li> </ul>	<ul style="list-style-type: none"> <li>ascorbic acid, ammonium hydroxide, calcium carbonate, camphor, wax, colloidal anhydrous silica, corn starch, DSC, yellow #10 aluminum lake, FD&amp;C yellow #6 aluminum lake, hydroxymethylcellulose, iron oxide black, lactose anhydrous, magnesium stearate, methylparaben, polyethylene glycol, polyvinylpyrrolidone, polyethylene glycol, propylparaben, sodium lauryl sulfate, sodium lauryl sulfonate, sodium phosphate dibasic, sodium phosphate monobasic, titanium dioxide, triacetin, triethyl citrate</li> </ul>	
<ul style="list-style-type: none"> <li>do not chew or crush tablet(s)</li> <li>do not use within 1 hour after taking an antacid or milk</li> <li>it may cause stomach discomfort, flatness, and cramps</li> </ul> <p><b>Stop use and ask a doctor if</b></p> <ul style="list-style-type: none"> <li>you have or develop any of the following signs or symptoms of a serious condition:</li> <li>you need to use a laxative for more than 1 week</li> <li>if pregnant or breast-feeding, ask a health professional before use.</li> </ul> <p><b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away.</p>	<p><b>Warnings</b></p> <ul style="list-style-type: none"> <li>Do not use if you cannot swallow without chewing.</li> <li>Ask a doctor before use if you have</li> <li>stomach pain, nausea or vomiting</li> <li>a sudden change in bowel habits that lasts more than 2 weeks</li> </ul> <p><b>When using this product</b></p> <ul style="list-style-type: none"> <li>do not chew or crush tablet(s)</li> <li>do not use within 1 hour after taking an antacid or milk</li> <li>it may cause stomach discomfort, flatness, and cramps</li> </ul> <p><b>Stop use and ask a doctor if</b></p> <ul style="list-style-type: none"> <li>you have or develop any of the following signs or symptoms of a serious condition:</li> <li>you need to use a laxative for more than 1 week</li> <li>if pregnant or breast-feeding, ask a health professional before use.</li> </ul> <p><b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away.</p>	<p><b>Drug Facts (continued)</b></p> <p><b>Active ingredient (in each tablet)</b> Bisacodyl USP, 5 mg</p> <p><b>Purpose</b> Stimulant laxative</p>	

Signature Select 44-327

# GENTLE OVERNIGHT LAXATIVE

bisacodyl tablet, delayed release

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:21130-827
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>BISACODYL</b> (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)	BISACODYL	5 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>ACACIA</b> (UNII: 5C5403N26O)	
<b>AMMONIA</b> (UNII: 5138Q19F1X)	
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>D&amp;C YELLOW NO. 10 ALUMINUM LAKE</b> (UNII: CQ3XH3DET6)	
<b>FD&amp;C YELLOW NO. 6 ALUMINUM LAKE</b> (UNII: GYP6Z2JR6Q)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>ANHYDROUS LACTOSE</b> (UNII: 3SY5LH9PMK)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>POLYDEXTROSE</b> (UNII: VH2XOU12IE)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>Polyvinyl Acetate Phthalate</b> (UNII: 58QVG85GW3)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>SHELLAC</b> (UNII: 46N107B71O)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM ALGINATE</b> (UNII: C269C4G2ZQ)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM BICARBONATE</b> (UNII: 8MDF5V39QO)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>TRIACETIN</b> (UNII: XHX3C3X673)	
<b>TRIETHYL CITRATE</b> (UNII: 8Z96QXD6UM)	

## Product Characteristics

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	6mm
<b>Flavor</b>		<b>Imprint Code</b>	5
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-827-12	4 in 1 CARTON	02/03/2020	08/31/2027
1		25 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:21130-827-56	1 in 1 CARTON	02/03/2020	12/20/2024
2		25 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:21130-827-06	1 in 1 CARTON	02/03/2020	05/22/2025
3		200 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	02/03/2020	08/31/2027

**Labeler** - Better Living Brands, LLC (009137209)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	manufacture(21130-827) , pack(21130-827)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(21130-827) , pack(21130-827)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(21130-827)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(21130-827)

# Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(21130-827)

Revised: 4/2025

Better Living Brands, LLC