ISOPROPYL ALCOHOL- is opropyl alcohol liquid Vedco

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Isopropyl Alcohol 70%

NDC 50989-521-29 ISOPROPYL ALCOHOL 70% LIVESTOCK DRUG NET CONTENTS: 1 GALLON (3.785 L)

VEDCO

CAUTION: FLAMMABLE!

KEEP AWAY FROM FIRE OR FLAME
KEEP OUT OF REACH OF CHILDREN

For Animal Use Only

Scrub hands and arms with soap and water, rinse with water, then scrub with alcohol solution for disinfecting.

External solution for use as a topical antiseptic. May also be used for temporary relief of minor muscular aches or pain due to over-exertion and fatigue. Apply full strength directly to afflicted area, we thoroughly and massage briskly to stimulate circulation.

Store at controlled room temperature between 15° and 30°C (59°-86°F).

Rev. 6-99

TAKE TIME OBSERVE LABEL DIRECTIONS

Distributed by:

Vedco, Inc.

St. Joseph, MO 64504

ACTIVE INGREDIENT:

Isopropyl Alcohol 70%

INERT INGREDIENT:

Deionized Water 30% Total 100%

WARNING:

For external use only. If taken internally, serious gastric disturbance will result. Avoid contact with eyes. In case of eye contact, flush thoroughly with water. Call a physician.

First Aid: Induce vomiting or use stomach pump.

FLAMMABLE: Do not use near heat or open flame.

Lot No.

Exp. Date

For Animal Use Only

Scrub hands and arms with soap and water, rinse with water, then scrub with alcohol solution for disinfecting.

External Solution for use as a topical antiseptic. May also be used for temporary relief of minor muscular aches or pain due to over-exertion and fatigue. Apply full strength directly to afflicted area, wet thoroughly and massage briskly to stimulate circulation.


Store at controlled room temperature between 15° and 30°C (59°F-86°F).

Rev. 04-08



OBSERVE LABEL DIRECTIONS

Distributed By VEDCO, INC. St. Joseph, MO 64507



ACTIVE INGREDIENT:

WARNING:

For external use only. If taken internally, serious gastric disturbance will result. Avoid contact with eyes. In case of eye contact, flush thoroughly with water. Call a physician.

First Aid: Induce vomiting or use stomach pump.

FLAMMABLE: Do not use near heat or open flame.

Lot No. Exp. Date

3 50989 52127

ISOPROPYL ALCOHOL

isopropyl alcohol liquid

Product Information

Product Type OTC ANIMAL DRUG

Item Code (Source)

NDC:50989-521

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
	ISOPROPYL ALCOHOL	70 mL in 100 mL

Inactive Ingredients

Ingredient Name Strength

WATER (UNII: 059QF0KO0R)

F	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:50989-521-27	946 mL in 1 BOTTLE					
2	NDC:50989-521-29	3785 mL in 1 BOTTLE					

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
Unapproved drug other		04/16/1999				

Labeler - Vedco (021634266)

Revised: 10/2013 Vedco