ANTACID MAXIMUM STRENGTH- aluminum hydroxide, magnesium hydroxide, dimethicone liquid STRATEGIC SOURCING SERVICES LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

SUNMARK ANTACID MAX

Active ingredients (in each 5 mL teaspoonful)

Aluminum hydroxide 400mg (equivalent to dried gel, USP) Magnesium hydroxide 400 mg Simethicone 40mg

Purposes

Antacid

Antigas

Uses

relieves

- heartburn
- sour stomach
- acid indigestion
- upset stomach due to these symptoms
- symptoms of gas

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks

If pregnant or breast-feeding, ask a health professional before use.

Keep this and all drugs out of the reach of children.

in case of accidental overdose, seek professional assistance or contact a poison control center (1-800-222-1222) immediately.

Directions

- shake well before use
- do not exceed 12 teaspoons (60 mL) in a 24 hour period or use the maximum dosage for more than 2 weeks
- adults and children 12 years and older: take 2 to 4 teaspoons (10-20 mL) between meals, at bedtime,

or as directed by a doctor

• children under 12 years: ask a doctor

Other information

- each 5 mL teas poonful contains: magnesium 165 mg, sodium 5 mg
- do not freeze
- store at room temperature tightly closed

Inactive ingredients

benzyl alcohol, butylparaben, carboxymethylcellulose sodium, flavor (contains alcohol), hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

package label

Sunmark

compare to MYLANTA Maximum Strength active ingredients

NDC 49348-303-39

antacid

Maximum Strength

antacid/antigas

Aluminum Hydroxide 400 mg Magnesium Hydroxide 400 mg Simethicone 40 mg

Fast acting

fast soothing relief of

heartburn,

acid indigestion,


sour stomach,

pressure & bloating

ORIGINAL

Alcohol: 0,5%

12 FL OZ (355 mL)



Drug Facts BAND ON CAP IS BROKEN OR MISSING. Active ingredients Purpose (in each 5 mL teaspoonful) Àluminum hydroxide equivalent to Dried Gel, USP) 400 mg .. Antacid Magnesium hydroxide 400 mg... .Antacid Simethicone 40 mg... Uses relieves • heartburn • sour stormach • acid indigestion upset stomach due to these symptoms symptoms of gas Warnings Ask a doctor before use if you have • kidney disease • a magnesium restricted diet Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs. Stop use and ask a doctor if symptoms last for more than 2 weeks If pregnant or breast-feeding, ask a health professional before use. Keep this and all drugs out of the reach of children. In case of overdose, seek professional assistance or contact a Poison Control Center (1-800-222-1222) immediately.

TAMPER EVIDENT: DO NOT USE IF THE BREAKAN

Directions • shake well before use

- do not exceed 12 teaspoonfuls (60 mL) in a 24 hour period or use the maximum dosage for more than 2 weeks
- adults and children 12 years of age and clider: take 2 to 4 teaspoonfuls (10-20 mL) between meals, at bedtime or as directed by a doctor

children under 12 years of age: ask a doctor

- Other information each 5 mL teaspoonful contains: magnesium 165 mg, sodium 5 mg do not freeze
- store at room temperature tightly closed

Inactive ingredients benzyl alcohol, butylparaben, carboxymethylcellulose sodium, flavor (contains alcohol), hyprometicse, microcrystalline cellulose, propytparaben, purified water, saccharin sodium, sorbitol solution

'This product is not manufactured or distributed by Johnson & Johnson Merck, distributor of Mylanta®

M⊆KESSON

Questions or Comments? 1-866-534-4631

973-06122-2 **REV GC-0317**

Another Quality Product Distributed By McKesson One Post Street, San Francisco, CA 94164 Money Back Guarantee Please visit us at www.sunmarkbrand.com

ANTACID MAXIMUM STRENGTH

aluminum hydroxide, magnesium hydroxide, dimethicone liquid

pressure & bloating

12 FL OZ (355 mL)

ORIGINAL

Alcohol: 0.5%

273-06122-1

REV GC-0317

Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:49348-303 Route of Administration ORAL

Active Ingredient/Active Moiety			
Basis of Strength	Strength		
ALUMINUM HYDRO XIDE	400 mg in 5 mL		
MAGNES IUM HYDRO XIDE	400 mg in 5 mL		
DIMETHICONE	40 mg in 5 mL		
	Strength ALUMINUM HYDROXIDE MAGNESIUM HYDROXIDE		

Inactive Ingredients			
Ingredient Name	Strength		
BENZYL ALCOHOL (UNII: LKG8494WBH)			
BUTYLPARABEN (UNII: 3QPI1U3FV8)			
CARBO XYMETHYLCELLULO SE SO DIUM (UNII: K679 OBS 311)			
HYPROMELLOSES (UNII: 3NXW29V3WO)			
CELLULO SE, MICRO CRYSTALLINE (UNII: OP1R32D61U)			
PROPYLPARABEN (UNII: Z8IX2SC1OH)			
WATER (UNII: 059QF0KO0R)			
SACCHARIN SODIUM (UNII: SB8ZUX40TY)			
SORBITOL (UNII: 506T60A25R)			

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	LEMON (Lemon)	Imprint Code	
Contains			

ı	Packaging				
ı	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
ı	1 NI	DC:49348-303-39	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/01/2012	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part331	06/01/2012	

Labeler - STRATEGIC SOURCING SERVICES LLC (116956644)

Registrant - GCP Laboratories (965480861)

Establishment					
Name	Address	ID/FEI	Business Operations		
GCP Laboratories		965480861	manufacture(49348-303)		

Revised: 12/2019 STRATEGIC SOURCING SERVICES LLC