COVER-EXPERT SUNSCREEN BROAD SPECTRUM SPF 15 NO.12 WARM COPPER- titanium dioxide, zinc oxide cream Luxe Art Beaute SAS

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Cover-Expert Sunscreen Broad Spectrum SPF 15 No.12 Warm Copper

Drug Facts

Active ingredients

Titanium dioxide 5.1%

Zinc oxide 2.8%

Purpose

Sunscreen

Uses

- Help to prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove

Stop use and ask a doctor

if rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun invcreases your skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses
- Children under 6 months of age: Ask a doctor

Other information

Protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, cyclopentasiloxane, talc, glycerin, cetyl peg/ppg-10/1 dimethicone, imperata (imperata cylindrica) root extract, sodium chloride, benzyl alcohol, triethoxycaprylylsilane, c12-13 alkyl lactate, alumina, sodium dehydroacetate, hydrogen dimethicone, dimethicone/vinyl dimethicone crosspolymer, fragrance, squalane, disteardimonium hectorite, peg-8, aluminum hydroxide, potassium sorbate, dehydroacetic acid, propylene carbonate, carbomer, phenoxyethanol, sodium citrate, citric acid, biotin **may contain:** titanium dioxide, iron oxides

Product Label

FTERRY

COVER-EXPERT SPF 15

Fond de Teint Fluide Couvrance Ultra-Perfection Lumière Veloutée

> Intensive Mimetic Camouflage Technology

Perfecting
Fluid Foundation
Ultra-Coverage
Flawless Velvet Glow

Sa texture stretch-veloutée, ses pigments à la couvrance mimétique et son complexe lumi-diffuseur exclusif garantissent un camouflage "expert" zéro défaut, au fini mat-parfait.

The stretch-velvet texture, full correcting pigments and exclusive light-diffusing complex ensure "expert" perfecting camouflage for ultra-flawless matte coverage.


> Usage externe For external use only

1.18 fl. oz. (35 ml)

LUXE ART BEAUTÉ SAS 21, Passage Véro-Dodat 75001 PARIS www.byterry.com Made in Italy







Warm Copper



Inspired by the most advanced digital retouching technologies, this non-greasy, creamy-fluid foundation combines perfecting coverage with SPF 15 anti-UV protection. Its "matte-stretch skin mimetic" texture with I.M.C.™* technology is a concentration of soft-focus prisms and camouflage micro-pigments that unify the appearence of the skin's texture to the pixel without thickness nor traces. The complexion instantaneously appears flawless and smooth with a long-lasting matte velvety light.

*I.M.C TM: Intensive Mimetic Camouflage

TESTED UNDER
DERMATOLOGICAL CONTROL

Distributed by:

LUXE ART BEAUTÉ SAS 21, Passage Véro-Dodat 75001 PARIS Made in Italy

www.byterry.com

To report a serious adverse event contact

Toll Free: 1-800-578-9718

COVER-EXPERT SUNSCREEN BROAD SPECTRUM SPF 15 NO.12



COVER-EXPERT

Sunscreen Broad Spectrum SPF 15

Intensive Mimetic Camouflage[™] Technology

Perfecting Fluid Foundation Ultra-Coverage

Flawless Velvet Glow

1.18 fl oz (35 mL)

Drug Facts

Active ingredients

Purpose

Titanium dioxide 5.1% Zinc oxide 2.8%

....Sunscreen

Uses

- Help to prevent sunburn
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. 2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses
- Children under 6 months of age: Ask a doctor

Other information

Protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, cyclopentasiloxane, talc, glycerin, cetyl peg/pog-10/1 dimethicone, imperata (mperata cyfindrica) root extract, sodium chloride, perglavil alcohol, triethoxycaprylysilane, c12-13 alkyl lactate, alumina, sodium dehydroacetate, hydrogen dimethicone, dimethicone/pinyl dimethicone crosspolymer, fragrance, squalane, diseardimonium hectorite, peg-8, aluminum hydroxide, potassium sorbate, dehydroacetic acid, propylene carbonate, carbomer, phenoxyethanol, sodium citrate, citric acid, highir

may contain: titanium dioxide, iron oxides

titanium dioxide, zinc oxide cream

Product Information

WARM COPPER

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:69879-112

TOPICAL

Active Ingredient/Active Moiety						
Ingredient Name	Basis of Strength	Strength				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	51 mg in 1 mL				
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	28 mg in 1 mL				

Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
CYCLOMETHICONE 5 (UNII: OTHT5PCIOR)			
TALC (UNII: 7SEV7J4R1U)			
GLYCERIN (UNII: PDC6A3C0OX)			
IMPERATA CYLINDRICA ROOT (UNII: VYT2JA85NH)			
SODIUM CHLORIDE (UNII: 451W47IQ8X)			
BENZYL ALCOHOL (UNII: LKG8494WBH)			
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)			
ALUMINUM OXIDE (UNII: LMI2606933)			
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)			
DIMETHICONE (UNII: 92RU3N3Y1O)			
SQUALANE (UNII: GW89575KF9)			
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)			
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)			
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)			
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)			
DEHYDROACETIC ACID (UNII: 2KAG279R6R)			
PROPYLENE CARBONATE (UNII: 8D08K3S51E)			
PHENOXYETHANOL (UNII: HIE492ZZ3T)			
SODIUM CITRATE (UNII: 1Q73Q2JULR)			
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)			
BIOTIN (UNII: 6SO6U10H04)			

l	Packaging					
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
	1	NDC:69879-112- 35	35 mL in 1 TUBE; Type 0: Not a Combination Product	07/31/2015	05/01/2025	

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not final	part352	07/31/2015	05/01/2025		

Labeler - Luxe Art Beaute SAS (378611552)

Revised: 9/2023 Luxe Art Beaute SAS