

**ACETAMINOPHEN- acetaminophen tablet**  
**HF Acquisition Co LLC, DBA HealthFirst**

-----

Active ingredient (in each tablet)

Acetaminophen 500 mg

Pain reliever/fever reducer

Uses

For the temporary relief of minor aches and pains associated with

headache

muscular aches

minor arthritis pain

common cold

toothache

menstrual cramps

For the reduction of fever.

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

more than 8 tablets in 24 hours, which is the maximum daily amount

with other drugs containing acetaminophen

3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

skin reddening

blisters

rash

If a skin reaction occurs, stop use and seek medical help right away

Do not use

with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a

drug contains acetaminophen, ask a doctor or pharmacist.

for more than 10 days for pain unless directed by a doctor

for more than 3 days for fever unless directed by a doctor

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if

you are taking the blood thinning drug warfarin

Stop using and ask a doctor if

symptoms do not improve

new symptoms occur

pain or fever persists or gets worse  
redness or swelling is present

If pregnant or breast-feeding,ask a health professional before use.

Keep out of reach of children.In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### Directions

do not use more than directed

Adults and children: (12 years and older)Take 2 tablets every 4 to 6 hours as needed.  
Do not take more than 8 tablets in 24 hours.

Children under 12 years:Do not give to children under 12 years of age

#### Other information

store at room temperature 59°-86°F (15°-30°C)

tamper-evident sealed packets

do not use any opened or torn packets

#### Inactive ingredients

corn starch, hypromellose, maltodextrin\*, microcrystalline cellulose\*, polyethylene glycol, povidone\*, pregelatinized starch\*, sodium starch glycolate\*, stearic acid, titanium dioxide\*.

\* may contain

## QUESTIONS

Questions or comments?1-800-777-4908

Ask a doctor before use if you have  
liver disease

Ask a doctor or pharmacist before use if  
you are taking the blood thinning drug warfarin

Stop using and ask a doctor if

symptoms do not improve  
new symptoms occur  
pain or fever persists or gets worse  
redness or swelling is present

If pregnant or breast-feeding,ask a health professional before use.

51662-1666-2 2Pack



(01)10351662166625  
(17)230919  
(21)351662141212  
(10)789210



SEE MANUFACTURER'S INSERT  
DISTRIBUTED BY HF ACQUISITION CO., LLC  
MUKILTEO, WA 98275

NDC 68599-4681-3

**McKESSON**

Acetaminophen 500mg

**Active ingredient**  
(in each tablet)

**Purpose**

Acetaminophen 500 mg ..... Pain reliever/  
fever reducer

**Uses**

temporarily relieves minor aches and pains due to:

- headache ■ muscular aches
- minor arthritis pain ■ backache
- toothache ■ the common cold
- premenstrual and menstrual cramps

temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product ▶

**PACKAGE NOT CHILD-RESISTANT**

**2**

PER PACK

MFR # 82468

## ACETAMINOPHEN

acetaminophen tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51662-1666(NDC:68599-4681)
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	0.5 g in 1 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	AZ;235
<b>Contains</b>			

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:51662-1666-2	2 in 1 PACKET	01/30/2020	
1		0.5 g in 1 POUCH; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M013	01/30/2020	

**Labeler** - HF Acquisition Co LLC, DBA HealthFirst (045657305)

**Registrant** - HF Acquisition Co LLC, DBA HealthFirst (045657305)

Establishment			
Name	Address	ID/FEI	Business Operations
HF Acquisition Co LLC, DBA HealthFirst		045657305	repack(51662-1666)

Revised: 5/2025

HF Acquisition Co LLC, DBA HealthFirst