

**QUIT SMOKING PROVEN PATCHES- nicotine patch**  
**Jiashen International Trade Limited**

-----

Nicotine

Stop smoking aid

reduces withdrawal symptoms, including nicotine craving, associated with quitting smoking

If you are pregnant or breast-feeding, only use this medicine on the advice of your healthcare provider. Smoking can seriously harm your child. Try to stop smoking without using any nicotine replacement medicine. This medicine is believed to be safer than smoking. However, the risks to your child from this medicine are not fully known.

Ask a doctor or pharmacist before use if you are using a non-nicotine stop smoking drug or taking a prescription medicine for depression or asthma. Your prescription dose may need to be adjusted.

Keep out of reach of children and pets.

Used patches have enough nicotine to poison children and pets. If swallowed, get medical help or contact a Poison Control Center right away. Save pouch to use for disposal. Dispose of the used patches by folding sticky ends together and putting in pouch.

Uses reduce withdrawal symptoms, including nicotine craving, associated with quitting smoking

\*If you smoke 10 or less cigarettes per day, do not use STEP 1 (21 mg). Start with STEP 2 (14 mg) for 6 weeks, then STEP 3 (7 mg) for 2 weeks and then stop. Steps 2 and 3 allow you to gradually reduce your level of nicotine. Completing the full program will increase your chances of quitting successfully. Apply one new patch every 24 hours on skin that is dry, clean and hairless. Save pouch for disposing of the patch after use. Remove backing from patch and immediately press onto skin. Hold for 10 seconds.

**STEP 1**

Use one 21 mg patch/day

Weeks 1-6

**STEP 2**

Use one 14 mg  
patch/day

Weeks 7-8

**STEP 3**

Use one 7 mg  
patch/day

Weeks 9-10

Inactive ingredients: ethylene vinyl acetate-copolymer, polyisobutylene and high density polyethylene between clear polyester backings



**BULPOL**



**BULPOL**

# QUIT SMOKING

## Proven Patches

STOP SMOKING AID



24H

CONTROL CRAVINGS  
ALL-DAY

Step 1

21mg



- Helps You Successfully Quit Smoking,
- Controls Smoking Cravings,
- Fights Withdrawal Symptoms,
- 100% Natural Plant Based

30

patches

**BULPOL**

**QUIT SMOKING**  
NicotinePatches

**STOP  
SMOKING AID**

---

**STEP1**

**21mg  
Delivered  
Over 24 Hours**

---

For family's  
protection  
patches are  
supplied  
in child-resistant  
pouches

**DO NOT USE IF  
INDIVIDUAL PATCH  
IS OPEN OR TORN**

<h2>Drug Facts</h2> <p><b>Active ingredient (in each patch)</b>      <b>Purpose</b> Nicotine, 21 mg delivered over 24 hours ----- Stop smoking aid</p> <p><b>Uses</b> reduces withdrawal symptoms, including nicotine craving, associated with quitting smoking</p>	<h2>Drug Facts (continued)</h2> <p>- begin using the patch on your quit day - if you smoke more than 10 cigarettes per day, use according to the following 10-week schedule:</p> <table border="1"> <thead> <tr> <th>STEP 1 Use one 21 mg patch/day</th> <th>STEP 2 Use one 14 mg patch/day</th> <th>STEP 3 Use one 7 mg patch/day</th> </tr> </thead> <tbody> <tr> <td>Weeks 1-6</td> <td>Weeks 7-8</td> <td>Weeks 9-10</td> </tr> </tbody> </table>	STEP 1 Use one 21 mg patch/day	STEP 2 Use one 14 mg patch/day	STEP 3 Use one 7 mg patch/day	Weeks 1-6	Weeks 7-8	Weeks 9-10
STEP 1 Use one 21 mg patch/day	STEP 2 Use one 14 mg patch/day	STEP 3 Use one 7 mg patch/day					
Weeks 1-6	Weeks 7-8	Weeks 9-10					
<h2>Warnings</h2> <p><b>If you are pregnant or breast-feeding, only use this medicine on the advice of your health care provider.</b> Smoking can seriously harm your child. Try to stop smoking without using any nicotine replacement medicine. This medicine is believed to be safer than smoking. However, the risks to your child from nicotine are not fully known.</p> <p><b>Ask a doctor before use if you are</b></p> <ul style="list-style-type: none"> <li>heart disease, recent heart attack, or irregular heartbeat.</li> <li>Nicotine can increase your heart rate.</li> <li>high blood pressure not controlled with medication. Nicotine can increase your blood pressure.</li> <li>an allergy to adhesive tape or have skin problems because you are more likely to get rashes</li> <li>stomach ulcer or diabetes</li> <li>history of seizures</li> </ul> <p><b>Ask a doctor or pharmacist before use if you are</b></p> <ul style="list-style-type: none"> <li>using a non-nicotine stop smoking drug</li> <li>taking a prescription medicine for depression or asthma. Your prescription dose may need to be adjusted.</li> </ul>	<p><b>STEP 1 (21 mg).</b> Start with STEP 2 (14 mg) for 6 weeks, then STEP 3 (7 mg) for 2 weeks and then stop.</p> <p><b>STEP 2 and 3</b> allow you to gradually reduce your level of nicotine. Completing the full program will increase your chances of quitting successfully.</p> <p>apply one new patch every 24 hours on skin that is dry, clean and hairless. Save pouch for disposing of the patch after use.</p> <p>remove backing from patch and immediately press onto skin. Hold for 10 seconds.</p> <p>wash hands after applying or removing patch. Throw away the patch by folding sticky ends together. Replace in its pouch and discard. See enclosed User's Guide for safety and handling.</p> <p>you may wear the patch for 16 or 24 hours</p> <ul style="list-style-type: none"> <li>if you crave cigarettes when you wake up, wear the patch for 24 hours</li> <li>if you have vivid dreams or other sleep disturbances, you may remove the patch at bedtime and apply a new one in the morning</li> <li>the used patch should be removed and a new one applied to a different skin site at the same time each day</li> <li>do not wear more than one patch at a time</li> <li>do not cut patch in half or into smaller pieces</li> <li>do not leave patch on for more than 24 hours because it may irritate your skin and loses strength after 24 hours.</li> <li>It is important to complete treatment. If you feel you need to use the patch for a longer period to keep from smoking, talk to your health care provider.</li> </ul>						
<p><b>When using this product</b></p> <ul style="list-style-type: none"> <li>if you have vivid dreams or other sleep disturbances remove this patch at bedtime</li> </ul> <p><b>Stop use and ask a doctor if</b></p> <ul style="list-style-type: none"> <li>skin redness caused by the patch does not go away after four days; or if your skin swells, or you get a rash</li> <li>irregular heart rate or palpitations occur</li> <li>you get symptoms of nicotine overdose such as nausea, vomiting, dizziness, weakness and rapid heartbeat</li> <li>you have symptoms of an allergic reaction (such as difficulty breathing or rash)</li> </ul>	<p><b>Other information</b></p> <ul style="list-style-type: none"> <li>store at 20-25°C (68-77°F)</li> </ul> <p><b>Inactive ingredients</b>      ethylene vinyl acetate copolymer, polyisobutylene and high density polyethylene between clear polyester backings</p> <p><b>Questions?</b> call toll-free 800-222-1222</p>						

**BULPOL**

Manufacturer: Jiashen International Trade Limited Ad  
dress: FLAT 1512, 15/F, LUCKY CENTRE, NO. 165-171 WAN  
CHAI ROAD  
WAN CHAI, HONG KONG, CHINA  
Made in China

**BULPOL**

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84867-013
Route of Administration	TOPICAL		

Ingredient Name	Basis of Strength	Strength
<b>NICOTINE</b> (UNII: 6M3C89ZY6R) (NICOTINE - UNII:6M3C89ZY6R)	NICOTINE	21 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
PETROSELINIC ACID (UNII: 3A10DOC461)	
ETHYLENE-VINYL ACETATE COPOLYMER (19% VINYLACETATE) (UNII: JK6142KK4O)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84867-013-01	30 in 1 BOX	05/17/2025	
1		10 g in 1 PATCH; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	05/17/2025	

**Labeler** - Jiashen International Trade Limited (989067943)

## Establishment

Name	Address	ID/FEI	Business Operations
Jiashen International Trade Limited		989067943	manufacture(84867-013)

Revised: 5/2025

Jiashen International Trade Limited